

M C P S E R V E R

N O C O D E

C L O U D H O S T E D

Accessible Advocacy Conversation Plan MCP

Build professional, fact-based strategies for addressing accessibility barriers.

Accessible Advocacy Conversation Plan MCP helps you navigate accessibility challenges using a facts-first approach. It provides the structure you need to communicate needs clearly while maintaining professional boundaries through minimum necessary disclosure. You can use it to prepare for meetings, draft specific wording for requests, and track the progress of requested accommodations.

A+ Quality Score 100/100

advocacy

accessibility

communication-strategy

professional-development

planning



The connectivity layer between AI and the world's software.

Vinkius sits between AI and every application. All communication passes through Vinkius Cloud via the Model Context Protocol (MCP) — with governance, observability, and security at every layer.

Your AI Connections Run Through Vinkius Cloud

The world's largest
managed MCP catalog

Vinkius is the connectivity layer where AI connects to the software your business already runs. We handle the hosting, the security, the credentials, the uptime — you get agents that actually do things.

We operate the world's largest managed MCP catalog. Major SaaS platforms, CRMs, databases, and cloud providers — running, monitored, production-ready. This MCP server is hosted and maintained by the Vinkius Cloud for AI Agents.

The agent doesn't manage credentials, doesn't manage uptime, doesn't manage security. Vinkius does.

— Architecture principle

Four Pillars of the Vinkius Runtime

01 — Security by design

Credentials stay encrypted at rest via AES-256. The AI agent never touches raw keys — they're injected into a sandboxed V8 isolate at runtime. Actions are logged, and connections have an emergency kill switch.

03 — Deterministic observability

Eight immutable metrics per endpoint: request volume, p95 latency, error rate, active connections, cost attribution. A live payload feed logs every tool call with mutation detection.

02 — Built on MCP Fusion

This MCP server was built with **MCP Fusion**, the open-source framework (Apache 2.0) that powers the entire Vinkius catalog. Schema-as-firewall strips undeclared fields, compiled PII redaction runs at zero overhead, and cryptographic lockfiles produce git-diffable audit trails.

04 — Autonomous operations

Servers are deployed, monitored, and patched autonomously. New capabilities and security patches ship weekly. Zero-downtime deployments ensure continuous availability across all managed MCP servers.

AES-256

Encryption at rest

Ed25519

PKI vault signatures

24h TTL

Ephemeral session keys

V8 Isolate

Sandboxed execution

One Token. Instant Access.

Every MCP server on Vinkius is accessed through a **Connection Token**. Tokens are generated in the cloud dashboard and produce a unique MCP endpoint URL. Paste this URL into any MCP-compatible client — no SDK required.

A single token can serve **multiple AI clients simultaneously**, or you can issue separate tokens per client for granular access control. Each token tracks its own request count, last activity timestamp, and can be individually enabled or revoked.

MCP ENDPOINT`https://edge.vinkius.com/{token}/mcp`

Claude



Cursor



VS Code



Windsurf



Grok



Gemini

Security Is the Architecture

Security in Vinkius is not a feature — it's the foundation of the runtime. The gateway enforces multiple independent protection layers between AI agents and third-party APIs.

01 — Ed25519 PKI Vault

Every workspace has an Ed25519 Master Key. Session keys are generated ephemerally (24h TTL) and signed by the Master Key. Credentials never leave the vault boundary.

02 — V8 Isolate Sandboxing

Tool code runs inside isolated-vm V8 isolates with 64 MB memory caps and per-request timeouts. No filesystem access, no network access except through the SSRF-guarded fetch bridge.

03 — SSRF Guard

All outbound HTTP requests are DNS-resolved and validated before execution. Private IP ranges (10.x, 172.16-31.x, 192.168.x, AWS metadata 169.254.x) are blocked at the network layer.

05 — Cryptographic Audit Trail

Every request is signed into a SHA-256 hash chain with Ed25519 signatures. Events form a tamper-proof, SIEM-exportable forensic record.

04 — DLP & PII Redaction

A ResponseGuard pipeline intercepts every tool response. Configurable redaction patterns strip sensitive fields (emails, SSNs, card numbers) before data reaches the AI agent.

06 — Honeypot Trap System

Phantom credentials are injected into isolated environments. If a honeypot is used outside Vinkius infrastructure, the server is quarantined instantly.

Emergency Kill Switch

EU AI Act Art. 14(1)
Compliant

The kill switch is an **emergency halt** mechanism — not a simple toggle. When triggered, it executes three actions atomically:

01 — Server deactivated

The MCP server is immediately taken offline across the entire cluster.

02 — All tokens revoked

Every connection token is invalidated. Total lockout — reconnection blocked until new tokens are issued.

03 — WebSocket connections killed

Active connections terminated via Redis pubsub broadcast. Propagates to every runtime node in the cluster.

Full Visibility. Zero Guesswork.

The Vinkius cloud dashboard includes a full MCP Governance suite — real-time analytics and security controls for production AI operations.

Control Plane

KPI dashboard with request volume, latency, success rate, token consumption, and AI-generated operational briefings.

FinOps

Cost tracking per tool, payload compression savings, budget optimization signals, and consumption trends.

Firewall & DLP

PII redaction activity, sensitive data protection counters, and security event timeline.

Agent Activity

Which AI clients are connecting, how often, and what they're doing — real-time session tracking.

Tool Health

Slowest and most error-prone tools, with actionable root-cause insights and performance baselines.

Incident Log

Error trends, failure rates, status-code breakdowns, and forensic audit trail access.

Get started at cloud.vinkius.com — connect your AI agent in under 60 seconds.

Accessible Advocacy Conversation Plan MCP

5 tools available

Cloud-hosted on Vinkius

When you need to address an accessibility barrier, the goal is clarity and accountability, not unnecessary personal disclosure. This MCP gives your AI client the framework to help you advocate for yourself or others using a professional, evidence-based method. Instead of guessing how to phrase a sensitive request, you use this tool to generate specific scripts and agendas that focus on the facts of the situation.

You can prepare for high-stakes meetings by building a structured roadmap and a checklist of verifiable proof. Once a conversation happens, the MCP helps you lock in what was actually agreed upon so nothing gets lost in translation. It also keeps you on track by planning follow-up sequences to ensure that requested changes actually get implemented. It turns a potentially stressful conversation into a documented, manageable process.

Core Capabilities

01 — Fact-Based Communication

Your agent uses this to focus on verifiable evidence rather than personal narratives.

02 — Meeting Preparation

The AI builds structured agendas to keep professional discussions on track.

03 — Accountability Tracking

Your agent records agreed steps and plans follow-ups to ensure requests are met.

04 — Script Generation

The tool drafts specific wording for verbal or written requests.

One Click on Vinkius — From Prompt to Execution

Available at vinkius.com/en/ai-agent-connect/accessible-advocacy-conversation-plan — connect your AI agent in three steps.

- 01 Connect your AI client to the Vinkius platform.
- 02 Describe your accessibility situation or the specific barrier you face.
- 03 Ask the agent to generate an agenda, script, or checklist.
- 04 Use the output to conduct your meeting or send your request.
- 05 Record the outcome and plan your follow-up through the MCP.

Connect your preferred client to Vinkius to start using these advocacy tools immediately.

Built For

This MCP is built for anyone needing to navigate professional environments to secure accessibility accommodations.

Employees

Requesting workspace accommodations or reporting facility barriers to management.

Service Users

Reporting digital or physical accessibility failures to providers or vendors.

Advocates

Using structured frameworks to support others in professional settings.

What Changes When You Connect

- 01 Reduces the need for personal disclosure by focusing on factual barriers.

-
- | | |
|-----------|---|
| 02 | Creates a paper trail of agreed actions to prevent requests from being ignored. |
| <hr/> | |
| 03 | Provides professional scripts to reduce the stress of difficult conversations. |
| <hr/> | |
| 04 | Organizes meeting flow with structured agendas and evidence checklists. |
-

Real-World Applications

Workplace Accommodations

Requesting a quiet workspace or specific equipment from a manager.

Digital Accessibility Reporting

Drafting emails to web developers about screen reader compatibility issues.

Facility Maintenance Requests

Reporting broken elevators or inaccessible entrances to building management.

Post-Meeting Accountability

Documenting what a supervisor promised to do regarding an accessibility need.

Patterns to Avoid

Over-sharing personal medical details

❌ AVOID

You write a long email explaining your entire medical history to justify why you need a specific desk setup.

✓ INSTEAD

Focus on the physical or digital barrier instead. Use `draft\_request\_wording` to generate professional language that centers on the facts of the environment.

Vague verbal agreements

❌ AVOID

Your manager says they will look into the broken elevator, but you leave the meeting without a timeline.

✓ INSTEAD

Lock in the details immediately. Use `record\_agreed\_next\_steps` to create a formal record of what was decided so you have a baseline for accountability.

Unstructured advocacy meetings

❌ AVOID

You walk into a meeting with your HR representative and realize you have no clear way to present your evidence.

✓ INSTEAD

Prepare a roadmap beforehand. Use ``generate_conversation_agenda`` to ensure the discussion stays professional and covers every necessary point.

The Right Fit

Connect this MCP if you need to navigate professional environments to secure accommodations or report accessibility failures. Do not connect it if you are looking for legal advice or medical diagnoses. The decision depends on whether you need a structured, evidence-based framework to manage professional conversations.

Accessible Advocacy Conversation Plan Tools

These tools provide the structure and language needed to turn accessibility needs into documented, actionable requests.

#	TOOL	DESCRIPTION
01	create_evidence_checklist	This tool builds a list of tangible proof you need to support your accessibility claims.
02	draft_request_wording	Use this to get specific, professional language for articulating your needs in writing or speech.
03	generate_conversation_agenda	This tool provides a structured roadmap to guide your meetings or professional interactions.
04	plan_followup_sequence	Get a scheduled plan for checking in on the progress of your requested changes.
05	record_agreed_next_steps	This tool creates a formal record of the decisions made during your discussions to ensure accountability.

See It in Action

Real prompts you can use once this MCP is connected to your AI agent through Vinkius Cloud.

U I need to talk to my manager about a broken elevator in the office. I have a formal relationship with them.



I have generated a structured agenda for your meeting. It includes an opening to present the factual observation of the elevator malfunction, followed by the specific request for repair, and a closing to confirm the timeline for the fix.

U Help me write an email to a service provider about a website that isn't screen-reader friendly. I want to keep it direct and use minimum disclosure.



Here is your written email draft: 'I am writing to report an accessibility barrier on your website. The current navigation structure is not compatible with screen readers, preventing full access to the service. I request that the navigation elements be updated to meet accessibility standards.'

U My boss agreed to provide a quiet workspace by next Friday. How should I follow up?



I have created a follow-up sequence. Since your relationship is professional, I recommend a brief check-in on Wednesday to confirm the workspace is ready for your use on Friday.

Frequently Asked Questions

01 How does this MCP help with privacy?

The tool is designed around minimum necessary disclosure, helping you focus on the facts of the barrier rather than sharing more personal information than required.

02 What AI clients can I use with this MCP?

You can use this MCP with any compatible client, including Claude, Cursor, Windsurf, and VS Code.

03 Can I use this to follow up on requests that were ignored?

Yes, you can use the `plan_followup_sequence` tool to create a schedule for checking in on the progress of your requests.

04 Does this MCP provide legal advice?

No, this MCP provides communication frameworks, meeting agendas, and documentation tools for professional advocacy.

05 How do I ensure my manager follows through on an agreement?

You can use the `record_agreed_next_steps` tool to create a formal record of what was decided, which helps maintain accountability.

06 How does this tool help with accessibility requests?

It provides structured tools like ``generate_conversation_agenda`` and ``draft_request_wording`` to help you communicate needs clearly and professionally using objective facts.

07 What is 'Minimum Necessary Disclosure'?

It is a principle used in ``draft_request_wording`` to ensure you only share the specific information required to address the barrier, protecting your privacy.

08 Can I use this to track what was promised in a meeting?

Yes, you can use ``record_agreed_next_steps`` to create a formal record of decisions and ``plan_followup_sequence`` to schedule check-ins.

Go Live in 60 Seconds

Get your connection token from cloud.vinkius.com, then paste the endpoint URL into any MCP-compatible client.

YOUR MCP ENDPOINT

`https://edge.vinkius.com/[TOKEN]/mcp`

CLIENT	WHERE TO CONFIGURE
 Claude AI	Profile → Customize → Connectors → "+" → Add custom connector → Paste endpoint
 Cursor	Settings → Features → MCP Servers → "+ Add New MCP Server" → Type: SSE → Paste endpoint
 VS Code	Ctrl/Cmd+Shift+P → "MCP: Add Server" → add <code>"accessible-advocacy-conversation-plan": { "url": "..." }</code>
 Windsurf	MCP Settings → <code>mcp_settings.json</code> → Add endpoint URL
 ChatGPT	Settings → Tools & plugins → Add MCP server → Paste endpoint
 Gemini	Extensions → Add MCP Server → Paste endpoint URL

ASK AN AI ABOUT THIS

Let your preferred AI explain this MCP server

-  Ask ChatGPT 
-  Ask Claude 
-  Ask Perplexity 
-  Ask Gemini 
-  Ask Grok 

READY TO CONNECT

Accessible Advocacy Conversation Plan is live on Vinkius Cloud.

Get your connection token, paste it into your AI agent, and
start building. No SDK. No deployment. Just results.

Start at cloud.vinkius.com →

vinkius.com · support@vinkius.com

INDEPENDENT PLATFORM DISCLAIMER

Vinkius is an independent platform and is not affiliated with, endorsed by, sponsored by, verified by, or otherwise authorized by Accessible Advocacy Conversation Plan. All third-party trademarks, logos, and brand names are the property of their respective owners. Their use in this document is strictly for informational purposes to identify service compatibility and interoperability.

DOCUMENT INFORMATION

Generated	September 2026
MCP Server	Accessible Advocacy Conversation Plan MCP
Server ID	01a0d37c-0557-728f-9fc6-c97ed0542404
Platform	Vinkius Cloud for AI Agents
Endpoint	<code>https://edge.vinkius.com/{token}/mcp</code>

LICENSE & USAGE

This document is generated automatically by the Vinkius PDF Engine. Content reflects the MCP server configuration at the time of generation and may change as updates are deployed. For the most current information, visit vinkius.com/en/ai-agent-connect/accessible-advocacy-conversation-plan.