

M C P S E R V E R

N O C O D E

C L O U D H O S T E D

Accessible Employment Visit Planner MCP

Build inclusive visit protocols and privacy-safe communications.

Accessible Employment Visit Planner MCP handles the logistics of disability-inclusive employment visits. It turns schedules and building access data into structured arrival protocols and communication templates. You can manage accommodation needs and participant roles while keeping personal disclosure strictly controlled.

A+ Quality Score 100/100

disability-inclusive

employment-planning

privacy-protection

accessibility-tools

visit-logistics



The connectivity layer between AI and the world's software.

Vinkius sits between AI and every application. All communication passes through Vinkius Cloud via the Model Context Protocol (MCP) — with governance, observability, and security at every layer.

Your AI Connections Run Through Vinkius Cloud

The world's largest
managed MCP catalog

Vinkius is the connectivity layer where AI connects to the software your business already runs. We handle the hosting, the security, the credentials, the uptime — you get agents that actually do things.

We operate the world's largest managed MCP catalog. Major SaaS platforms, CRMs, databases, and cloud providers — running, monitored, production-ready. This MCP server is hosted and maintained by the Vinkius Cloud for AI Agents.

The agent doesn't manage credentials, doesn't manage uptime, doesn't manage security. Vinkius does.

— Architecture principle

Four Pillars of the Vinkius Runtime

01 — Security by design

Credentials stay encrypted at rest via AES-256. The AI agent never touches raw keys — they're injected into a sandboxed V8 isolate at runtime. Actions are logged, and connections have an emergency kill switch.

03 — Deterministic observability

Eight immutable metrics per endpoint: request volume, p95 latency, error rate, active connections, cost attribution. A live payload feed logs every tool call with mutation detection.

02 — Built on MCP Fusion

This MCP server was built with **MCP Fusion**, the open-source framework (Apache 2.0) that powers the entire Vinkius catalog. Schema-as-firewall strips undeclared fields, compiled PII redaction runs at zero overhead, and cryptographic lockfiles produce git-diffable audit trails.

04 — Autonomous operations

Servers are deployed, monitored, and patched autonomously. New capabilities and security patches ship weekly. Zero-downtime deployments ensure continuous availability across all managed MCP servers.

AES-256

Encryption at rest

Ed25519

PKI vault signatures

24h TTL

Ephemeral session keys

V8 Isolate

Sandboxed execution

One Token. Instant Access.

Every MCP server on Vinkius is accessed through a **Connection Token**. Tokens are generated in the cloud dashboard and produce a unique MCP endpoint URL. Paste this URL into any MCP-compatible client — no SDK required.

A single token can serve **multiple AI clients simultaneously**, or you can issue separate tokens per client for granular access control. Each token tracks its own request count, last activity timestamp, and can be individually enabled or revoked.

MCP ENDPOINT`https://edge.vinkius.com/{token}/mcp`

Claude



Cursor



VS Code



Windsurf



Grok



Gemini

Security Is the Architecture

Security in Vinkius is not a feature — it's the foundation of the runtime. The gateway enforces multiple independent protection layers between AI agents and third-party APIs.

01 — Ed25519 PKI Vault

Every workspace has an Ed25519 Master Key. Session keys are generated ephemerally (24h TTL) and signed by the Master Key. Credentials never leave the vault boundary.

02 — V8 Isolate Sandboxing

Tool code runs inside isolated-vm V8 isolates with 64 MB memory caps and per-request timeouts. No filesystem access, no network access except through the SSRF-guarded fetch bridge.

03 — SSRF Guard

All outbound HTTP requests are DNS-resolved and validated before execution. Private IP ranges (10.x, 172.16-31.x, 192.168.x, AWS metadata 169.254.x) are blocked at the network layer.

05 — Cryptographic Audit Trail

Every request is signed into a SHA-256 hash chain with Ed25519 signatures. Events form a tamper-proof, SIEM-exportable forensic record.

04 — DLP & PII Redaction

A ResponseGuard pipeline intercepts every tool response. Configurable redaction patterns strip sensitive fields (emails, SSNs, card numbers) before data reaches the AI agent.

06 — Honeypot Trap System

Phantom credentials are injected into isolated environments. If a honeypot is used outside Vinkius infrastructure, the server is quarantined instantly.

Emergency Kill Switch

EU AI Act Art. 14(1)
Compliant

The kill switch is an **emergency halt** mechanism — not a simple toggle. When triggered, it executes three actions atomically:

01 — Server deactivated

The MCP server is immediately taken offline across the entire cluster.

02 — All tokens revoked

Every connection token is invalidated. Total lockout — reconnection blocked until new tokens are issued.

03 — WebSocket connections killed

Active connections terminated via Redis pubsub broadcast. Propagates to every runtime node in the cluster.

Full Visibility. Zero Guesswork.

The Vinkius cloud dashboard includes a full MCP Governance suite — real-time analytics and security controls for production AI operations.

Control Plane

KPI dashboard with request volume, latency, success rate, token consumption, and AI-generated operational briefings.

FinOps

Cost tracking per tool, payload compression savings, budget optimization signals, and consumption trends.

Firewall & DLP

PII redaction activity, sensitive data protection counters, and security event timeline.

Agent Activity

Which AI clients are connecting, how often, and what they're doing — real-time session tracking.

Tool Health

Slowest and most error-prone tools, with actionable root-cause insights and performance baselines.

Incident Log

Error trends, failure rates, status-code breakdowns, and forensic audit trail access.

Get started at cloud.vinkius.com — connect your AI agent in under 60 seconds.

Accessible Employment Visit Planner MCP

4 tools available

Cloud-hosted on Vinkius

Planning an employment visit requires more than just a time and a location. When accessibility is a factor, you need to account for physical entry points, quiet spaces, and specific accommodation requirements. This MCP manages those details for you. You provide the schedule and the building constraints, and your AI client generates a structured plan that covers everything from how to enter the building to how to engage with participants. It also acts as a privacy filter. You can draft messages to recruiters or employers and use the built-in validation to ensure you aren't sharing more personal information than necessary. Instead of manually checking every detail, you use this MCP to coordinate arrival sequences and participation levels, ensuring the visit is accessible and the communication remains professional and private.

Core Capabilities

01 — Visit Planning

Your agent creates structured visit plans from raw schedule and access data.

02 — Privacy Validation

The AI checks your outgoing messages to ensure you maintain strict control over personal disclosures.

03 — Logistics Mapping

Your agent calculates the physical steps needed for a successful arrival based on building constraints.

04 — Role Assignment

The AI maps out how different participants will engage during the visit.

One Click on Vinkius — From Prompt to Execution

Available at vinkius.com/en/ai-agent-connect/accessible-employment-visit-planner — connect your AI agent in three steps.

- 01
- Connect your AI client to the Vinkius hosted MCP.
- 02
- Provide visit details like time, location, and accessibility needs.
- 03
- Run tools to generate plans, check privacy, or map logistics.
- 04
- Receive structured protocols and ready-to-use communication templates.

Connect your preferred client to Vinkius and start planning immediately.

Built For

This MCP is built for anyone coordinating employment visits where accessibility and privacy are priorities.

Job Seekers

Users who need to plan their own arrival and manage how they disclose accommodation needs.

Recruiters

Professionals who need to coordinate inclusive interview environments for candidates.

Accessibility Coordinators

Staff members who manage the logistics of inclusive site visits and participant engagement.

What Changes When You Connect

- 01
- Reduces the risk of accidental personal information disclosure.
- 02
- Standardizes arrival protocols based on specific building access data.

-
- | | |
|-------|--|
| 03 | Coordinates participant engagement levels through structured role mapping. |
| <hr/> | |
| 04 | Converts raw scheduling data into actionable visit instructions. |
| <hr/> | |
-

Real-World Applications

Interview Preparation

A candidate uses the MCP to plan an entrance route via a ramp and request a quiet room.

Privacy-Safe Communication

A user checks a message to a recruiter to ensure they aren't sharing too much sensitive data.

Site Tour Logistics

A participant plans their arrival sequence when relying on public transit and limited elevator access.

Participant Coordination

Organizers assign engagement levels to different attendees to ensure a smooth visit.

Patterns to Avoid

Oversharing personal details

❌ AVOID

You draft an email to a hiring manager that includes your full medical history to explain why you need a ramp.

✓ INSTEAD

Keep your communications focused on the necessary accommodations. Use ``validate_disclosure_compliance`` to check your messages before you send them.

Ignoring physical constraints

❌ AVOID

You assume a candidate can walk from the parking lot to the office without checking for stairs or elevator access.

✓ INSTEAD

Map out the actual path of travel first. Use ``calculate_arrival_logistics`` to determine the specific steps needed to reach the destination.

Vague participant planning

❌ AVOID

You tell everyone to show up at 9:00 AM without defining how much they should interact with the candidate.

✓ INSTEAD

Define clear engagement levels for every attendee.
Use ``map_participation_roles`` to assign specific roles to everyone involved in the visit.

The Right Fit

Connect this MCP if you coordinate interviews or site visits where accessibility and privacy are critical. Do not connect it if you are only managing standard, non-physical office meetings. The deciding factor is whether your visits require specific physical accommodations or strict privacy controls for participants.

Accessible Employment Visit Planner Tools

These tools handle the logistics of physical access, privacy protection, and participant coordination for employment visits.

#	TOOL	DESCRIPTION
01	calculate_arrival_logistics	This tool determines the exact sequence of physical actions you need to take to arrive at a location.
02	validate_disclosure_compliance	Use this to check that your planned messages do not cross privacy boundaries or overshare personal information.
03	generate_visit_plan	This tool creates a structured, detailed visit plan based on the specific inputs you provide.
04	map_participation_roles	This tool assigns specific engagement levels to the people involved in the visit.

See It in Action

Real prompts you can use once this MCP is connected to your AI agent through Vinkius Cloud.

U I have an interview at 10 AM at the downtown office. The building has a ramp at the North entrance. I need a quiet space for the interview. Here are my contact details and the employer's info.



Your visit plan is ready. You should use the North entrance for ramp access. I have prepared a request for a quiet interview space and a confirmation plan for your arrival at 10 AM.

U Check if this message to the recruiter is okay: 'I require a screen reader for the technical test.'



The message is compliant with your privacy boundaries and is ready to be sent to the employer.

U Help me plan my arrival for the site tour tomorrow. I am taking the bus and the building has limited elevator access.



Based on your bus arrival and the building constraints, you should proceed to the main lobby and contact the receptionist via text to confirm elevator availability.

Frequently Asked Questions

01 What does this MCP actually do?

It turns employment visit details into structured plans, arrival protocols, and privacy-compliant messages.

02 How does it help with privacy?

The `validate_disclosure_compliance` tool checks your messages to ensure you don't violate your own privacy boundaries.

03 Can I use this with Claude or Cursor?

Yes, you can use this with any MCP-compatible client like Claude, Cursor, or Windsurf once connected via Vinkius.

04 Does it handle physical building access?

Yes, it uses arrival logistics tools to determine the sequence of physical actions needed based on building constraints.

05 Do I need to host the MCP myself?

No, Vinkius hosts and manages the MCP for you, so it is ready to use immediately after connection.

06 How does the server handle my private medical information?

The server uses `validate\_disclosure\_compliance` to ensure that no sensitive information is included in messages sent to employers, adhering strictly to your defined privacy boundaries.

07 Can I generate specific arrival instructions?

Yes, the `calculate\_arrival\_logistics` tool determines the exact sequence of physical actions needed to navigate a site based on your transport and building access details.

08 What kind of visit plans can be created?

The `generate\_visit\_plan` tool creates comprehensive plans including confirmation steps, request messages for employers, arrival actions, and post-visit follow-ups.

Go Live in 60 Seconds

Get your connection token from cloud.vinkius.com, then paste the endpoint URL into any MCP-compatible client.

YOUR MCP ENDPOINT

`https://edge.vinkius.com/[TOKEN]/mcp`

CLIENT	WHERE TO CONFIGURE
 Claude AI	Profile → Customize → Connectors → "+" → Add custom connector → Paste endpoint
 Cursor	Settings → Features → MCP Servers → "+ Add New MCP Server" → Type: SSE → Paste endpoint
 VS Code	Ctrl/Cmd+Shift+P → "MCP: Add Server" → add <code>"accessible-employment-visit-planner": { "url": "..." }</code>
 Windsurf	MCP Settings → <code>mcp_settings.json</code> → Add endpoint URL
 ChatGPT	Settings → Tools & plugins → Add MCP server → Paste endpoint
 Gemini	Extensions → Add MCP Server → Paste endpoint URL

ASK AN AI ABOUT THIS

Let your preferred AI explain this MCP server

-  Ask ChatGPT 
-  Ask Claude 
-  Ask Perplexity 
-  Ask Gemini 
-  Ask Grok 

READY TO CONNECT

Accessible Employment Visit Planner is live on Vinkius Cloud.

Get your connection token, paste it into your AI agent, and
start building. No SDK. No deployment. Just results.

Start at cloud.vinkius.com →

vinkius.com · support@vinkius.com

INDEPENDENT PLATFORM DISCLAIMER

Vinkius is an independent platform and is not affiliated with, endorsed by, sponsored by, verified by, or otherwise authorized by Accessible Employment Visit Planner. All third-party trademarks, logos, and brand names are the property of their respective owners. Their use in this document is strictly for informational purposes to identify service compatibility and interoperability.

DOCUMENT INFORMATION

Generated	September 2026
MCP Server	Accessible Employment Visit Planner MCP
Server ID	01a0d37c-4241-715e-a8e1-3da49e1a40c3
Platform	Vinkius Cloud for AI Agents
Endpoint	<code>https://edge.vinkius.com/{token}/mcp</code>

LICENSE & USAGE

This document is generated automatically by the Vinkius PDF Engine. Content reflects the MCP server configuration at the time of generation and may change as updates are deployed. For the most current information, visit vinkius.com/en/ai-agent-connect/accessible-employment-visit-planner.