

M C P S E R V E R

N O C O D E

C L O U D H O S T E D

Accessible Household Support Agreement MCP

Set clear boundaries for household assistance and autonomy.

Accessible Household Support Agreement MCP helps you build personalized management plans that respect user autonomy. It lets you define specific support tasks, independence zones, and availability windows to ensure all assistance stays within agreed limits. Your AI client uses this to verify consent, document agreements, and coordinate logistical backup plans.

A+ Quality Score 100/100

consent

household

planning

autonomy

logistics



The connectivity layer between AI and the world's software.

Vinkius sits between AI and every application. All communication passes through Vinkius Cloud via the Model Context Protocol (MCP) — with governance, observability, and security at every layer.

Your AI Connections Run Through Vinkius Cloud

The world's largest
managed MCP catalog

Vinkius is the connectivity layer where AI connects to the software your business already runs. We handle the hosting, the security, the credentials, the uptime — you get agents that actually do things.

We operate the world's largest managed MCP catalog. Major SaaS platforms, CRMs, databases, and cloud providers — running, monitored, production-ready. This MCP server is hosted and maintained by the Vinkius Cloud for AI Agents.

The agent doesn't manage credentials, doesn't manage uptime, doesn't manage security. Vinkius does.

— Architecture principle

Four Pillars of the Vinkius Runtime

01 — Security by design

Credentials stay encrypted at rest via AES-256. The AI agent never touches raw keys — they're injected into a sandboxed V8 isolate at runtime. Actions are logged, and connections have an emergency kill switch.

03 — Deterministic observability

Eight immutable metrics per endpoint: request volume, p95 latency, error rate, active connections, cost attribution. A live payload feed logs every tool call with mutation detection.

02 — Built on MCP Fusion

This MCP server was built with **MCP Fusion**, the open-source framework (Apache 2.0) that powers the entire Vinkius catalog. Schema-as-firewall strips undeclared fields, compiled PII redaction runs at zero overhead, and cryptographic lockfiles produce git-diffable audit trails.

04 — Autonomous operations

Servers are deployed, monitored, and patched autonomously. New capabilities and security patches ship weekly. Zero-downtime deployments ensure continuous availability across all managed MCP servers.

AES-256

Encryption at rest

Ed25519

PKI vault signatures

24h TTL

Ephemeral session keys

V8 Isolate

Sandboxed execution

One Token. Instant Access.

Every MCP server on Vinkius is accessed through a **Connection Token**. Tokens are generated in the cloud dashboard and produce a unique MCP endpoint URL. Paste this URL into any MCP-compatible client — no SDK required.

A single token can serve **multiple AI clients simultaneously**, or you can issue separate tokens per client for granular access control. Each token tracks its own request count, last activity timestamp, and can be individually enabled or revoked.

MCP ENDPOINT`https://edge.vinkius.com/{token}/mcp`

Claude



Cursor



VS Code



Windsurf



Grok



Gemini

Security Is the Architecture

Security in Vinkius is not a feature — it's the foundation of the runtime. The gateway enforces multiple independent protection layers between AI agents and third-party APIs.

01 — Ed25519 PKI Vault

Every workspace has an Ed25519 Master Key. Session keys are generated ephemerally (24h TTL) and signed by the Master Key. Credentials never leave the vault boundary.

02 — V8 Isolate Sandboxing

Tool code runs inside isolated-vm V8 isolates with 64 MB memory caps and per-request timeouts. No filesystem access, no network access except through the SSRF-guarded fetch bridge.

03 — SSRF Guard

All outbound HTTP requests are DNS-resolved and validated before execution. Private IP ranges (10.x, 172.16-31.x, 192.168.x, AWS metadata 169.254.x) are blocked at the network layer.

05 — Cryptographic Audit Trail

Every request is signed into a SHA-256 hash chain with Ed25519 signatures. Events form a tamper-proof, SIEM-exportable forensic record.

04 — DLP & PII Redaction

A ResponseGuard pipeline intercepts every tool response. Configurable redaction patterns strip sensitive fields (emails, SSNs, card numbers) before data reaches the AI agent.

06 — Honeypot Trap System

Phantom credentials are injected into isolated environments. If a honeypot is used outside Vinkius infrastructure, the server is quarantined instantly.

Emergency Kill Switch

EU AI Act Art. 14(1)
Compliant

The kill switch is an **emergency halt** mechanism — not a simple toggle. When triggered, it executes three actions atomically:

01 — Server deactivated

The MCP server is immediately taken offline across the entire cluster.

02 — All tokens revoked

Every connection token is invalidated. Total lockout — reconnection blocked until new tokens are issued.

03 — WebSocket connections killed

Active connections terminated via Redis pubsub broadcast. Propagates to every runtime node in the cluster.

Full Visibility. Zero Guesswork.

The Vinkius cloud dashboard includes a full MCP Governance suite — real-time analytics and security controls for production AI operations.

Control Plane

KPI dashboard with request volume, latency, success rate, token consumption, and AI-generated operational briefings.

FinOps

Cost tracking per tool, payload compression savings, budget optimization signals, and consumption trends.

Firewall & DLP

PII redaction activity, sensitive data protection counters, and security event timeline.

Agent Activity

Which AI clients are connecting, how often, and what they're doing — real-time session tracking.

Tool Health

Slowest and most error-prone tools, with actionable root-cause insights and performance baselines.

Incident Log

Error trends, failure rates, status-code breakdowns, and forensic audit trail access.

Get started at cloud.vinkius.com — connect your AI agent in under 60 seconds.

Accessible Household Support Agreement MCP

4 tools available

Cloud-hosted on Vinkius

You can use this MCP to build a structured framework for household support that prioritizes user independence. Instead of vague arrangements, you define exactly where assistance is needed and where it isn't. You set the rules for support tasks, identify zones of independence, and establish clear availability windows.

When you ask your AI client to coordinate help, it uses the data you've provided to check if a request stays within your established boundaries. It's a way to formalize how support is delivered while keeping the person receiving help in total control. You can generate plain-language documents that everyone can understand, set up communication protocols for emergencies, and schedule regular check-ins to adjust the plan as needs change. It turns messy household logistics into a clear, consent-driven system.

Core Capabilities

01 — Boundary Enforcement

Your agent checks every request against your pre-defined consent limits.

02 — Document Generation

The MCP creates plain-language agreements for all household members.

03 — Logistical Planning

It builds communication and backup plans for coordinated support.

04 — Meeting Preparation

Your AI client generates structured agendas for periodic plan reviews.

One Click on Vinkius — From Prompt to Execution

Available at vinkius.com/en/ai-agent-connect/accessible-household-support-agreement — connect your AI agent in three steps.

- 01
- Connect your MCP-compatible client to the Vinkius hosted MCP.
- 02
- Define your support tasks, independence zones, and availability windows.
- 03
- Use the tools to generate your formal support agreement.
- 04
- Ask your agent to validate new requests against your established boundaries.

Connect your client to Vinkius and start defining your household rules.

Built For

This MCP is designed for individuals and caregivers who need to formalize support while protecting personal autonomy.

Caregivers

Use the MCP to ensure all assistance provided aligns with the recipient's explicit consent.

Household Managers

Hand off the creation of logistical backup plans and review agendas to your agent.

Individuals seeking support

Use the tool to define independence zones and ensure your boundaries are respected.

What Changes When You Connect

- 01
- Maintains strict adherence to user-defined consent boundaries.
- 02
- Reduces confusion through plain-language documentation.
- 03
- Provides clear logistical paths for communication and backup.

- 04 Ensures regular plan updates through structured review agendas.
-

Real-World Applications

Defining Autonomy

Set specific tasks as 'independent' so your agent knows not to suggest assistance for them.

Consent Verification

Check if a new support request is permissible before acting on it.

Emergency Coordination

Generate a backup plan to ensure coverage if primary support is unavailable.

Periodic Plan Reviews

Use a structured agenda to discuss changes in support needs with household members.

Patterns to Avoid

Vague support requests

❌ AVOID

Asking your agent to 'help out more around the house' without any specific rules or boundaries.

✓ INSTEAD

Define specific independence zones first. Use `validate_consent_permission` to ensure any new request actually fits within your established limits.

Informal verbal agreements

❌ AVOID

Relying on spoken promises between caregivers and individuals that lead to confusion or boundary crossings.

✓ INSTEAD

Formalize the arrangement by using `generate_support_agreement` to create a plain-language document everyone can follow.

Reactive emergency planning

❌ AVOID

Waiting until a primary caregiver is unavailable to figure out who is in charge or how to communicate.

✓ INSTEAD

Get ahead of the problem by using `get_communication_and_backup_plan` to build a structured contingency strategy in advance.

The Right Fit

Connect this MCP if you need to formalize caregiving while protecting personal autonomy. If you prefer loose, unwritten arrangements without clear boundaries, this isn't for you. The deciding factor is whether you want a consent-driven system that your agent can actively enforce.

Accessible Household Support Agreement Tools

These tools manage the boundaries, documentation, and logistical planning required to maintain a consent-driven support system.

#	TOOL	DESCRIPTION
01	generate_support_agreement	This tool produces a clear, plain-language document that outlines the core support agreement.
02	create_review_agenda	This tool builds a structured outline for your next meeting to review the support agreement.
03	get_communication_and_backup_plan	This tool handles the logistics by creating specific plans for communication and backup coverage.
04	validate_consent_permission	This tool checks if a specific task or request stays within your defined consent boundaries.

See It in Action

Real prompts you can use once this MCP is connected to your AI agent through Vinkius Cloud.

- U** Generate a support agreement for a household with two members, including meal prep and cleaning, while keeping laundry as an independent task.



Support Agreement: Member A and Member B. Supported tasks: meal prep and cleaning. Independent tasks: laundry. All support must stay within these consent boundaries.

- U** Is it okay to request physical assistance for cleaning if my boundary is 'verbal guidance only'?



No, that request violates your defined boundary of 'verbal guidance only'.

- U** Create a review agenda for our next meeting on October 15th.



Review Agenda for October 15th: 1. Boundary Check (verifying consent limits), 2. Autonomy Check (verifying independence needs).

Frequently Asked Questions

01 How does this MCP protect user autonomy?

It uses the `validate_consent_permission` tool to ensure every requested task stays within the boundaries you have explicitly set.

02 Can I use this with Claude or Cursor?

Yes, you can connect this MCP to any compatible client like Claude, Cursor, or Windsurf through Vinkius.

03 What kind of documents does it create?

It generates plain-language support agreements and structured meeting agendas for plan reviews.

04 Does it help with emergency planning?

Yes, the `get_communication_and_backup_plan` tool creates logistical details for communication and backup coverage.

05 Do I need to host the MCP myself?

No, Vinkius hosts and manages the MCP for you, so it is ready to use immediately after connection.

06 How does the server ensure my boundaries are respected?

The server uses the ``validate_consent_permission`` tool to check every requested task against your defined consent boundaries before any plan is finalized.

07 Can I specify tasks I want to do alone?

Yes, you can define independence zones through the support agreement process to ensure your autonomy is maintained.

08 What happens if the primary support person is unavailable?

You can define a contingency protocol using the ``get_communication_and_backup_plan`` tool to establish clear backup coverage.

Go Live in 60 Seconds

Get your connection token from cloud.vinkius.com, then paste the endpoint URL into any MCP-compatible client.

YOUR MCP ENDPOINT

`https://edge.vinkius.com/[TOKEN]/mcp`

CLIENT	WHERE TO CONFIGURE
 Claude AI	Profile → Customize → Connectors → "+" → Add custom connector → Paste endpoint
 Cursor	Settings → Features → MCP Servers → "+ Add New MCP Server" → Type: SSE → Paste endpoint
 VS Code	Ctrl/Cmd+Shift+P → "MCP: Add Server" → add <code>"accessible-household-support-agreement": { "url": "..." }</code>
 Windsurf	MCP Settings → <code>mcp_settings.json</code> → Add endpoint URL
 ChatGPT	Settings → Tools & plugins → Add MCP server → Paste endpoint
 Gemini	Extensions → Add MCP Server → Paste endpoint URL

ASK AN AI ABOUT THIS

Let your preferred AI explain this MCP server

-  Ask ChatGPT 
-  Ask Claude 
-  Ask Perplexity 
-  Ask Gemini 
-  Ask Grok 

READY TO CONNECT

Accessible Household Support Agreement is live on Vinkius Cloud.

Get your connection token, paste it into your AI agent, and
start building. No SDK. No deployment. Just results.

Start at cloud.vinkius.com →

vinkius.com · support@vinkius.com

INDEPENDENT PLATFORM DISCLAIMER

Vinkius is an independent platform and is not affiliated with, endorsed by, sponsored by, verified by, or otherwise authorized by Accessible Household Support Agreement. All third-party trademarks, logos, and brand names are the property of their respective owners. Their use in this document is strictly for informational purposes to identify service compatibility and interoperability.

DOCUMENT INFORMATION

Generated	September 2026
MCP Server	Accessible Household Support Agreement MCP
Server ID	01a0d299-4fa5-70d5-a357-09988280a62f
Platform	Vinkius Cloud for AI Agents
Endpoint	https://edge.vinkius.com/{token}/mcp

LICENSE & USAGE

This document is generated automatically by the Vinkius PDF Engine. Content reflects the MCP server configuration at the time of generation and may change as updates are deployed. For the most current information, visit vinkius.com/en/ai-agent-connect/accessible-household-support-agreement.