

M C P S E R V E R

N O C O D E

C L O U D H O S T E D

Accessible Relocation Readiness Plan MCP

Ensure every new home meets your specific accessibility needs.

Accessible Relocation Readiness Plan MCP acts as a decision engine for complex moves. It checks potential residences against mandatory access requirements, equipment needs, and support logistics. Your AI client uses it to vet properties, identify missing information, assign moving tasks, and create setup checklists for day one.

A+ Quality Score 100/100

accessibility

relocation

disability-support

logistics

decision-engine



The connectivity layer between AI and the world's software.

Vinkius sits between AI and every application. All communication passes through Vinkius Cloud via the Model Context Protocol (MCP) — with governance, observability, and security at every layer.

Your AI Connections Run Through Vinkius Cloud

The world's largest
managed MCP catalog

Vinkius is the connectivity layer where AI connects to the software your business already runs. We handle the hosting, the security, the credentials, the uptime — you get agents that actually do things.

We operate the world's largest managed MCP catalog. Major SaaS platforms, CRMs, databases, and cloud providers — running, monitored, production-ready. This MCP server is hosted and maintained by the Vinkius Cloud for AI Agents.

The agent doesn't manage credentials, doesn't manage uptime, doesn't manage security. Vinkius does.

— Architecture principle

Four Pillars of the Vinkius Runtime

01 — Security by design

Credentials stay encrypted at rest via AES-256. The AI agent never touches raw keys — they're injected into a sandboxed V8 isolate at runtime. Actions are logged, and connections have an emergency kill switch.

03 — Deterministic observability

Eight immutable metrics per endpoint: request volume, p95 latency, error rate, active connections, cost attribution. A live payload feed logs every tool call with mutation detection.

02 — Built on MCP Fusion

This MCP server was built with **MCP Fusion**, the open-source framework (Apache 2.0) that powers the entire Vinkius catalog. Schema-as-firewall strips undeclared fields, compiled PII redaction runs at zero overhead, and cryptographic lockfiles produce git-diffable audit trails.

04 — Autonomous operations

Servers are deployed, monitored, and patched autonomously. New capabilities and security patches ship weekly. Zero-downtime deployments ensure continuous availability across all managed MCP servers.

AES-256

Encryption at rest

Ed25519

PKI vault signatures

24h TTL

Ephemeral session keys

V8 Isolate

Sandboxed execution

One Token. Instant Access.

Every MCP server on Vinkius is accessed through a **Connection Token**. Tokens are generated in the cloud dashboard and produce a unique MCP endpoint URL. Paste this URL into any MCP-compatible client — no SDK required.

A single token can serve **multiple AI clients simultaneously**, or you can issue separate tokens per client for granular access control. Each token tracks its own request count, last activity timestamp, and can be individually enabled or revoked.

MCP ENDPOINT`https://edge.vinkius.com/{token}/mcp`

Claude



Cursor



VS Code



Windsurf



Grok



Gemini

Security Is the Architecture

Security in Vinkius is not a feature — it's the foundation of the runtime. The gateway enforces multiple independent protection layers between AI agents and third-party APIs.

01 — Ed25519 PKI Vault

Every workspace has an Ed25519 Master Key. Session keys are generated ephemerally (24h TTL) and signed by the Master Key. Credentials never leave the vault boundary.

02 — V8 Isolate Sandboxing

Tool code runs inside isolated-vm V8 isolates with 64 MB memory caps and per-request timeouts. No filesystem access, no network access except through the SSRF-guarded fetch bridge.

03 — SSRF Guard

All outbound HTTP requests are DNS-resolved and validated before execution. Private IP ranges (10.x, 172.16-31.x, 192.168.x, AWS metadata 169.254.x) are blocked at the network layer.

05 — Cryptographic Audit Trail

Every request is signed into a SHA-256 hash chain with Ed25519 signatures. Events form a tamper-proof, SIEM-exportable forensic record.

04 — DLP & PII Redaction

A ResponseGuard pipeline intercepts every tool response. Configurable redaction patterns strip sensitive fields (emails, SSNs, card numbers) before data reaches the AI agent.

06 — Honeypot Trap System

Phantom credentials are injected into isolated environments. If a honeypot is used outside Vinkius infrastructure, the server is quarantined instantly.

Emergency Kill Switch

EU AI Act Art. 14(1)
Compliant

The kill switch is an **emergency halt** mechanism — not a simple toggle. When triggered, it executes three actions atomically:

01 — Server deactivated

The MCP server is immediately taken offline across the entire cluster.

02 — All tokens revoked

Every connection token is invalidated. Total lockout — reconnection blocked until new tokens are issued.

03 — WebSocket connections killed

Active connections terminated via Redis pubsub broadcast. Propagates to every runtime node in the cluster.

Full Visibility. Zero Guesswork.

The Vinkius cloud dashboard includes a full MCP Governance suite — real-time analytics and security controls for production AI operations.

Control Plane

KPI dashboard with request volume, latency, success rate, token consumption, and AI-generated operational briefings.

FinOps

Cost tracking per tool, payload compression savings, budget optimization signals, and consumption trends.

Firewall & DLP

PII redaction activity, sensitive data protection counters, and security event timeline.

Agent Activity

Which AI clients are connecting, how often, and what they're doing — real-time session tracking.

Tool Health

Slowest and most error-prone tools, with actionable root-cause insights and performance baselines.

Incident Log

Error trends, failure rates, status-code breakdowns, and forensic audit trail access.

Get started at cloud.vinkius.com — connect your AI agent in under 60 seconds.

Accessible Relocation Readiness Plan MCP

4 tools available

Cloud-hosted on Vinkius

Moving is hard enough, but when you have non-negotiable accessibility requirements, the stakes are much higher. This MCP helps you vet potential homes to ensure they actually work for your specific physical needs. Instead of guessing if a doorway is wide enough or if a power wheelchair will fit through a hallway, you use this tool to run a structured evaluation.

You can use it to decide if a property is a viable option or a total non-starter based on your specific hierarchy of needs. It doesn't just stop at the decision. It helps you figure out what information you still need to gather from landlords or agents, maps out who is responsible for moving heavy medical equipment, and builds a checklist so your home is functional the moment you arrive. It turns a chaotic relocation into a managed, data-driven process.

Core Capabilities

01 — Property Vetting

Your agent uses this to decide if a home meets your mandatory access standards.

02 — Data Gap Analysis

The AI identifies exactly what information is missing from your property research.

03 — Task Delegation

Your agent assigns specific moving duties to landlords, support teams, or family members.

04 — Day One Readiness

The tool generates checklists to ensure essential equipment works immediately upon arrival.

One Click on Vinkius — From Prompt to Execution

Available at vinkius.com/en/ai-agent-connect/accessible-relocation-readiness-plan — connect your AI agent in three steps.

- 01
- Connect your preferred MCP-compatible client to Vinkius.
- 02
- Provide your residence details or equipment needs to your agent.
- 03
- Run the evaluation to see if the property is a viable move.
- 04
- Use the generated plans to coordinate tasks and setup.

Connect your client to Vinkius to start managing your relocation data.

Built For

This MCP is built for anyone managing a relocation where physical accessibility is a primary requirement.

Disability Support Coordinators

They use the tool to vet housing for clients and manage transition logistics.

Relocation Specialists

They use it to ensure specialized equipment moves are coordinated between parties.

Individuals with Mobility Needs

They use it to personally verify that a new home won't fail their specific requirements.

What Changes When You Connect

- 01
- Reduces the risk of moving into an inaccessible home.
- 02
- Identifies missing property details before you sign a lease.

-
- | | |
|-------|--|
| 03 | Assigns clear responsibilities to prevent equipment installation delays. |
| <hr/> | |
| 04 | Ensures immediate functionality of the home on move-in day. |
| <hr/> | |
-

Real-World Applications

Pre-Lease Evaluation

Compare a potential apartment against your wheelchair dimensions and equipment needs.

Equipment Logistics

Coordinate the movement of medical beds and specialized lifts between your old and new homes.

Moving Day Preparation

Create a checklist to verify power outlets and bathroom accessibility immediately upon arrival.

Responsibility Mapping

Define exactly what the landlord must do versus what the moving team handles.

Patterns to Avoid

Vague property assessments

❌ AVOID

You tell your agent a house looks 'okay' for a wheelchair without checking specific doorway widths.

✓ INSTEAD

Use `evaluate_residence_viability` to weigh the property against your specific physical requirements for a clear answer.

Assuming all info is present

❌ AVOID

You sign a lease assuming the bathroom is already modified for your needs.

✓ INSTEAD

Run `generate_verification_plan` to find the data gaps and identify exactly what questions you still need to ask the landlord.

Uncoordinated equipment moves

❌ AVOID

You show up on moving day only to realize the landlord didn't install the necessary grab bars.

✓ INSTEAD

Use map_transition_responsibilities to assign specific duties to the landlord or support teams before the move happens.

The Right Fit

Connect this MCP if you are managing a move where physical accessibility is a non-negotiable requirement. Do not use it if you are doing a standard residential move without specific mobility needs. The decision depends entirely on whether your relocation requires specialized equipment or structural modifications.

Accessible Relocation Readiness Plan Tools

These tools handle everything from initial property vetting to final move-in day checklists.

#	TOOL	DESCRIPTION
01	create_first_week_setup_checklist	This tool builds a list of physical setup tasks. It focuses on the immediate actions needed to make a home accessible on your first day.
02	evaluate_residence_viability	This tool determines if a property is a Move or a Decline. It weighs the home against your specific requirements to give you a clear answer.
03	generate_verification_plan	This tool identifies gaps in your data. It creates a list of specific questions or actions you need to take to finish your evaluation.
04	map_transition_responsibilities	This tool breaks the move down into actionable tasks. It assigns specific relocation duties to different parties involved in the transition.

See It in Action

Real prompts you can use once this MCP is connected to your AI agent through Vinkius Cloud.

U Evaluate this residence: it has wide doorways and a roll-in shower, but I don't know if the hallway width is sufficient for my wheelchair.



The residence is currently classified as Tier 2 (Partially Accessible) because the hallway width is an unknown. Please use the verification plan to confirm the hallway dimensions.

U I am moving on October 12th. I need to move a medical bed, a power wheelchair, and a specialized lift.



The transition plan has been generated. The Support Team is responsible for moving the medical bed and power wheelchair, while the Landlord must ensure the lift installation area is clear by October 11th.

U What should I do on my first day in the new house with my new equipment?



Your first-week setup includes: 1. Verifying power outlet availability for the medical bed (Critical), 2. Testing the roll-in shower drainage (Operational), and 3. Checking hallway clearance for the power wheelchair (Critical).

Frequently Asked Questions

01 What AI clients can I use with this MCP?

You can use this MCP with any compatible client, including Claude, Cursor, Windsurf, and VS Code.

02 How does the tool decide if a house is a 'Move' or 'Decline'?

It evaluates the property against a hierarchy of your specific, non-negotiable accessibility requirements and equipment needs.

03 Can I use this to manage moving medical equipment?

Yes. The tool can map transition responsibilities to ensure specific parties are assigned to move items like medical beds or power wheelchairs.

04 Does Vinkius host the MCP?

Yes. Vinkius hosts and manages the MCP so it is ready to use immediately upon connection.

05 What happens if I don't have all the property details?

You can use the verification plan tool to identify exactly what information is missing and what questions you need to ask.

06 How does the tool decide if a residence is viable?

The `evaluate\_residence\_viability` tool checks the residence against mandatory requirements first. If any mandatory requirement is missing, the residence is declined. If all are met, it scores the residence based on your specific preferences.

07 Can I use this to plan my actual moving day?

Yes. You can use `map\_transition\_responsibilities` to break down tasks for the User, Support Team, and Landlord, and `create\_first\_week\_setup\_checklist` to prepare the new home for immediate use.

Go Live in 60 Seconds

Get your connection token from cloud.vinkius.com, then paste the endpoint URL into any MCP-compatible client.

YOUR MCP ENDPOINT

`https://edge.vinkius.com/[TOKEN]/mcp`

CLIENT	WHERE TO CONFIGURE
 Claude AI	Profile → Customize → Connectors → "+" → Add custom connector → Paste endpoint
 Cursor	Settings → Features → MCP Servers → "+ Add New MCP Server" → Type: SSE → Paste endpoint
 VS Code	Ctrl/Cmd+Shift+P → "MCP: Add Server" → add <code>"accessible-relocation-readiness-plan": { "url": "..." }</code>
 Windsurf	MCP Settings → <code>mcp_settings.json</code> → Add endpoint URL
 ChatGPT	Settings → Tools & plugins → Add MCP server → Paste endpoint
 Gemini	Extensions → Add MCP Server → Paste endpoint URL

ASK AN AI ABOUT THIS

Let your preferred AI explain this MCP server

-  Ask ChatGPT 
-  Ask Claude 
-  Ask Perplexity 
-  Ask Gemini 
-  Ask Grok 

READY TO CONNECT

Accessible Relocation Readiness Plan is live on Vinkius Cloud.

Get your connection token, paste it into your AI agent, and
start building. No SDK. No deployment. Just results.

Start at cloud.vinkius.com →

vinkius.com · support@vinkius.com

INDEPENDENT PLATFORM DISCLAIMER

Vinkius is an independent platform and is not affiliated with, endorsed by, sponsored by, verified by, or otherwise authorized by Accessible Relocation Readiness Plan. All third-party trademarks, logos, and brand names are the property of their respective owners. Their use in this document is strictly for informational purposes to identify service compatibility and interoperability.

DOCUMENT INFORMATION

Generated	September 2026
MCP Server	Accessible Relocation Readiness Plan MCP
Server ID	01a0d37c-9fe8-71ed-9399-6aa196df5471
Platform	Vinkius Cloud for AI Agents
Endpoint	<code>https://edge.vinkius.com/{token}/mcp</code>

LICENSE & USAGE

This document is generated automatically by the Vinkius PDF Engine. Content reflects the MCP server configuration at the time of generation and may change as updates are deployed. For the most current information, visit vinkius.com/en/ai-agent-connect/accessible-relocation-readiness-plan.