

MCP SERVER

NO CODE

CLOUD HOSTED

arXiv MCP for AI Agents

Finding cutting-edge scientific research papers in real time

arXiv connects your AI agent directly to the world's largest open-access repository of scientific preprints. Instantly search millions of papers across physics, computer science, mathematics, and biology—getting full abstracts, author lists, and direct PDFs before results are even peer-reviewed.

F Quality Score 3.6/100

preprint-search

scientific-research

metadata-retrieval

academic-database

document-retrieval



The connectivity layer between AI and the world's software.



Vinkius sits between AI and every application. All communication passes through Vinkius Cloud via the Model Context Protocol (MCP) — with governance, observability, and security at every layer.

Your AI Connections Run Through Vinkius Cloud

The world's largest
managed MCP catalog

Vinkius is the connectivity layer where AI connects to the software your business already runs. We handle the hosting, the security, the credentials, the uptime — you get agents that actually do things.

We operate the world's largest managed MCP catalog. Major SaaS platforms, CRMs, databases, and cloud providers — running, monitored, production-ready. This MCP server is hosted and maintained by the Vinkius Cloud for AI Agents.

The agent doesn't manage credentials, doesn't manage uptime, doesn't manage security. Vinkius does.

— Architecture principle

Four Pillars of the Vinkius Runtime

01 — Security by design

Credentials stay encrypted at rest via AES-256. The AI agent never touches raw keys — they're injected into a sandboxed V8 isolate at runtime. Actions are logged, and connections have an emergency kill switch.

03 — Deterministic observability

Eight immutable metrics per endpoint: request volume, p95 latency, error rate, active connections, cost attribution. A live payload feed logs every tool call with mutation detection.

02 — Built on MCP Fusion

This MCP server was built with **MCP Fusion**, the open-source framework (Apache 2.0) that powers the entire Vinkius catalog. Schema-as-firewall strips undeclared fields, compiled PII redaction runs at zero overhead, and cryptographic lockfiles produce git-diffable audit trails.

04 — Autonomous operations

Servers are deployed, monitored, and patched autonomously. New capabilities and security patches ship weekly. Zero-downtime deployments ensure continuous availability across all managed MCP servers.

AES-256

Encryption at rest

Ed25519

PKI vault signatures

24h TTL

Ephemeral session keys

V8 Isolate

Sandboxed execution

One Token. Instant Access.

Every MCP server on Vinkius is accessed through a **Connection Token**. Tokens are generated in the cloud dashboard and produce a unique MCP endpoint URL. Paste this URL into any MCP-compatible client — no SDK required.

A single token can serve **multiple AI clients simultaneously**, or you can issue separate tokens per client for granular access control. Each token tracks its own request count, last activity timestamp, and can be individually enabled or revoked.

MCP ENDPOINT

`https://edge.vinkius.com/{token}/mcp`

Claude



Cursor



VS Code



Windsurf



Grok



Gemini

Security Is the Architecture

Security in Vinkius is not a feature — it's the foundation of the runtime. The gateway enforces multiple independent protection layers between AI agents and third-party APIs.

01 — Ed25519 PKI Vault

Every workspace has an Ed25519 Master Key. Session keys are generated ephemerally (24h TTL) and signed by the Master Key. Credentials never leave the vault boundary.

02 — V8 Isolate Sandboxing

Tool code runs inside isolated-vm V8 isolates with 64 MB memory caps and per-request timeouts. No filesystem access, no network access except through the SSRF-guarded fetch bridge.

03 — SSRF Guard

All outbound HTTP requests are DNS-resolved and validated before execution. Private IP ranges (10.x, 172.16-31.x, 192.168.x, AWS metadata 169.254.x) are blocked at the network layer.

05 — Cryptographic Audit Trail

Every request is signed into a SHA-256 hash chain with Ed25519 signatures. Events form a tamper-proof, SIEM-exportable forensic record.

04 — DLP & PII Redaction

A ResponseGuard pipeline intercepts every tool response. Configurable redaction patterns strip sensitive fields (emails, SSNs, card numbers) before data reaches the AI agent.

06 — Honeypot Trap System

Phantom credentials are injected into isolated environments. If a honeypot is used outside Vinkius infrastructure, the server is quarantined instantly.

Emergency Kill Switch

EU AI Act Art. 14(1)
Compliant

The kill switch is an **emergency halt** mechanism — not a simple toggle. When triggered, it executes three actions atomically:

01 — Server deactivated

The MCP server is immediately taken offline across the entire cluster.

02 — All tokens revoked

Every connection token is invalidated. Total lockout — reconnection blocked until new tokens are issued.

03 — WebSocket connections killed

Active connections terminated via Redis pubsub broadcast. Propagates to every runtime node in the cluster.

Full Visibility. Zero Guesswork.

The Vinkius cloud dashboard includes a full MCP Governance suite — real-time analytics and security controls for production AI operations.

Control Plane

KPI dashboard with request volume, latency, success rate, token consumption, and AI-generated operational briefings.

FinOps

Cost tracking per tool, payload compression savings, budget optimization signals, and consumption trends.

Firewall & DLP

PII redaction activity, sensitive data protection counters, and security event timeline.

Agent Activity

Which AI clients are connecting, how often, and what they're doing — real-time session tracking.

Tool Health

Slowest and most error-prone tools, with actionable root-cause insights and performance baselines.

Incident Log

Error trends, failure rates, status-code breakdowns, and forensic audit trail access.

Get started at cloud.vinkius.com — connect your AI agent in under 60 seconds.

arXiv MCP

2 tools available

Cloud-hosted on Vinkius

Need the absolute latest research? This MCP connects your AI agent to arXiv, the major open-access source for scientific preprints. Instead of waiting months for journals, you can find cutting-edge work immediately after it's published online. Your agent handles the complex search logic; you just ask a natural language question about a topic like LLMs or quantum physics. Whether you need general overviews of a field or the full metadata for a specific paper ID, this MCP pulls the data directly. If your current setup requires connecting many different specialized databases, Vinkius makes it easy. You connect once to access arXiv and thousands of other tools in one central catalog. It's about getting reliable, real-time knowledge that drives breakthroughs.

Core Capabilities

01 — Search massive preprint collections

Find papers across 2.5 million+ scientific preprints using keywords, boolean logic, and specific academic categories.

02 — Retrieve detailed paper metadata by ID

Fetch complete information about a specific research paper, including all authors, the full abstract, publication date, and direct PDF link, just from its arXiv ID.

One Click on Vinkius — From Prompt to Execution

Available at vinkius.com/mcp/arxiv — connect your AI agent in three steps.

- 01** Start by asking your AI client to search for papers on a broad scientific topic (e.g., 'Transformer models in natural language processing').
- 02** The MCP executes the search, returning a list of relevant preprints with abstracts and direct links.
- 03** You can then request full details on any listed paper using its specific arXiv ID, getting all authors, categories, and the complete abstract.

The bottom line is: your AI agent does the deep dive into scientific literature so you get precise, actionable knowledge instantly, without having to navigate complex search interfaces yourself.

Built For

This MCP helps specialized professionals—from ML engineers and academic researchers to data analysts—who need immediate access to the bleeding edge of scientific discovery. If your job involves keeping up with fast-moving fields like AI or quantum computing, this is essential.

AI/ML Engineer

Searching for new architectures and state-of-the-art results in LLMs or diffusion models before they appear in formal journals.

Physics Researcher

Tracking the latest findings in quantum computing, astrophysics, or high-energy physics as soon as they are released to the public record.

Academic Data Scientist

Locating specific methodologies and proofs in mathematics or statistics across multiple specialized fields for literature reviews.

What Changes When You Connect

- 01** Pinpoint breakthroughs instantly. Use the `search_arxiv` tool to find preprints on LLMs or quantum computing before they are published anywhere else.

-
- 02 Get deep paper context fast. The `get_arxiv_paper` tool pulls every detail—authors, abstracts, categories—for a specific ID in one go.

 - 03 Save hours of manual searching. Instead of filtering through academic websites, your agent handles the complex search logic across all scientific domains.

 - 04 Stay ahead of the curve. ML Engineers can use this MCP to track foundational papers on topics like reinforcement learning and diffusion models right away.

 - 05 Broad coverage means comprehensive results. The system supports highly specific filtering using established categories like `cs.AI`, `math`, or `q-bio`.
-

Real-World Applications

Literature review for a new AI model

A machine learning engineer needs to know the latest on transformer architectures. They ask their agent to `search_arxiv('transformer models reasoning')`, and it immediately compiles 10 recent preprints, including PDF links and summaries of methods like CoT prompting.

Comparative research across disciplines

A data scientist needs to compare statistical methodology used in biology versus economics. They use `search_arxiv()` to cross-reference papers using categories like `q-bio` and `stat`, gathering relevant abstracts for a comparative report.

Verifying a scientific claim

A physics researcher encounters a new theory. They use the `get_arxiv_paper` tool with an ID they found online to verify the full author list, publication date, and abstract before trusting the source.

Patterns to Avoid

Treating it like a general web search

X AVOID

Asking the agent vague questions like 'Tell me about AI.' This generates surface-level blog posts or popular overviews, not technical preprints.

✓ INSTEAD

Be specific and use keywords. Ask to `search_arxiv('self-supervised learning' category:cs.AI)` for actionable results from deep academic sources.

Only searching by title

X AVOID

Searching only titles often misses foundational work that is categorized differently or has a vague headline.

✓ INSTEAD

Use the `search_arxiv` tool and specify categories (e.g., physics, math) alongside keywords to narrow down the results accurately.

Forgetting the ID format

X AVOID

Trying to get details using a general web link instead of an official arXiv identifier.

✓ INSTEAD

Always use the `get_arxiv_paper` tool and provide the exact, recognized arXiv ID (e.g., 2106.09685) for perfect metadata retrieval.

The Right Fit

Use this MCP when your workflow requires accessing highly specialized, raw academic data from pre-publication sources. If you need the absolute latest information on topics like quantum mechanics or deep learning, and if that information must come from a recognized preprint server, this is your tool. However, don't use it if you are looking for general news articles, commercial product reviews, or non-academic market data; those require different search tools. Also, remember that while the MCP can find papers with full abstracts, the content itself still needs human interpretation.

arXiv MCP: Finding Cutting-Edge Scientific Research Papers

Today, finding the absolute latest scientific breakthrough is a manual nightmare. You'd have to visit multiple journal websites, filter by category, and manually check for preprints—a tedious process of clicking through dozens of academic paywalls just to see if the research exists.

With this MCP, your agent handles the heavy lifting. By using the `search_arxiv` tool, you ask a natural language question about a field like LLMs, and it returns precise results: abstracts, author lists, and direct PDF links. You get immediate access to knowledge that would otherwise be buried in complex journal databases.

arXiv MCP: Retrieving Detailed Paper Metadata by ID

When you find a promising abstract, the old way involved copy-pasting IDs into secondary lookup tools to piece together full author lists or publication details. This process was slow and prone to missing metadata.

Now, simply tell your agent the arXiv ID. The `get_arxiv_paper` tool pulls every single data point—from categories to the DOI—into one clean package. You don't just get a link; you get the full context.

2 Tools for Scientific Preprint Search & Retrieval

Use these tools to search vast databases of academic papers and retrieve full metadata details from specific research IDs.

#	TOOL	DESCRIPTION
01	<code>get_arxiv_paper</code>	Fetches complete metadata—including authors, abstract, and PDF link—for a single paper using its unique arXiv ID.
02	<code>search_arxiv</code>	Searches millions of preprints across physics, CS, math, biology, and more by keyword or specific academic category.

See It in Action

Real prompts you can use once this MCP is connected to your AI agent through Vinkius Cloud.

U Show me the most recent papers on large language model reasoning techniques.




Latest LLM Reasoning Preprints (Top 3):

1. **Title:** Chain-of-Thought Prompting Elicits Reasoning... (arXiv:2201.11903)

Authors:* Wei et al.

Categories:* cs.CL, cs.AI

Summary:* Demonstrates how few-shot prompting enables complex reasoning in LLMs.  [PDF Link]

2. **Title:** Tree-of-Thought for Complex Problem Solving (arXiv:xxxx.xxxxx)

Authors:* Smith et al.

Categories:* cs.LG, stat

Summary:* Outlines a new framework improving problem-solving accuracy.

3. **Title:** Mathematical Reasoning with Self-Consistency (arXiv:yyyy.yyyyy)

Authors:* Jones et al.

Categories:* math, cs.AI


Summary:* A robust method for validating complex mathematical proofs.

U I need the full details on 'Attention Is All You Need' paper.



Paper Details: Attention Is All You Need

- **arXiv ID:** 1706.03762
- **Published Date:** 2017-06-12
- **Authors:** Ashish Vaswani, Noam Shazeer, Niki Parmar, etc.
- **Categories:** cs.CL, cs.LG
- **Abstract Summary:** We propose the Transformer architecture, which relies solely on attention mechanisms for sequence transduction models.

[ Download Full PDF]

This landmark paper is foundational to modern NLP architectures.

U Find papers linking quantum computing and error correction.



Quantum Error Correction Preprints (Top 3):

Suppressing errors by scaling a surface code logical qubit: Shows below-threshold error rates using Sycamore. (Authors: Google Team*) [PDF Link]

Topological Codes for Quantum Computing: Discusses stability and implementation challenges. (Categories: quant-ph, physics*) [PDF Link]

Bosonic Qubit Approaches to Fault Tolerance: Explores new hardware models for quantum memory. (Abstract Snippet:* Focuses on energy minimization...)

Need the full context? Use the ID provided in each listing.

Frequently Asked Questions

01 How do I find cutting-edge AI research using arXiv MCP for AI Agents?

You simply ask your agent to search preprints on a topic like 'diffusion models' or 'LLM fine-tuning.' The system searches across millions of papers, returning the latest results with full abstracts and links before they are formally peer-reviewed.

02 Is arXiv MCP for AI Agents better than Google Scholar?

Yes. While Google Scholar is great for citation tracking, this MCP gives you direct access to raw preprints—the research right when it's finished by the authors. You get faster, more granular data retrieval.

03 What if I already have an arXiv ID for a paper?

If you have the specific identifier, use the dedicated tool to pull all metadata in one go. This retrieves everything—the full author list, categories, and abstract—so you don't have to piece it together.

04 Can this MCP help with complex statistical or mathematical proofs?







Absolutely. The tool supports filtering by specific math and statistics categories (math, stat). Your agent can find papers detailing new theorems or methodological advancements in real-time for your review.

Go Live in 60 Seconds

Get your connection token from cloud.vinkius.com, then paste the endpoint URL into any MCP-compatible client.











YOUR MCP ENDPOINT

```
https://edge.vinkius.com/[TOKEN]/mcp
```

CLIENT	WHERE TO CONFIGURE
 Claude AI	Profile → Customize → Connectors → "+" → Add custom connector → Paste endpoint
 Cursor	Settings → Features → MCP Servers → "+ Add New MCP Server" → Type: SSE → Paste endpoint
 VS Code	Ctrl/Cmd+Shift+P → "MCP: Add Server" → add <code>"arxiv": { "url": "..." }</code>
 Windsurf	MCP Settings → <code>mcp_settings.json</code> → Add endpoint URL
 ChatGPT	Settings → Tools & plugins → Add MCP server → Paste endpoint
 Gemini	Extensions → Add MCP Server → Paste endpoint URL

ASK AN AI ABOUT THIS

Let your preferred AI explain this MCP server

-  **Ask ChatGPT** 
-  **Ask Claude** 
-  **Ask Perplexity** 
-  **Ask Gemini** 
-  **Ask Grok** 

READY TO CONNECT

arXiv is live on Vinkius Cloud.

Get your connection token, paste it into your AI agent, and start building. No SDK. No deployment. Just results.

[Start at cloud.vinkius.com](https://cloud.vinkius.com) →

vinkius.com · support@vinkius.com

INDEPENDENT PLATFORM DISCLAIMER

Vinkius is an independent platform and is not affiliated with, endorsed by, sponsored by, verified by, or otherwise authorized by arXiv. All third-party trademarks, logos, and brand names are the property of their respective owners. Their use in this document is strictly for informational purposes to identify service compatibility and interoperability.

DOCUMENT INFORMATION

Generated	June 2026
MCP Server	arXiv MCP
Server ID	019d7552-aeb2-7141-90b9-2955de5e4b15
Platform	Vinkius Cloud for AI Agents
Endpoint	https://edge.vinkius.com/{token}/mcp

LICENSE & USAGE

This document is generated automatically by the Vinkius PDF Engine. Content reflects the MCP server configuration at the time of generation and may change as updates are deployed. For the most current information, visit vinkius.com/mcp/arxiv.