

MCP SERVER

NO CODE

CLOUD HOSTED

AWeber MCP for AI Agents

Organize and audit mailing lists and campaign performance data

AWeber connects your email marketing account directly to any AI agent, letting you manage subscribers, mailing lists, and campaign broadcasts through natural conversation. Stop clicking through dashboards; instead, tell your agent exactly what data you need—from auditing individual user tags to coordinating entire newsletters.

F Quality Score 3.6/100

subscriber-management

email-campaigns

newsletter-automation

audience-segmentation

broadcast-email

list-management



The connectivity layer between AI and the world's software.



Vinkius sits between AI and every application. All communication passes through Vinkius Cloud via the Model Context Protocol (MCP) — with governance, observability, and security at every layer.

Your AI Connections Run Through Vinkius Cloud

The world's largest
managed MCP catalog

Vinkius is the connectivity layer where AI connects to the software your business already runs. We handle the hosting, the security, the credentials, the uptime — you get agents that actually do things.

We operate the world's largest managed MCP catalog. Major SaaS platforms, CRMs, databases, and cloud providers — running, monitored, production-ready. This MCP server is hosted and maintained by the Vinkius Cloud for AI Agents.

The agent doesn't manage credentials, doesn't manage uptime, doesn't manage security. Vinkius does.

— Architecture principle

Four Pillars of the Vinkius Runtime

01 — Security by design

Credentials stay encrypted at rest via AES-256. The AI agent never touches raw keys — they're injected into a sandboxed V8 isolate at runtime. Actions are logged, and connections have an emergency kill switch.

03 — Deterministic observability

Eight immutable metrics per endpoint: request volume, p95 latency, error rate, active connections, cost attribution. A live payload feed logs every tool call with mutation detection.

02 — Built on MCP Fusion

This MCP server was built with **MCP Fusion**, the open-source framework (Apache 2.0) that powers the entire Vinkius catalog. Schema-as-firewall strips undeclared fields, compiled PII redaction runs at zero overhead, and cryptographic lockfiles produce git-diffable audit trails.

04 — Autonomous operations

Servers are deployed, monitored, and patched autonomously. New capabilities and security patches ship weekly. Zero-downtime deployments ensure continuous availability across all managed MCP servers.

AES-256

Encryption at rest

Ed25519

PKI vault signatures

24h TTL

Ephemeral session keys

V8 Isolate

Sandboxed execution

One Token. Instant Access.

Every MCP server on Vinkius is accessed through a **Connection Token**. Tokens are generated in the cloud dashboard and produce a unique MCP endpoint URL. Paste this URL into any MCP-compatible client — no SDK required.

A single token can serve **multiple AI clients simultaneously**, or you can issue separate tokens per client for granular access control. Each token tracks its own request count, last activity timestamp, and can be individually enabled or revoked.

MCP ENDPOINT

`https://edge.vinkius.com/{token}/mcp`

Claude



Cursor



VS Code



Windsurf



Grok



Gemini

Security Is the Architecture

Security in Vinkius is not a feature — it's the foundation of the runtime. The gateway enforces multiple independent protection layers between AI agents and third-party APIs.

01 — Ed25519 PKI Vault

Every workspace has an Ed25519 Master Key. Session keys are generated ephemerally (24h TTL) and signed by the Master Key. Credentials never leave the vault boundary.

02 — V8 Isolate Sandboxing

Tool code runs inside isolated-vm V8 isolates with 64 MB memory caps and per-request timeouts. No filesystem access, no network access except through the SSRF-guarded fetch bridge.

03 — SSRF Guard

All outbound HTTP requests are DNS-resolved and validated before execution. Private IP ranges (10.x, 172.16-31.x, 192.168.x, AWS metadata 169.254.x) are blocked at the network layer.

05 — Cryptographic Audit Trail

Every request is signed into a SHA-256 hash chain with Ed25519 signatures. Events form a tamper-proof, SIEM-exportable forensic record.

04 — DLP & PII Redaction

A ResponseGuard pipeline intercepts every tool response. Configurable redaction patterns strip sensitive fields (emails, SSNs, card numbers) before data reaches the AI agent.

06 — Honeypot Trap System

Phantom credentials are injected into isolated environments. If a honeypot is used outside Vinkius infrastructure, the server is quarantined instantly.

Emergency Kill Switch

EU AI Act Art. 14(1)
Compliant

The kill switch is an **emergency halt** mechanism — not a simple toggle. When triggered, it executes three actions atomically:

01 — Server deactivated

The MCP server is immediately taken offline across the entire cluster.

02 — All tokens revoked

Every connection token is invalidated. Total lockout — reconnection blocked until new tokens are issued.

03 — WebSocket connections killed

Active connections terminated via Redis pubsub broadcast. Propagates to every runtime node in the cluster.

Full Visibility. Zero Guesswork.

The Vinkius cloud dashboard includes a full MCP Governance suite — real-time analytics and security controls for production AI operations.

Control Plane

KPI dashboard with request volume, latency, success rate, token consumption, and AI-generated operational briefings.

FinOps

Cost tracking per tool, payload compression savings, budget optimization signals, and consumption trends.

Firewall & DLP

PII redaction activity, sensitive data protection counters, and security event timeline.

Agent Activity

Which AI clients are connecting, how often, and what they're doing — real-time session tracking.

Tool Health

Slowest and most error-prone tools, with actionable root-cause insights and performance baselines.

Incident Log

Error trends, failure rates, status-code breakdowns, and forensic audit trail access.

Get started at cloud.vinkius.com — connect your AI agent in under 60 seconds.

AWeber MCP

12 tools available

Cloud-hosted on Vinkius

Managing an email list is usually a tedious process of jumping between dashboards, filtering views, and manually updating records. This MCP changes that. It gives your AI client direct access to your AWeber account, letting you handle your entire marketing ecosystem using plain language. You can ask the agent to pull status updates on a campaign or audit which subscribers are tagged as 'VIP' without ever logging into the web interface. Whether you're checking list health before a big launch or segmenting an audience for targeted outreach, you simply tell your AI client what job needs doing. This connection works with any MCP-compatible client, meaning that whether you prefer Claude, Cursor, or another agent, the capability is always available through Vinkius.

Core Capabilities

01 — Audience Management

Add new contacts to your lists and find existing subscribers by email across all campaigns.

02 — List Structure Oversight

Retrieve detailed information about your organizational mailing lists and list settings.

03 — Campaign Scheduling & Review

See a list of automated or scheduled broadcasts and check engagement metrics for past sends.

04 — Subscriber Data Auditing

View the specific metadata, tags, and historical activity for individual subscribers within any list.

05 — Contact Updates

Change details or update the tags on existing subscriber profiles.

One Click on Vinkius — From Prompt to Execution

Available at vinkius.com/mcp/aweber — connect your AI agent in three steps.

- 01 Subscribe to this MCP and enter your AWeber Access Token.
- 02 Your AI client authenticates with AWeber, establishing a secure connection across all associated accounts.
- 03 You direct your agent—for example, 'Check the open rate for last week's newsletter'—and receive real-time data directly in the chat.

The bottom line is that you use natural conversation to execute complex email marketing tasks without needing to navigate a single dashboard.

Built For

Anyone who spends time managing mailing lists and campaigns. This MCP helps content strategists stop clicking through multiple tabs just to audit audience segments, and it lets automation engineers programmatically manage subscriber flows without writing custom API calls.

Email Marketer

Needs instant access to list statuses and campaign progress. Instead of logging into the web app, they ask their agent to retrieve a comprehensive report on segment sizes.

Content Strategist

Coordinates broadcasts and audits audience segments directly from their planning workspace by asking the AI client to list all available mailing lists.

Automation Engineer

Programmatically manages subscriber flows, updating tags or adding entire batches of contacts using only natural language prompts.

What Changes When You Connect

- 01 Need to check engagement stats? Instead of digging through reports, ask the agent to run `get_broadcast_stats` immediately. You get instant metrics for any sent campaign.
- 02 Auditing your list is simple. Use `list_subscribers` combined with `get_list` to instantly pull a roster and review every user's tag history in one prompt.
- 03 Never miss an update again. Your agent can use `add_subscriber` or `update_subscriber` to manage contacts programmatically, eliminating manual data entry.
- 04 Campaign planning just got easier. You can list all active automated campaigns using `list_campaigns` and audit them directly from your chat window.
- 05 It saves you time by bypassing the web UI entirely. Instead of navigating through multiple menus, you simply tell your agent to perform tasks like listing or checking account details.

Real-World Applications

Segmenting a group for a product launch

A marketer needs to target only 'Early-Adopters' who are in the 'Product Updates' list. They ask their agent, and it uses `list_subscribers` followed by filtering logic to provide a clean, actionable roster of only those users.

Cleaning up stale contacts

An automation engineer identifies a list that needs tagging updates. They use `update_subscriber` to bulk-modify tags across multiple users, keeping your data clean for future broadcasts.

Analyzing old campaign performance

A content strategist wants to know how well the 'July Promo' performed. They prompt the agent, which calls `get_broadcast_stats` and returns an immediate breakdown of open rates and unsubscribes without needing the dashboard.

Checking list health before send time

Before scheduling a newsletter, the team lead asks the agent to run `get_list` and confirm if all required mailing lists are active. The agent verifies the status instantly.

Patterns to Avoid

Manually updating tags in AWeber

✗ AVOID

The user has 50 subscribers who need a 'High Value' tag added, and they must open 50 separate profiles to manually apply the tag.

✓ INSTEAD

Instead, ask your agent to use `update_subscriber` for all required contacts. You write one prompt instructing it to find specific users and update their tags in bulk.

Forgetting which list a user belongs to

✗ AVOID

A new content strategist doesn't know if the client added the contact to 'Team A' or 'General Updates', so they waste time searching every tab.

✓ INSTEAD

Ask your agent to use `find_subscriber` first. It locates the individual and tells you exactly which mailing lists they are subscribed to.

Misreading broadcast metrics

✗ AVOID

The team member pulls an old report, but it's unclear if the open rate shown is for click-through or just opens.

✓ INSTEAD

Use `get_broadcast_stats` and specify exactly which metric you need. The agent returns clear numbers for open rates, clicks, and unsubscribes.

The Right Fit

Use this MCP if your primary bottleneck is retrieving structured data about your subscribers or campaigns. If you frequently find yourself copying a list of email addresses from one spreadsheet into another to perform an update, this connector saves time by handling the write operations via `update_subscriber` and `add_subscriber`. However, don't use it if your workflow requires deep visual design work—this MCP is for data management, not copywriting. If you only need basic list viewing without updating tags or running campaigns, a simpler read-only tool might suffice; this one gives you full control over the audience lifecycle.

AWeber MCP: Automating Newsletter Management and Subscriber Lists

Today, managing your mailing list is a painful loop. You have to check the dashboard to see if a campaign ran successfully, then switch tabs to find out who opened it, and finally open yet another section just to update tags for that specific user group. It's constant clicking and context switching.

With this MCP, you simply ask your agent to review the performance of a broadcast or list all subscribers in a specific segment. You get the full picture—the metrics, the roster, the status—all returned instantly without ever leaving your planning workspace.

AWeber MCP: Programmatic Campaign Oversight and Auditing

The biggest time sink is manual auditing. You have to list all campaigns, check their status, and then manually review the subscriber data for each one to ensure compliance or completeness.

Now, your agent handles this overhead. Ask it to list automated campaigns using `list_campaigns` and audit specific user profiles with a single request. It turns hours of manual dashboard navigation into a few spoken commands.

12 Tools in the AWeber MCP for Subscriber Data Management

These tools allow your agent to perform specific actions like adding contacts, listing all campaigns, or retrieving detailed subscriber metrics across your entire account.

#	TOOL	DESCRIPTION
01	<code>add_subscriber</code>	Adds a new person to any mailing list you own.
02	<code>find_subscriber</code>	Searches your entire account for a subscriber based on their email address.
03	<code>get_account_check</code>	Verifies the connection to AWeber and lists all accounts available under your credentials.
04	<code>get_account</code>	Retrieves specific details for a single, targeted AWeber account.
05	<code>get_broadcast_stats</code>	Fetches performance metrics like open rates and clicks for a specific broadcast email.
06	<code>get_list</code>	Gets detailed information about one particular mailing list, including its settings.
07	<code>list_accounts</code>	Retrieves a comprehensive list of all AWeber accounts associated with the user's token.
08	<code>list_broadcasts</code>	Lists every broadcast that has been sent or is scheduled to send out.
09	<code>list_campaigns</code>	Displays a list of automated, recurring campaigns you have set up.
10	<code>list_lists</code>	Provides an overview of all mailing lists belonging to the connected account.
11	<code>list_subscribers</code>	Generates a roster of all subscribers currently registered in a specific list.
12	<code>update_subscriber</code>	Changes details, tags, or status for an existing subscriber profile.

See It in Action

Real prompts you can use once this MCP is connected to your AI agent through Vinkius Cloud.

U What are the stats for my last newsletter send?



Broadcast Performance Report: July 2024 Promo

- **Total Recipients:** 1,200
- **Open Rate:** 24% (Up 3% from previous month)
- **Click-Through Rate:** 5%
- **Unsubscribes:** 2

Need a deeper dive on the click sources or recipient demographics?

U Find me all subscribers who haven't opened an email in 90 days.



Audience Audit: Inactive Users

I found **147** users who meet the criteria. They are currently spread across three lists: 'General,' 'Product Updates,' and 'Internal Team.' Should I flag them or run a re-engagement campaign?

U List all my mailing lists and tell me how many subscribers are on the largest one.



Mailing List Inventory

You have 5 active lists:

- 'Weekly Newsletter': 980 subscribers
- 'Product Updates': 450 subscribers
- 'Internal Team': 120 subscribers
- 'Beta Testers': 35 subscribers
- 'Partnerships': 15 subscribers

The largest list is 'Weekly Newsletter', with 980 members.

Frequently Asked Questions

01 How does the AWeber MCP help me manage my mailing lists?

This MCP gives you direct control over your entire list structure. You can easily view all available lists, check their specific settings, and pull subscriber rosters for any given segment without leaving your AI chat.

02 Can I use the AWeber MCP to update user tags in bulk?

Yes. If you identify a group of users that need a status change or a new tag, you can prompt your agent to run an `update_subscriber` action across multiple accounts at once.

03 What kind of reports can I get on campaign performance using AWeber MCP?

You can retrieve detailed stats for any broadcast. The system gives you the open rate, click-through rate, and count of unsubscribes, providing a full picture of how well your message landed.

04 Is this AWeber MCP good for adding new subscribers?

Absolutely. You can instruct your agent to add contacts directly using the `add_subscriber` tool, which keeps your list management process streamlined and hands-free.

05 Does the AWeber MCP help me find specific people in my subscriber base?

Yes. If you know an email address or a key detail, you can ask the agent to run `find_subscriber`. It searches your entire account and provides all known metadata about that person.

06 What if I need to see all my automated campaigns? Does AWeber MCP cover it?







The MCP lets you list every campaign, whether it's a scheduled broadcast or an ongoing sequence. You can audit their status and get an overview of the whole plan.

Go Live in 60 Seconds

Get your connection token from cloud.vinkius.com, then paste the endpoint URL into any MCP-compatible client.



YOUR MCP ENDPOINT

```
https://edge.vinkius.com/[TOKEN]/mcp
```

CLIENT	WHERE TO CONFIGURE
 Claude AI	Profile → Customize → Connectors → "+" → Add custom connector → Paste endpoint
 Cursor	Settings → Features → MCP Servers → "+ Add New MCP Server" → Type: SSE → Paste endpoint
 VS Code	Ctrl/Cmd+Shift+P → "MCP: Add Server" → add <code>"aweber": { "url": "..." }</code>
 Windsurf	MCP Settings → <code>mcp_settings.json</code> → Add endpoint URL
 ChatGPT	Settings → Tools & plugins → Add MCP server → Paste endpoint
 Gemini	Extensions → Add MCP Server → Paste endpoint URL

ASK AN AI ABOUT THIS

Let your preferred AI explain this MCP server

-  **Ask ChatGPT** 
-  **Ask Claude** 
-  **Ask Perplexity** 
-  **Ask Gemini** 
-  **Ask Grok** 

READY TO CONNECT

AWeber is live on Vinkius Cloud.

Get your connection token, paste it into your AI agent, and start building. No SDK. No deployment. Just results.

[Start at cloud.vinkius.com](https://cloud.vinkius.com) →

vinkius.com · support@vinkius.com

INDEPENDENT PLATFORM DISCLAIMER

Vinkius is an independent platform and is not affiliated with, endorsed by, sponsored by, verified by, or otherwise authorized by AWeber. All third-party trademarks, logos, and brand names are the property of their respective owners. Their use in this document is strictly for informational purposes to identify service compatibility and interoperability.

DOCUMENT INFORMATION

Generated	June 2026
MCP Server	AWeber MCP
Server ID	019d7556-ec16-7352-a85c-d87636f0624e
Platform	Vinkius Cloud for AI Agents
Endpoint	https://edge.vinkius.com/{token}/mcp

LICENSE & USAGE

This document is generated automatically by the Vinkius PDF Engine. Content reflects the MCP server configuration at the time of generation and may change as updates are deployed. For the most current information, visit vinkius.com/mcp/aweber.