

MCP SERVER

NO CODE

CLOUD HOSTED

Calendly MCP for AI Agents

Manage multi-user meeting availability and bookings

Calendly MCP lets your AI agent take full control of your meeting scheduling and calendar management. Instead of jumping into the Calendly website to check availability or review bookings, you talk to your agent. It can list available event types, find open slots for a date range, track attendee details from past meetings, and even set up webhooks so it knows instantly when an event is booked or canceled.

A+ Quality Score 100/100

calendly

meeting-scheduling

calendar

bookings

time-management



The connectivity layer between AI and the world's software.



Vinkius sits between AI and every application. All communication passes through Vinkius Cloud via the Model Context Protocol (MCP) — with governance, observability, and security at every layer.

Your AI Connections Run Through Vinkius Cloud

The world's largest
managed MCP catalog

Vinkius is the connectivity layer where AI connects to the software your business already runs. We handle the hosting, the security, the credentials, the uptime — you get agents that actually do things.

We operate the world's largest managed MCP catalog. Major SaaS platforms, CRMs, databases, and cloud providers — running, monitored, production-ready. This MCP server is hosted and maintained by the Vinkius Cloud for AI Agents.

The agent doesn't manage credentials, doesn't manage uptime, doesn't manage security. Vinkius does.

— Architecture principle

Four Pillars of the Vinkius Runtime

01 — Security by design

Credentials stay encrypted at rest via AES-256. The AI agent never touches raw keys — they're injected into a sandboxed V8 isolate at runtime. Actions are logged, and connections have an emergency kill switch.

03 — Deterministic observability

Eight immutable metrics per endpoint: request volume, p95 latency, error rate, active connections, cost attribution. A live payload feed logs every tool call with mutation detection.

02 — Built on MCP Fusion

This MCP server was built with **MCP Fusion**, the open-source framework (Apache 2.0) that powers the entire Vinkius catalog. Schema-as-firewall strips undeclared fields, compiled PII redaction runs at zero overhead, and cryptographic lockfiles produce git-diffable audit trails.

04 — Autonomous operations

Servers are deployed, monitored, and patched autonomously. New capabilities and security patches ship weekly. Zero-downtime deployments ensure continuous availability across all managed MCP servers.

AES-256

Encryption at rest

Ed25519

PKI vault signatures

24h TTL

Ephemeral session keys

V8 Isolate

Sandboxed execution

One Token. Instant Access.

Every MCP server on Vinkius is accessed through a **Connection Token**. Tokens are generated in the cloud dashboard and produce a unique MCP endpoint URL. Paste this URL into any MCP-compatible client — no SDK required.

A single token can serve **multiple AI clients simultaneously**, or you can issue separate tokens per client for granular access control. Each token tracks its own request count, last activity timestamp, and can be individually enabled or revoked.

MCP ENDPOINT

`https://edge.vinkius.com/{token}/mcp`

Claude



Cursor



VS Code



Windsurf



Grok



Gemini

Security Is the Architecture

Security in Vinkius is not a feature — it's the foundation of the runtime. The gateway enforces multiple independent protection layers between AI agents and third-party APIs.

01 — Ed25519 PKI Vault

Every workspace has an Ed25519 Master Key. Session keys are generated ephemerally (24h TTL) and signed by the Master Key. Credentials never leave the vault boundary.

02 — V8 Isolate Sandboxing

Tool code runs inside isolated-vm V8 isolates with 64 MB memory caps and per-request timeouts. No filesystem access, no network access except through the SSRF-guarded fetch bridge.

03 — SSRF Guard

All outbound HTTP requests are DNS-resolved and validated before execution. Private IP ranges (10.x, 172.16-31.x, 192.168.x, AWS metadata 169.254.x) are blocked at the network layer.

05 — Cryptographic Audit Trail

Every request is signed into a SHA-256 hash chain with Ed25519 signatures. Events form a tamper-proof, SIEM-exportable forensic record.

04 — DLP & PII Redaction

A ResponseGuard pipeline intercepts every tool response. Configurable redaction patterns strip sensitive fields (emails, SSNs, card numbers) before data reaches the AI agent.

06 — Honeypot Trap System

Phantom credentials are injected into isolated environments. If a honeypot is used outside Vinkius infrastructure, the server is quarantined instantly.

Emergency Kill Switch

EU AI Act Art. 14(1)
Compliant

The kill switch is an **emergency halt** mechanism — not a simple toggle. When triggered, it executes three actions atomically:

01 — Server deactivated

The MCP server is immediately taken offline across the entire cluster.

02 — All tokens revoked

Every connection token is invalidated. Total lockout — reconnection blocked until new tokens are issued.

03 — WebSocket connections killed

Active connections terminated via Redis pubsub broadcast. Propagates to every runtime node in the cluster.

Full Visibility. Zero Guesswork.

The Vinkius cloud dashboard includes a full MCP Governance suite — real-time analytics and security controls for production AI operations.

Control Plane

KPI dashboard with request volume, latency, success rate, token consumption, and AI-generated operational briefings.

FinOps

Cost tracking per tool, payload compression savings, budget optimization signals, and consumption trends.

Firewall & DLP

PII redaction activity, sensitive data protection counters, and security event timeline.

Agent Activity

Which AI clients are connecting, how often, and what they're doing — real-time session tracking.

Tool Health

Slowest and most error-prone tools, with actionable root-cause insights and performance baselines.

Incident Log

Error trends, failure rates, status-code breakdowns, and forensic audit trail access.

Get started at cloud.vinkius.com — connect your AI agent in under 60 seconds.

Calendly MCP

12 tools available

Cloud-hosted on Vinkius

You're used to jumping between your calendar app and your AI client just to figure out who's free and what time works.

This MCP changes that. It lets you talk directly to your scheduling system, handling everything from listing available meeting templates to checking team availability across multiple users.

Your agent doesn't just read data; it acts like a dedicated assistant. You can ask it to show all upcoming meetings this week or check if John is free next Tuesday afternoon without needing any specific API calls or complicated workflows. It handles the details—like tracking attendee names, finding their emails, and even listing out what your team's current memberships are.

If you rely on automated notifications, the agent can manage webhooks, telling you exactly when a booking is created or canceled so other systems stay updated. This integration lets your AI client act as the scheduling brain for your operations, all managed through a single conversation flow within Vinkius's catalog of tools.

Core Capabilities

01 — Find Available Time Slots

The agent checks user availability across a date range to find open meeting times before you book anything.

03 — Review Upcoming Meetings

It pulls details for past and future scheduled events, including who attended and if they canceled.

02 — List All Meeting Templates

You can view all the different types of meetings your organization offers, along with their durations and scheduling URLs.

04 — Manage Attendees' Details

The agent gathers information on all participants, listing their names, emails, and answers to custom questions.

05 — Create Direct Booking Links

You generate a specific booking URL for an event type that bypasses the main website flow.

06 — Monitor Event Changes (Webhooks)

It lists and creates webhooks so your agent gets instant notifications when bookings happen, get canceled, or marked as no-shows.

One Click on Vinkius — From Prompt to Execution

Available at vinkius.com/mcp/calendly-alternative — connect your AI agent in three steps.

- 01 Subscribe to the Calendly MCP in Vinkius and enter your personal access token.
- 02 Your AI client connects using that token, giving it full permission to read and write scheduling data.
- 03 You simply ask your agent a question like 'Show me all meetings scheduled for this week,' and it returns the structured data.

The bottom line is you manage your entire calendar workflow by talking naturally to your AI client, instead of navigating multiple apps.

Built For

This MCP is for anyone whose job involves coordinating time with other people. If you're constantly switching between a CRM, a spreadsheet, and a calendar just to confirm a meeting, this saves hours of clicking.

Sales Representative

Using the MCP, you check upcoming meetings and review attendee details instantly to prepare for client calls.

Operations Manager

You monitor team availability across multiple users and manage webhook integrations without touching the web interface.

Developer/Engineer

You programmatically generate scheduling links for testing or integrating into other custom applications, and audit event types via conversation.

What Changes When You Connect

- 01 Check a team's open slots instantly. Instead of having to guess when everyone is free, use the agent to check user availability across different time zones.

-
- 02 Stop jumping between apps for booking details. The agent lets you list all event types or review scheduled events without ever leaving your AI client screen.

 - 03 Improve data visibility on attendees. You can ask the agent to gather information on invitees—their names, emails, and specific answers they provided when booking.

 - 04 Automate system updates. By creating webhooks, the agent ensures that if a meeting gets canceled or booked, all your linked systems know about it immediately.

 - 05 Control your own links. Use `create_scheduling_link` to generate direct booking URLs for any event type, perfect for embedding into websites without needing redirects.
-

Real-World Applications

Need to find a time when the whole department is free?

You ask your agent to check availability. It uses `get_user_availability` to review multiple team members' calendars, returning only the dates and times where everyone can meet.

You need to track down details about an attendee from last month's meeting.

You ask the agent to list invitees and provide specific info on one person using `get_invitee`. You immediately pull their name, email, and their responses to custom questions.

A client needs a quick way to book a demo slot.

Instead of emailing you links, your agent generates a dedicated link using `create_scheduling_link`. The client uses this URL directly, solving the scheduling problem instantly.

Your company structure changes, and you need to know who's in which team.

You ask the agent to list memberships. It reviews your current organizational roles and team structures across multiple accounts.

Patterns to Avoid

Checking availability manually

✗ AVOID

Opening Calendly, switching between user profiles, and guessing who is free leads to slow back-and-forth emails.

✓ INSTEAD

Use the agent's `get_user_availability` tool. Tell it the date range and the users you need; it handles the checking instantly.

Forgetting to track event changes

✗ AVOID

A meeting gets canceled, but your internal CRM doesn't know because no one manually updated the record.

✓ INSTEAD

Set up webhooks using `create_webhook`. The agent listens for 'invitee.canceled' events and notifies your connected system immediately.

Trying to list all meetings piece by piece

✗ AVOID

You have to manually open the calendar view, then filter it down by status (active/canceled) to see past appointments.

✓ INSTEAD

Use `list_scheduled_events`. Ask your agent for 'all active scheduled events' and get a clean, filtered list in one go.

The Right Fit

Connect this MCP if coordinating meetings and managing bookings is a core part of your workflow. You need it if you want to know who is available across multiple people or if you need automated notifications for scheduling changes. Don't use it, however, if your only goal is to view static data that doesn't change (like viewing a single event type description). If you just need basic data retrieval without the ability to check availability or set up webhooks, other simpler calendar APIs might suffice. But for full-cycle scheduling management—from checking group availability with `get_user_availability` to ensuring external systems know when a booking happens via `create_webhook`—this is your tool.

Calendly MCP: Managing Complex Team Scheduling and Bookings

Right now, scheduling meetings for a whole team means jumping through hoops. You open the calendar, click on multiple user profiles one by one, and you spend twenty minutes just trying to figure out if there's an afternoon slot where everyone is free. Then you have to email that availability list back to your coordinator.

With this MCP, you ask your agent directly: 'When are all three of us available next week?' The agent uses `get_user_availability`, checks every person's rules, and gives you a clean answer in seconds. You just get the time slot; no more guessing.

Calendly MCP: Automating Meeting Lifecycle Management

The manual steps that vanish include tracking down details about attendees after a call, or creating temporary links for specific meetings. You used to have to open the event record just to grab an email address.

Now your agent can handle it. It gathers all attendee data using `list_invitees` and even creates permanent booking links with `create_scheduling_link`. The meeting lifecycle is fully managed by conversation.

Calendly, 12 Tools for Booking Management & Scheduling

Use these tools to list event types, check user availability, manage attendees, and set up webhooks directly with your AI agent.

#	TOOL	DESCRIPTION
01	<code>create_scheduling_link</code>	Generates a direct booking URL for a specific meeting type so clients can schedule without redirects.
02	<code>create_webhook</code>	Sets up new notification subscriptions to alert your agent when events like bookings or cancellations occur.
03	<code>get_event_type</code>	Retrieves full details for a specific, pre-identified meeting template type.
04	<code>get_invitee</code>	Pulls detailed information about one single person who attended an event.
05	<code>get_me</code>	Returns your user ID, name, and scheduling URL to verify the connection is working correctly.
06	<code>get_scheduled_event</code>	Shows all specific details for one particular meeting that has already been booked.
07	<code>list_event_types</code>	Lists every meeting template your organization uses, showing duration and if it's active.
08	<code>list_invitees</code>	Retrieves a list of all people who have attended events across the entire calendar.
09	<code>list_memberships</code>	Shows which organizations you are part of and what role you hold in each one.
10	<code>list_scheduled_events</code>	Provides a comprehensive list of all your upcoming or past meetings, including status and participants.
11	<code>get_user_availability</code>	Checks when a specific user is free within a given time frame, accounting for their working rules.
12	<code>list_webhooks</code>	Lists all webhook subscriptions currently active on your account for auditing purposes.

See It in Action

Real prompts you can use once this MCP is connected to your AI agent through Vinkius Cloud.

U Show me all my upcoming meetings for next week.



Scheduled Events Report

Here are the 4 active scheduled events:

- **Product Demo:** John Doe (Client) | Tomorrow at 2:00 PM UTC. Status: Active.
- **Team Sync:** Jane Smith, Mike Lee | Wednesday at 10:00 AM UTC. Status: Confirmed.
- **Follow Up Call:** Alice Johnson | Friday at 3:00 PM UTC. Status: Completed.

Need to check who's free next week? Just let me know the date range.

U What meeting types do I have available for booking?



You currently offer four active event types:

- **Quick Check-in:** One-on-one, 15 minutes.
- **Deep Dive Demo:** One-on-one, 60 minutes.
- **Quarterly Review:** Group, 90 minutes (up to 8 people).
- **Office Hours:** Collective, 30 minutes.

Do you want a direct booking link for any of these types?

U Who was the primary attendee at my last meeting?



Invitees Details: Jane Doe

- **Email:** jane.doe@examplecorp.com
- **Name:** Jane Doe
- **Event Scheduled Start:** 2026-06-10T14:00:00Z
- **Custom Question Response:** Primary goal is Q3 pipeline expansion.

I also see Mike Lee attended, but you asked for the primary attendee.

Frequently Asked Questions

01 How does Calendly MCP help me find time slots without back-and-forth emails?

It lets your AI agent check real-time availability across multiple users. You simply ask, 'When are we all free next week?' and the agent checks every person's calendar to give you a precise list of open times.

02 Can I use Calendly MCP to track who attended my meetings?

Yes. The agent can pull detailed info on attendees, listing their names, emails, and even the answers they gave to custom questions during booking.

03 I need a way for people to book meetings directly from my site.

You can use this MCP to generate specific scheduling links. This creates a direct booking URL for any event type, meaning clients don't have to navigate the full Calendly website.

04 What if I need to know when an external system needs updating after a meeting is booked?

The agent manages webhooks. You can set up notifications so that whenever a booking happens, gets canceled, or marked as no-show, your connected systems are instantly alerted.

05 Is Calendly MCP good for managing large teams and multiple accounts?







Absolutely. It helps you view team memberships and manage scheduling rules across entire organizations, not just single user profiles.

Go Live in 60 Seconds

Get your connection token from cloud.vinkius.com, then paste the endpoint URL into any MCP-compatible client.

YOUR MCP ENDPOINT

```
https://edge.vinkius.com/[TOKEN]/mcp
```

CLIENT	WHERE TO CONFIGURE
 Claude AI	Profile → Customize → Connectors → "+" → Add custom connector → Paste endpoint
 Cursor	Settings → Features → MCP Servers → "+ Add New MCP Server" → Type: SSE → Paste endpoint
 VS Code	Ctrl/Cmd+Shift+P → "MCP: Add Server" → add <code>"calendly-alternative": { "url": "..." }</code>
 Windsurf	MCP Settings → <code>mcp_settings.json</code> → Add endpoint URL
 ChatGPT	Settings → Tools & plugins → Add MCP server → Paste endpoint
 Gemini	Extensions → Add MCP Server → Paste endpoint URL

ASK AN AI ABOUT THIS

Let your preferred AI explain this MCP server

-  **Ask ChatGPT** 
-  **Ask Claude** 
-  **Ask Perplexity** 
-  **Ask Gemini** 
-  **Ask Grok** 

READY TO CONNECT

Calendly is live on Vinkius Cloud.

Get your connection token, paste it into your AI agent, and start building. No SDK. No deployment. Just results.

[Start at cloud.vinkius.com](https://cloud.vinkius.com) →

vinkius.com · support@vinkius.com

INDEPENDENT PLATFORM DISCLAIMER

Vinkius is an independent platform and is not affiliated with, endorsed by, sponsored by, verified by, or otherwise authorized by Calendly. All third-party trademarks, logos, and brand names are the property of their respective owners. Their use in this document is strictly for informational purposes to identify service compatibility and interoperability.

DOCUMENT INFORMATION

Generated	June 2026
MCP Server	Calendly MCP
Server ID	019d8422-c05b-7153-9b0c-f782e6045f60
Platform	Vinkius Cloud for AI Agents
Endpoint	https://edge.vinkius.com/{token}/mcp

LICENSE & USAGE

This document is generated automatically by the Vinkius PDF Engine. Content reflects the MCP server configuration at the time of generation and may change as updates are deployed. For the most current information, visit vinkius.com/mcp/calendly-alternative.