

M C P S E R V E R

N O C O D E

C L O U D H O S T E D

Care Transition Planner MCP

Manage patient moves with strict dependency gates and consent rules.

Care Transition Planner MCP acts as a coordination engine for moving patients between care settings. It uses dependency gates to ensure prerequisites like transport are ready before proceeding. It also enforces Transfer-of-Information consent rules to keep medical records secure during the handoff.

A+ Quality Score 100/100

care

transition

healthcare

workflow

planning



The connectivity layer between AI and the world's software.

Vinkius sits between AI and every application. All communication passes through Vinkius Cloud via the Model Context Protocol (MCP) — with governance, observability, and security at every layer.

Your AI Connections Run Through Vinkius Cloud

The world's largest
managed MCP catalog

Vinkius is the connectivity layer where AI connects to the software your business already runs. We handle the hosting, the security, the credentials, the uptime — you get agents that actually do things.

We operate the world's largest managed MCP catalog. Major SaaS platforms, CRMs, databases, and cloud providers — running, monitored, production-ready. This MCP server is hosted and maintained by the Vinkius Cloud for AI Agents.

The agent doesn't manage credentials, doesn't manage uptime, doesn't manage security. Vinkius does.

— Architecture principle

Four Pillars of the Vinkius Runtime

01 — Security by design

Credentials stay encrypted at rest via AES-256. The AI agent never touches raw keys — they're injected into a sandboxed V8 isolate at runtime. Actions are logged, and connections have an emergency kill switch.

03 — Deterministic observability

Eight immutable metrics per endpoint: request volume, p95 latency, error rate, active connections, cost attribution. A live payload feed logs every tool call with mutation detection.

02 — Built on MCP Fusion

This MCP server was built with **MCP Fusion**, the open-source framework (Apache 2.0) that powers the entire Vinkius catalog. Schema-as-firewall strips undeclared fields, compiled PII redaction runs at zero overhead, and cryptographic lockfiles produce git-diffable audit trails.

04 — Autonomous operations

Servers are deployed, monitored, and patched autonomously. New capabilities and security patches ship weekly. Zero-downtime deployments ensure continuous availability across all managed MCP servers.

AES-256

Encryption at rest

Ed25519

PKI vault signatures

24h TTL

Ephemeral session keys

V8 Isolate

Sandboxed execution

One Token. Instant Access.

Every MCP server on Vinkius is accessed through a **Connection Token**. Tokens are generated in the cloud dashboard and produce a unique MCP endpoint URL. Paste this URL into any MCP-compatible client — no SDK required.

A single token can serve **multiple AI clients simultaneously**, or you can issue separate tokens per client for granular access control. Each token tracks its own request count, last activity timestamp, and can be individually enabled or revoked.

MCP ENDPOINT`https://edge.vinkius.com/{token}/mcp`

Claude



Cursor



VS Code



Windsurf



Grok



Gemini

Security Is the Architecture

Security in Vinkius is not a feature — it's the foundation of the runtime. The gateway enforces multiple independent protection layers between AI agents and third-party APIs.

01 — Ed25519 PKI Vault

Every workspace has an Ed25519 Master Key. Session keys are generated ephemerally (24h TTL) and signed by the Master Key. Credentials never leave the vault boundary.

02 — V8 Isolate Sandboxing

Tool code runs inside isolated-vm V8 isolates with 64 MB memory caps and per-request timeouts. No filesystem access, no network access except through the SSRF-guarded fetch bridge.

03 — SSRF Guard

All outbound HTTP requests are DNS-resolved and validated before execution. Private IP ranges (10.x, 172.16-31.x, 192.168.x, AWS metadata 169.254.x) are blocked at the network layer.

05 — Cryptographic Audit Trail

Every request is signed into a SHA-256 hash chain with Ed25519 signatures. Events form a tamper-proof, SIEM-exportable forensic record.

04 — DLP & PII Redaction

A ResponseGuard pipeline intercepts every tool response. Configurable redaction patterns strip sensitive fields (emails, SSNs, card numbers) before data reaches the AI agent.

06 — Honeypot Trap System

Phantom credentials are injected into isolated environments. If a honeypot is used outside Vinkius infrastructure, the server is quarantined instantly.

Emergency Kill Switch

EU AI Act Art. 14(1)
Compliant

The kill switch is an **emergency halt** mechanism — not a simple toggle. When triggered, it executes three actions atomically:

01 — Server deactivated

The MCP server is immediately taken offline across the entire cluster.

02 — All tokens revoked

Every connection token is invalidated. Total lockout — reconnection blocked until new tokens are issued.

03 — WebSocket connections killed

Active connections terminated via Redis pubsub broadcast. Propagates to every runtime node in the cluster.

Full Visibility. Zero Guesswork.

The Vinkius cloud dashboard includes a full MCP Governance suite — real-time analytics and security controls for production AI operations.

Control Plane

KPI dashboard with request volume, latency, success rate, token consumption, and AI-generated operational briefings.

FinOps

Cost tracking per tool, payload compression savings, budget optimization signals, and consumption trends.

Firewall & DLP

PII redaction activity, sensitive data protection counters, and security event timeline.

Agent Activity

Which AI clients are connecting, how often, and what they're doing — real-time session tracking.

Tool Health

Slowest and most error-prone tools, with actionable root-cause insights and performance baselines.

Incident Log

Error trends, failure rates, status-code breakdowns, and forensic audit trail access.

Get started at cloud.vinkius.com — connect your AI agent in under 60 seconds.

Care Transition Planner MCP

4 tools available

Cloud-hosted on Vinkius

You can use this MCP to manage the complex logistics of moving a patient from one care environment to another. It doesn't just list tasks; it enforces the logic required for a safe handoff. If transport isn't confirmed, the system flags it as a gap in your timeline. If consent hasn't been granted, it prevents the transfer of sensitive medical records. You can map out a full chronological roadmap, build a list of necessary belongings and documents, and organize who needs to be notified. It also helps you set up a support roster for the first week of a new arrangement so that human resources are ready the moment the patient arrives.

Core Capabilities

01 — Dependency Gatekeeping

Your agent checks if prerequisites like transport are met before finalizing a timeline.

02 — Consent Enforcement

The MCP blocks the transfer of medical records if consent is not explicitly granted.

03 — Resource Organization

Your AI client can build rosters to manage human support for the first week of care.

04 — Communication Planning

The tool creates schedules for notifying all necessary stakeholders.

05 — Logistics Mapping

Your agent generates chronological roadmaps to track the move from start to finish.

One Click on Vinkius — From Prompt to Execution

Available at vinkius.com/en/ai-agent-connect/care-transition-planner — connect your AI agent in three steps.

- 01
- Connect your AI client to the Vinkius-hosted MCP.
- 02
- Provide the transition details, such as dates, patient needs, and consent status.
- 03
- Your agent uses the tools to build timelines, checklists, or rosters.
- 04
- The MCP validates the plan against dependency gates and consent rules.

Connecting this MCP to your AI client gives your agent immediate access to healthcare coordination tools.

Built For

This MCP is built for healthcare professionals managing patient movement between facilities or homes.

Care Coordinators

They hand off patient movement data to the MCP to generate timelines and checklists.

Discharge Planners

They use the tool to ensure all transport and consent requirements are satisfied.

Family Caregivers

They use the roster and checklist tools to organize support and packing.

What Changes When You Connect

- 01
- Prevents errors by flagging missing prerequisites like transport.
- 02
- Protects patient privacy by enforcing Transfer-of-Information consent rules.
- 03
- Reduces manual planning by generating checklists and notification schedules.

04 Ensures continuity of care through structured support rosters.

Real-World Applications

Nursing Home Admissions

Coordinate the move from a hospital to a long-term care facility while ensuring all records are legally transferable.

Home Care Transitions

Plan the shift from professional home care to assisted living by organizing the first week of support.

Medical Record Management

Use consent rules to ensure only authorized medical documents are included in a patient's move.

Stakeholder Communication

Automate the scheduling of notifications to family members and medical staff during a transition.

Patterns to Avoid

Ignoring prerequisite gaps

❌ AVOID

You assume a patient is ready to move because the medical paperwork is done, even though no transport is booked.

✓ INSTEAD

Use `get_transition_timeline` to see if transport gaps are blocking your move.

Manual notification tracking

❌ AVOID

You try to keep track of every family member and doctor who needs an update via a messy spreadsheet.

✓ INSTEAD

Let the MCP handle the timing and recipients by using `create_notification_plan`.

Unorganized first-week support

❌ AVOID

You move a patient into assisted living but realize too late that nobody is scheduled to help them during the first few days.

✓ INSTEAD

Organize your human resources ahead of time with `build_support_roster`.

The Right Fit

Connect this MCP if you manage patient movement between facilities or from hospitals to homes. Do not use it if you only handle outpatient appointments or simple clinic visits. The decision depends on whether your transitions require strict consent enforcement and multi-day logistical planning.

Care Transition Planner Tools for Patient Logistics

These tools handle the heavy lifting of scheduling, documentation, and resource management for patient handoffs.

#	TOOL	DESCRIPTION
01	create_notification_plan	This tool outlines exactly who needs to be notified and when during the transition.
02	generate_checklist	This tool produces a list of items to pack and specific documents that need to be secured.
03	get_transition_timeline	This tool generates a chronological roadmap of the entire transition process.
04	build_support_roster	This tool organizes the human resources needed for the first week of a new care arrangement.

See It in Action

Real prompts you can use once this MCP is connected to your AI agent through Vinkius Cloud.

- U** Generate a transition timeline for moving from home care to a nursing facility starting 2024-11-01 and ending 2024-11-05, where transport is not yet confirmed.



The transition timeline is being prepared. Note: A critical path gap exists because transport has not been confirmed.

- U** Create a packing and records checklist for a move. Belongings: wheelchair, walker, favorite chair. Records: medical history, insurance card. Consent is not granted.



Packing List: wheelchair, walker, favorite chair. Records List: medical history, insurance card. WARNING: Consent not granted; certain records cannot be transferred.

- U** Build a support roster for a new assisted living facility. Responsible people: Jane (Primary), John (Support). Transport is via specialized van.



The 7-day support roster has been generated, assigning Jane and John to specific monitoring tasks based on the assisted living requirements.

Frequently Asked Questions

01 How does this MCP handle medical privacy?

The MCP enforces Transfer-of-Information (TOI) consent rules. If consent is not granted, the tool will prevent the inclusion of certain medical records in your checklists.

02 Can I use this with Claude or Cursor?

Yes. You can connect this MCP to any MCP-compatible client, including Claude, Cursor, and Windsurf.

03 What happens if transport is not arranged?

The MCP uses dependency gates. If transport is not confirmed, the tool will flag this as a gap in your transition timeline.

04 Does Vinkius host the MCP?

Yes. Vinkius hosts and manages the MCP, so you only need to connect your client once to start using the tools.

05 What kind of planning can the AI do?

The AI can generate chronological timelines, packing and record checklists, notification plans, and weekly support rosters.

06 How does the tool handle medical record security?

The `generate\_checklist` tool enforces Transfer-of-Information (TOI) consent. If consent is not granted, the tool will issue warnings that certain records cannot be transferred.

07 Can I see the critical path for my transition?

Yes, by using `get\_transition\_timeline`, the tool identifies critical path gaps if required dependencies are not satisfied.

08 What is included in the support roster?

The `build\_support\_roster` tool generates a structured 7-day schedule of personnel and tasks to monitor the individual during their first week in the new arrangement.

Go Live in 60 Seconds

Get your connection token from cloud.vinkius.com, then paste the endpoint URL into any MCP-compatible client.

YOUR MCP ENDPOINT

`https://edge.vinkius.com/[TOKEN]/mcp`

CLIENT	WHERE TO CONFIGURE
 Claude AI	Profile → Customize → Connectors → "+" → Add custom connector → Paste endpoint
 Cursor	Settings → Features → MCP Servers → "+" Add New MCP Server" → Type: SSE → Paste endpoint
 VS Code	Ctrl/Cmd+Shift+P → "MCP: Add Server" → add <code>"care-transition-planner": { "url": "..." }</code>
 Windsurf	MCP Settings → <code>mcp_settings.json</code> → Add endpoint URL
 ChatGPT	Settings → Tools & plugins → Add MCP server → Paste endpoint
 Gemini	Extensions → Add MCP Server → Paste endpoint URL

ASK AN AI ABOUT THIS

Let your preferred AI explain this MCP server

-  Ask ChatGPT 
-  Ask Claude 
-  Ask Perplexity 
-  Ask Gemini 
-  Ask Grok 

READY TO CONNECT

Care Transition Planner is live on Vinkius Cloud.

Get your connection token, paste it into your AI agent, and
start building. No SDK. No deployment. Just results.

Start at cloud.vinkius.com →

vinkius.com · support@vinkius.com

INDEPENDENT PLATFORM DISCLAIMER

Vinkius is an independent platform and is not affiliated with, endorsed by, sponsored by, verified by, or otherwise authorized by Care Transition Planner. All third-party trademarks, logos, and brand names are the property of their respective owners. Their use in this document is strictly for informational purposes to identify service compatibility and interoperability.

DOCUMENT INFORMATION

Generated	September 2026
MCP Server	Care Transition Planner MCP
Server ID	01a0d4cf-02af-701a-ba4b-619a857dc14a
Platform	Vinkius Cloud for AI Agents
Endpoint	https://edge.vinkius.com/{token}/mcp

LICENSE & USAGE

This document is generated automatically by the Vinkius PDF Engine. Content reflects the MCP server configuration at the time of generation and may change as updates are deployed. For the most current information, visit vinkius.com/en/ai-agent-connect/care-transition-planner.