

M C P S E R V E R

N O C O D E

C L O U D H O S T E D

Community Accessibility Feedback Plan MCP

Turn raw observations into actionable advocacy documents.

Community Accessibility Feedback Plan MCP helps you organize accessibility issues into professional, structured reports. It handles the heavy lifting of turning a quick note about a broken sidewalk or a digital barrier into a formal feedback packet, identifies the right people to contact, and builds a schedule to track the resolution of the issue.

A+ Quality Score 100/100

accessibility

feedback

compliance

advocacy

planning



The connectivity layer between AI and the world's software.



Vinkius sits between AI and every application. All communication passes through Vinkius Cloud via the Model Context Protocol (MCP) — with governance, observability, and security at every layer.

Your AI Connections Run Through Vinkius Cloud

The world's largest
managed MCP catalog

Vinkius is the connectivity layer where AI connects to the software your business already runs. We handle the hosting, the security, the credentials, the uptime — you get agents that actually do things.

We operate the world's largest managed MCP catalog. Major SaaS platforms, CRMs, databases, and cloud providers — running, monitored, production-ready. This MCP server is hosted and maintained by the Vinkius Cloud for AI Agents.

The agent doesn't manage credentials, doesn't manage uptime, doesn't manage security. Vinkius does.

— Architecture principle

Four Pillars of the Vinkius Runtime

01 — Security by design

Credentials stay encrypted at rest via AES-256. The AI agent never touches raw keys — they're injected into a sandboxed V8 isolate at runtime. Actions are logged, and connections have an emergency kill switch.

03 — Deterministic observability

Eight immutable metrics per endpoint: request volume, p95 latency, error rate, active connections, cost attribution. A live payload feed logs every tool call with mutation detection.

02 — Built on MCP Fusion

This MCP server was built with **MCP Fusion**, the open-source framework (Apache 2.0) that powers the entire Vinkius catalog. Schema-as-firewall strips undeclared fields, compiled PII redaction runs at zero overhead, and cryptographic lockfiles produce git-diffable audit trails.

04 — Autonomous operations

Servers are deployed, monitored, and patched autonomously. New capabilities and security patches ship weekly. Zero-downtime deployments ensure continuous availability across all managed MCP servers.

AES-256

Encryption at rest

Ed25519

PKI vault signatures

24h TTL

Ephemeral session keys

V8 Isolate

Sandboxed execution

One Token. Instant Access.

Every MCP server on Vinkius is accessed through a **Connection Token**. Tokens are generated in the cloud dashboard and produce a unique MCP endpoint URL. Paste this URL into any MCP-compatible client — no SDK required.

A single token can serve **multiple AI clients simultaneously**, or you can issue separate tokens per client for granular access control. Each token tracks its own request count, last activity timestamp, and can be individually enabled or revoked.

MCP ENDPOINT`https://edge.vinkius.com/{token}/mcp`

Claude



Cursor



VS Code



Windsurf



Grok



Gemini

Security Is the Architecture

Security in Vinkius is not a feature — it's the foundation of the runtime. The gateway enforces multiple independent protection layers between AI agents and third-party APIs.

01 — Ed25519 PKI Vault

Every workspace has an Ed25519 Master Key. Session keys are generated ephemerally (24h TTL) and signed by the Master Key. Credentials never leave the vault boundary.

02 — V8 Isolate Sandboxing

Tool code runs inside isolated-vm V8 isolates with 64 MB memory caps and per-request timeouts. No filesystem access, no network access except through the SSRF-guarded fetch bridge.

03 — SSRF Guard

All outbound HTTP requests are DNS-resolved and validated before execution. Private IP ranges (10.x, 172.16-31.x, 192.168.x, AWS metadata 169.254.x) are blocked at the network layer.

05 — Cryptographic Audit Trail

Every request is signed into a SHA-256 hash chain with Ed25519 signatures. Events form a tamper-proof, SIEM-exportable forensic record.

04 — DLP & PII Redaction

A ResponseGuard pipeline intercepts every tool response. Configurable redaction patterns strip sensitive fields (emails, SSNs, card numbers) before data reaches the AI agent.

06 — Honeypot Trap System

Phantom credentials are injected into isolated environments. If a honeypot is used outside Vinkius infrastructure, the server is quarantined instantly.

Emergency Kill Switch

EU AI Act Art. 14(1)
Compliant

The kill switch is an **emergency halt** mechanism — not a simple toggle. When triggered, it executes three actions atomically:

01 — Server deactivated

The MCP server is immediately taken offline across the entire cluster.

02 — All tokens revoked

Every connection token is invalidated. Total lockout — reconnection blocked until new tokens are issued.

03 — WebSocket connections killed

Active connections terminated via Redis pubsub broadcast. Propagates to every runtime node in the cluster.

Full Visibility. Zero Guesswork.

The Vinkius cloud dashboard includes a full MCP Governance suite — real-time analytics and security controls for production AI operations.

Control Plane

KPI dashboard with request volume, latency, success rate, token consumption, and AI-generated operational briefings.

FinOps

Cost tracking per tool, payload compression savings, budget optimization signals, and consumption trends.

Firewall & DLP

PII redaction activity, sensitive data protection counters, and security event timeline.

Agent Activity

Which AI clients are connecting, how often, and what they're doing — real-time session tracking.

Tool Health

Slowest and most error-prone tools, with actionable root-cause insights and performance baselines.

Incident Log

Error trends, failure rates, status-code breakdowns, and forensic audit trail access.

Get started at cloud.vinkius.com — connect your AI agent in under 60 seconds.

Community Accessibility Feedback Plan MCP

4 tools available

Cloud-hosted on Vinkius

You shouldn't have to spend hours formatting reports just because you noticed an accessibility barrier. This MCP acts as an orchestration engine for your advocacy work. When you spot a physical or digital obstacle, you can feed those raw details directly to your AI client. The MCP then organizes those notes into a formal, factual document that is ready to be sent to the people in charge. It doesn't just stop at the report. You can use it to figure out exactly which organization or official needs to hear from you, when you should send the message to ensure it gets attention, and how to follow up later to make sure the problem actually gets fixed. It turns a fleeting observation into a structured, professional campaign for change.

Core Capabilities

01 — Document Generation

Your agent creates formal, submission-ready feedback packets from simple notes.

02 — Stakeholder Mapping

The MCP identifies the correct authorities or organizations to contact for specific issues.

03 — Urgency Assessment

Your AI client calculates the best time to submit feedback based on the severity of the observation.

04 — Resolution Tracking

The tool generates a schedule of follow-up points to ensure your feedback leads to action.

One Click on Vinkius — From Prompt to Execution

Available at vinkius.com/en/ai-agent-connect/community-accessibility-feedback-plan — connect your AI agent in three steps.

- 01

Connect the MCP to Claude, Cursor, or Windsurf via Vinkius.
- 02

Provide your raw observation, date, and priority to your AI client.
- 03

The MCP generates a formal feedback packet and identifies the right stakeholder.
- 04

Use the generated timeline and follow-up schedule to manage your advocacy efforts.

You connect the MCP to your preferred AI client and start feeding it observations.

Built For

This MCP is designed for individuals and groups focused on disability rights and urban accessibility.

Accessibility Advocates

They hand off raw field observations to the AI to generate professional reports.

Compliance Officers

They use the tool to organize and schedule follow-ups on reported infrastructure violations.

Community Organizers

They use the stakeholder planning tool to direct their outreach to the right local authorities.

What Changes When You Connect

- 01

Converts informal notes into professional documents.
- 02

Reduces the time spent researching which agency to contact.

-
- | | |
|-----------|---|
| 03 | Provides a structured way to track if reported issues are actually fixed. |
| <hr/> | |
| 04 | Standardizes the way accessibility data is collected and reported. |
| <hr/> | |
-

Real-World Applications

Physical Infrastructure Reporting

Report narrow doorways or steep ramps at local businesses or transit hubs.

Digital Accessibility Audits

Document keyboard navigation failures or other digital barriers on government or retail websites.

Advocacy Campaign Planning

Organize multiple observations into a coordinated outreach plan for local officials.

Resolution Monitoring

Use the follow-up schedule to ensure that submitted complaints do not go ignored.

Patterns to Avoid

Manual Report Formatting

❌ AVOID

You spend your entire afternoon manually typing up a formal PDF report from a messy notebook of accessibility notes.

✓ INSTEAD

Feed your raw field notes directly to your AI client and use `generate\_feedback\_packet` to create the document instantly.

Guessing Contact Information

❌ AVOID

You spend hours searching through city websites to figure out which department handles sidewalk repair issues.

✓ INSTEAD

Input the issue details and use `create\_stakeholder\_plan` to identify the exact organizations or roles that need to be notified.

One-and-Done Reporting

❌ AVOID

You send a single email about a broken ramp and assume the problem is being handled without ever checking back.

✓ INSTEAD

Use ``generate_followup_schedule`` to build a series of touchpoints that ensure your feedback actually leads to a resolution.

The Right Fit

Connect this MCP if you are an accessibility advocate or community organizer who needs to turn field observations into professional outreach. Do not connect it if you are looking for a simple data logging tool without an advocacy or follow-up component. The deciding factor is whether you need to move from observation to formal, scheduled action.



Community Accessibility Feedback Plan Tools

These tools turn raw field observations into organized advocacy campaigns and structured follow-up schedules.

#	TOOL	DESCRIPTION
01	create_stakeholder_plan	This tool identifies the specific organizations or roles you need to notify based on the accessibility issue you found.
02	calculate_submission_timeline	This tool determines the best time to send your feedback based on how urgent the observation is.
03	generate_feedback_packet	This tool converts your raw notes and observations into a formal, structured document ready for official submission.
04	generate_followup_schedule	This tool builds a planned series of touchpoints so you can track whether the reported issue is actually being resolved.

See It in Action

Real prompts you can use once this MCP is connected to your AI agent through Vinkius Cloud.

U I saw a steep ramp at the central station today. It's a safety issue. I have a photo. I consent to using it. Date: 2023-10-25. Contact me via email.



Feedback Packet ID: FP-123. Summary: The ramp at the central station exhibits a steep slope that may impede accessibility. Evidence: [Link to photo]. Target Channel: Transit Authority Official Portal. Status: ready.

U The government website's login button is not reachable via keyboard navigation. This is a digital service issue at a government office. Priority is high. Date: 2023-10-26. Contact via phone.



Feedback Packet ID: FP-456. Summary: The digital login interface at the government office lacks keyboard navigation compatibility. Target Channel: Web Accessibility Lead. Status: ready.

U A retail store has a narrow doorway that prevents wheelchair access. This is a physical infrastructure issue. Priority is medium. Date: 2023-10-24. Contact via email.



Feedback Packet ID: FP-789. Summary: The entrance doorway at the retail location is too narrow for standard wheelchair clearance. Target Channel: Store Management. Status: ready.

Frequently Asked Questions

01 What can this MCP do with my notes?

It turns your raw, informal notes about accessibility issues into structured, professional feedback packets that are ready for submission.

02 How does it help me find who to contact?

The `create_stakeholder_plan` tool analyzes the nature of your observation to identify the specific organizations or roles that need to be notified.

03 Can I use this with Claude or Cursor?

Yes, this MCP is compatible with any MCP-compatible client, including Claude, Cursor, and Windsurf.

04 How do I track if an issue is resolved?

You can use the `generate_followup_schedule` tool to create a series of planned touchpoints to track the progress of your feedback.

05 Does it help with timing my reports?

Yes, the `calculate_submission_timeline` tool determines the best window to send your feedback based on how urgent the issue is.

06 How does the tool handle subjective descriptions?

The `'generate_feedback_packet'` tool automatically rewrites observations into a factual tone, stripping away subjective emotional language or personal medical diagnoses to ensure professional submission.

07 What happens if I provide evidence without consent?

The tool will throw an error if `'hasConsent'` is false when evidence links are provided. Consent is mandatory for including photos or recordings in the feedback packet.

08 How quickly should I submit critical feedback?

For critical urgency, the `'calculate_submission_timeline'` tool will recommend a submission window within 24 hours.

Go Live in 60 Seconds

Get your connection token from cloud.vinkius.com, then paste the endpoint URL into any MCP-compatible client.

YOUR MCP ENDPOINT

`https://edge.vinkius.com/[TOKEN]/mcp`

CLIENT	WHERE TO CONFIGURE
 Claude AI	Profile → Customize → Connectors → "+" → Add custom connector → Paste endpoint
 Cursor	Settings → Features → MCP Servers → "+ Add New MCP Server" → Type: SSE → Paste endpoint
 VS Code	Ctrl/Cmd+Shift+P → "MCP: Add Server" → add <code>"community-accessibility-feedback-plan": { "url": "..." }</code>
 Windsurf	MCP Settings → <code>mcp_settings.json</code> → Add endpoint URL
 ChatGPT	Settings → Tools & plugins → Add MCP server → Paste endpoint
 Gemini	Extensions → Add MCP Server → Paste endpoint URL

ASK AN AI ABOUT THIS

Let your preferred AI explain this MCP server

-  Ask ChatGPT 
-  Ask Claude 
-  Ask Perplexity 
-  Ask Gemini 
-  Ask Grok 

READY TO CONNECT

Community Accessibility Feedback Plan is live on Vinkius Cloud.

Get your connection token, paste it into your AI agent, and
start building. No SDK. No deployment. Just results.

Start at cloud.vinkius.com →

vinkius.com · support@vinkius.com

INDEPENDENT PLATFORM DISCLAIMER

Vinkius is an independent platform and is not affiliated with, endorsed by, sponsored by, verified by, or otherwise authorized by Community Accessibility Feedback Plan. All third-party trademarks, logos, and brand names are the property of their respective owners. Their use in this document is strictly for informational purposes to identify service compatibility and interoperability.

DOCUMENT INFORMATION

Generated	September 2026
MCP Server	Community Accessibility Feedback Plan MCP
Server ID	01a0d6eb-235e-70bf-a67e-5fae19f49633
Platform	Vinkius Cloud for AI Agents
Endpoint	https://edge.vinkius.com/{token}/mcp

LICENSE & USAGE

This document is generated automatically by the Vinkius PDF Engine. Content reflects the MCP server configuration at the time of generation and may change as updates are deployed. For the most current information, visit vinkius.com/en/ai-agent-connect/community-accessibility-feedback-plan.