

MCP SERVER

NO CODE

CLOUD HOSTED

Crowdin MCP for AI Agents

Manage Localization Projects and Translation Workflows

Crowdin connects your AI agent directly to its localization management platform, giving it full control over project data and translation workflows. You can list projects, audit file metadata, track task progress across languages, and access terminology glossaries using only natural language conversation.

A+ Quality Score 100/100

localization

translation-management

agile-workflow

file-management

project-tracking

i18n



The connectivity layer between AI and the world's software.



Vinkius sits between AI and every application. All communication passes through Vinkius Cloud via the Model Context Protocol (MCP) — with governance, observability, and security at every layer.

Your AI Connections Run Through Vinkius Cloud

The world's largest
managed MCP catalog

Vinkius is the connectivity layer where AI connects to the software your business already runs. We handle the hosting, the security, the credentials, the uptime — you get agents that actually do things.

We operate the world's largest managed MCP catalog. Major SaaS platforms, CRMs, databases, and cloud providers — running, monitored, production-ready. This MCP server is hosted and maintained by the Vinkius Cloud for AI Agents.

The agent doesn't manage credentials, doesn't manage uptime, doesn't manage security. Vinkius does.

— Architecture principle

Four Pillars of the Vinkius Runtime

01 — Security by design

Credentials stay encrypted at rest via AES-256. The AI agent never touches raw keys — they're injected into a sandboxed V8 isolate at runtime. Actions are logged, and connections have an emergency kill switch.

03 — Deterministic observability

Eight immutable metrics per endpoint: request volume, p95 latency, error rate, active connections, cost attribution. A live payload feed logs every tool call with mutation detection.

02 — Built on MCP Fusion

This MCP server was built with **MCP Fusion**, the open-source framework (Apache 2.0) that powers the entire Vinkius catalog. Schema-as-firewall strips undeclared fields, compiled PII redaction runs at zero overhead, and cryptographic lockfiles produce git-diffable audit trails.

04 — Autonomous operations

Servers are deployed, monitored, and patched autonomously. New capabilities and security patches ship weekly. Zero-downtime deployments ensure continuous availability across all managed MCP servers.

AES-256

Encryption at rest

Ed25519

PKI vault signatures

24h TTL

Ephemeral session keys

V8 Isolate

Sandboxed execution

One Token. Instant Access.

Every MCP server on Vinkius is accessed through a **Connection Token**. Tokens are generated in the cloud dashboard and produce a unique MCP endpoint URL. Paste this URL into any MCP-compatible client — no SDK required.

A single token can serve **multiple AI clients simultaneously**, or you can issue separate tokens per client for granular access control. Each token tracks its own request count, last activity timestamp, and can be individually enabled or revoked.

MCP ENDPOINT

`https://edge.vinkius.com/{token}/mcp`

Claude



Cursor



VS Code



Windsurf



Grok



Gemini

Security Is the Architecture

Security in Vinkius is not a feature — it's the foundation of the runtime. The gateway enforces multiple independent protection layers between AI agents and third-party APIs.

01 — Ed25519 PKI Vault

Every workspace has an Ed25519 Master Key. Session keys are generated ephemerally (24h TTL) and signed by the Master Key. Credentials never leave the vault boundary.

02 — V8 Isolate Sandboxing

Tool code runs inside isolated-vm V8 isolates with 64 MB memory caps and per-request timeouts. No filesystem access, no network access except through the SSRF-guarded fetch bridge.

03 — SSRF Guard

All outbound HTTP requests are DNS-resolved and validated before execution. Private IP ranges (10.x, 172.16-31.x, 192.168.x, AWS metadata 169.254.x) are blocked at the network layer.

05 — Cryptographic Audit Trail

Every request is signed into a SHA-256 hash chain with Ed25519 signatures. Events form a tamper-proof, SIEM-exportable forensic record.

04 — DLP & PII Redaction

A ResponseGuard pipeline intercepts every tool response. Configurable redaction patterns strip sensitive fields (emails, SSNs, card numbers) before data reaches the AI agent.

06 — Honeypot Trap System

Phantom credentials are injected into isolated environments. If a honeypot is used outside Vinkius infrastructure, the server is quarantined instantly.

Emergency Kill Switch

EU AI Act Art. 14(1)
Compliant

The kill switch is an **emergency halt** mechanism — not a simple toggle. When triggered, it executes three actions atomically:

01 — Server deactivated

The MCP server is immediately taken offline across the entire cluster.

02 — All tokens revoked

Every connection token is invalidated. Total lockout — reconnection blocked until new tokens are issued.

03 — WebSocket connections killed

Active connections terminated via Redis pubsub broadcast. Propagates to every runtime node in the cluster.

Full Visibility. Zero Guesswork.

The Vinkius cloud dashboard includes a full MCP Governance suite — real-time analytics and security controls for production AI operations.

Control Plane

KPI dashboard with request volume, latency, success rate, token consumption, and AI-generated operational briefings.

FinOps

Cost tracking per tool, payload compression savings, budget optimization signals, and consumption trends.

Firewall & DLP

PII redaction activity, sensitive data protection counters, and security event timeline.

Agent Activity

Which AI clients are connecting, how often, and what they're doing — real-time session tracking.

Tool Health

Slowest and most error-prone tools, with actionable root-cause insights and performance baselines.

Incident Log

Error trends, failure rates, status-code breakdowns, and forensic audit trail access.

Get started at cloud.vinkius.com — connect your AI agent in under 60 seconds.

Crowdin MCP

10 tools available

Cloud-hosted on Vinkius

Manage complex internationalization processes without ever opening the Crowdin dashboard. This MCP lets your AI agent handle core localization tasks—from checking overall project status to verifying specific file translations. Instead of navigating multiple tabs and exporting spreadsheets, you simply ask your agent questions like, 'What's the translation progress for the mobile app files?' The system gets the answer instantly.

Your agent can list all active projects, audit file structures, retrieve detailed settings, or even pull reports on task completion. It keeps track of glossaries and translation memories so you never lose context. Because this MCP is housed in Vinkius' catalog, your AI client connects once to gain access to the entire suite of localization tools. This means whether you are planning a new language rollout or checking the status of proofreading tasks, everything happens through one conversation.

Core Capabilities

01 — Audit Project Status and Settings

Get detailed information on all your localization projects, including source languages and current activity summaries.

One Click on Vinkius — From Prompt to Execution

Available at vinkius.com/mcp/crowdin — connect your AI agent in three steps.

- 01 Connect this MCP to your preferred AI client using your Crowdin Personal Access Token.
- 02 Authorize the connection via your account settings, granting the agent read access to your localization data.
- 03 Ask your AI agent a natural language question—like 'List all active tasks for my documentation portal'—and get real-time project feedback.

The bottom line is: you control complex localization workflows and gather deep project insights without ever touching the Crowdin UI.

Built For

Anyone who manages content for multiple markets or services. It's essential for Localization Managers, Content Strategists, and Technical Writers who spend too much time manually checking file statuses across dozens of projects.

Localization Manager

Checks project progress on the go by listing project tasks or viewing overall project details to ensure deadlines are met.

Content Strategist

Explores available glossaries and supported languages before starting a new internationalization initiative, ensuring terminology is consistent from day one.

Technical Writer/Developer

Audits project files and translation memories to verify that the correct source strings are being localized for all target markets.

What Changes When You Connect

- 01 Instant Project Audits: Use `get_project_details` to pull a full project summary in seconds, eliminating the need to navigate multiple settings tabs.

-
- 02** Granular File Tracking: The agent checks file metadata using `get_file_details`, letting you see exactly which language translations are lagging or complete.
-
- 03** Workflow Clarity: Instantly list assignments and statuses with `list_project_tasks` so you know who needs to act next on a proofreading task.
-
- 04** Resource Consistency: Access crucial context—glossaries, translation memories, and supported languages—via the agent using `list_glossaries` or `list_translation_memories`.
-
- 05** Comprehensive View: Get an overview of everything with `list_projects`, listing every project in your account so you never forget a market.
-

Real-World Applications

The Quarterly Localization Audit

A localization manager needs to report on the status of 20 active projects. Instead of logging into Crowdin and clicking through 20 dashboards, they ask their agent to run `list_projects` and then follow up with file status checks for critical titles using `list_project_files`.

Checking for Missed Proofreading Tasks

A marketing team lead suspects some copy hasn't been reviewed. They ask their agent to use `list_project_tasks`, filtering specifically for 'Proofreading' tasks with overdue dates, ensuring the content goes live on time.

Onboarding a New Feature Language

A content strategist is expanding into German. They first ask the agent to use `list_supported_languages` to confirm locale codes, then check project settings with `get_project_details` to see if the target language needs configuration.

Auditing Source Material Integrity

A developer needs to ensure a specific file structure is correct before coding. They ask the agent to run `list_project_screenshots` and then `get_file_details` on the core UI strings to confirm all necessary assets are linked.

Patterns to Avoid

Checking project status via manual dashboard browsing

X AVOID

The user manually logs into Crowdin and clicks through Project A, then signs out and repeats the process for Project B, wasting 30 minutes just gathering summary data.

✓ INSTEAD

Instead, use the agent to run ``list_project_details`` followed by ``list_project_files``. This pulls all project summaries and file statuses in a single conversational query.

Forgetting specific resource details

X AVOID

The team needs to know if they used the correct terminology for 'data sheet' but can't remember which glossary was active last month.

✓ INSTEAD

Use ``list_glossaries`` and ``list_translation_memories`` with your agent. It gathers all available terms, making sure you use approved language immediately.

Treating projects as silos

X AVOID

A user checks the status of one project (e.g., 'Mobile App') and then has to start a completely new process to check the second project ('Website'), duplicating effort.

✓ INSTEAD

Start by calling ``list_projects`` to see everything you manage. Then, ask for specific task listings (``list_project_tasks``) across multiple projects in one go.

The Right Fit

Use this MCP if your core pain point is managing complex relationships between content files, language assets, and human tasks. If you need to audit progress across 10+ distinct localization campaigns, this is essential because it consolidates status data from `list_projects` down to individual file translations using `get_file_details`. However, don't use this if your only goal is simple content storage or basic asset upload; those tasks fall outside the scope of structured project management. If you just need a list of languages without context, you could simply check the Crowdin website, but for actionable intelligence—like knowing which files are 85% translated vs. 100%—you need this MCP.

Crowdin MCP: Simplifying Localization Project Audits

Right now, managing a global content rollout is pure manual labor. You log into Crowdin, open the project dashboard, then click through files to check status. If you have ten markets and fifty files, you spend hours cross-referencing spreadsheets, hoping nothing was missed.

With this MCP, you just ask your agent for an audit. It uses tools like `list_project_details` and `list_project_files` to pull the entire project scope—settings, file count, and current translation progress—and gives it back in a single, digestible answer.

Crowdin MCP: Tracking Translation Tasks and Resources

The biggest time sink is knowing who owns what. You waste minutes checking if the proofreading tasks were assigned or if the correct glossary was used for a specific term.

Now, your agent handles that. It can run `list_project_tasks` to show overdue work and use `list_glossaries` immediately to verify terminology usage, keeping your entire global strategy on track.

10 Tools for Crowd-Source Localization File Auditing

Use these tools to list every project, check file metadata, manage tasks, and audit resources across your entire localization portfolio.

#	TOOL	DESCRIPTION
01	<code>list_project_screenshots</code>	Lists all screenshots uploaded to a project, providing context using IDs and tags.
02	<code>get_file_details</code>	Retrieves detailed metadata for one file, including its revision history and translation status boundaries per language.
03	<code>get_project_details</code>	Gets a summary of the project's settings, such as source/target languages, alongside overall activity information.
04	<code>list_project_files</code>	Lists every file in a project and provides its current translation progress metrics.
05	<code>list_glossaries</code>	Shows all available glossaries in your account, which help manage consistent terminology across content.
06	<code>list_translation_memories</code>	Lists all existing translation memories (TMs), helping you track reusable translated segments for future projects.
07	<code>list_supported_languages</code>	Provides a list of every language supported by Crowdin, including its code and human-readable name.
08	<code>list_projects</code>	Generates a complete list of all localization projects in your account, detailing their source and target languages.
09	<code>list_project_reports</code>	Retrieves generated reports for a specific project, such as cost breakdowns or progress metrics.
10	<code>list_project_tasks</code>	Lists active translation and proofreading tasks for a project, including who is assigned and the current status.

See It in Action

Real prompts you can use once this MCP is connected to your AI agent through Vinkius Cloud.

U What is the current status of all my ongoing localization projects?



Project Status Report

- Mobile App: 15 files active. 'en.json' (100% complete); 'notifications.xml' (85% translated).
- Marketing Site: 22 files active. All marked as pending proofreading.
- Documentation Portal: 4 files active. Two require glossary review.

Would you like a list of the specific tasks that need attention?

U I need to know about our translation memories and what languages are supported.



Language & Memory Assets

Supported Languages: We currently support 12 locales, including English (en-US), Spanish (es-MX), German (de-DE), and Japanese (ja-JP).

Translation Memories Found: You have 4 active TMs. The most recent one, 'Q3_Web_Updates', has contributed over 50,000 translated segments for reuse.

U Show me all the projects and what files are in them.



Here's a list of your active projects:

1. **Mobile App:** Contains 15 files (JSON, XML, strings).
2. **Marketing Site:** Contains 22 files (Images, text blocks).
3. **Documentation Portal:** Contains 4 files (HTML, Markdown).

You can ask me to list the file status for any of these by name.

Frequently Asked Questions

01 How does the Crowdin MCP help track translation progress?

The agent provides a clear, real-time status report on your files. You can ask it to check specific project folders and get back percentages (like 85% done) or identify exactly which translations are missing.

02 Can the Crowdin MCP list all my active projects?

Yes, you can easily pull a comprehensive list of every localization project in your account. This ensures nothing gets overlooked when planning international rollouts.

03 Does this MCP help me with terminology consistency?

Absolutely. The agent gives you access to all glossaries and translation memories, letting you verify that the team is using approved terms for every market.

04 I need to know who has pending proofreading tasks in Crowdin.

You can ask the agent to list active project tasks. It pinpoints exactly which task types (like Proofreading) are assigned, their due dates, and who they belong to.

05 Is the Crowdin MCP better than manually checking files?

It saves hours of manual work. Instead of clicking through file metadata one by one, you ask your agent a question and get an instant summary that covers revision history and current translation status.

06 How do I check the settings for my localization projects?







The MCP allows you to retrieve detailed project settings using natural language. You can confirm if the source languages, target languages, or general activity summaries are set up correctly without navigating dashboards.

Go Live in 60 Seconds

Get your connection token from cloud.vinkius.com, then paste the endpoint URL into any MCP-compatible client.

YOUR MCP ENDPOINT

```
https://edge.vinkius.com/[TOKEN]/mcp
```

CLIENT	WHERE TO CONFIGURE
 Claude AI	Profile → Customize → Connectors → "+" → Add custom connector → Paste endpoint
 Cursor	Settings → Features → MCP Servers → "+ Add New MCP Server" → Type: SSE → Paste endpoint
 VS Code	Ctrl/Cmd+Shift+P → "MCP: Add Server" → add <code>"crowdin": { "url": "..." }</code>
 Windsurf	MCP Settings → <code>mcp_settings.json</code> → Add endpoint URL
 ChatGPT	Settings → Tools & plugins → Add MCP server → Paste endpoint
 Gemini	Extensions → Add MCP Server → Paste endpoint URL

ASK AN AI ABOUT THIS

Let your preferred AI explain this MCP server

-  **Ask ChatGPT** 
-  **Ask Claude** 
-  **Ask Perplexity** 
-  **Ask Gemini** 
-  **Ask Grok** 

READY TO CONNECT

Crowdin is live on Vinkius Cloud.

Get your connection token, paste it into your AI agent, and start building. No SDK. No deployment. Just results.

[Start at cloud.vinkius.com](https://cloud.vinkius.com) →

vinkius.com · support@vinkius.com

INDEPENDENT PLATFORM DISCLAIMER

Vinkius is an independent platform and is not affiliated with, endorsed by, sponsored by, verified by, or otherwise authorized by Crowdin. All third-party trademarks, logos, and brand names are the property of their respective owners. Their use in this document is strictly for informational purposes to identify service compatibility and interoperability.

DOCUMENT INFORMATION

Generated	June 2026
MCP Server	Crowdin MCP
Server ID	019d757f-386f-7150-b293-78357f4e159a
Platform	Vinkius Cloud for AI Agents
Endpoint	https://edge.vinkius.com/{token}/mcp

LICENSE & USAGE

This document is generated automatically by the Vinkius PDF Engine. Content reflects the MCP server configuration at the time of generation and may change as updates are deployed. For the most current information, visit vinkius.com/mcp/crowdin.