MCP SERVER | NO CODE | CLOUD HOSTED

Dialogue Ratio Calculator MCP

Get exact dialogue and narration percentages for your manuscript.

Dialogue Ratio Calculator MCP helps authors and editors measure the balance of spoken words against narration. You can use it to find specific dialogue segments, check if a chapter is too dialogue-heavy, and validate your quotation marks to ensure accurate text parsing.

A+ Quality Score 100/100

manuscript | dialogue | editing | text-analysis | authors

MAINTAINED BY VINKIUS CLOUD FOR AI AGENTS · OCTOBER 2026
vinkius.com/en/ai-agent-connect/dialogue-ratio-calculator

SCAN TO VIEW

The connectivity layer between AI and the world's software.

Vinkius sits between AI and every application. All communication passes through Vinkius Cloud via the Model Context Protocol (MCP) — with governance, observability, and security at every layer.

Your AI Connections Run Through Vinkius Cloud

The world's largest managed MCP catalog

Vinkius is the connectivity layer where AI connects to the software your business already runs. We handle the hosting, the security, the credentials, the uptime — you get agents that actually do things.

We operate the world's largest managed MCP catalog. Major SaaS platforms, CRMs, databases, and cloud providers — running, monitored, production-ready. This MCP server is hosted and maintained by the Vinkius Cloud for AI Agents.

> *The agent doesn't manage credentials, doesn't manage uptime, doesn't manage security. Vinkius does.*
>
> — Architecture principle

Four Pillars of the Vinkius Runtime

01 — Security by design

Credentials stay encrypted at rest via AES-256. The AI agent never touches raw keys — they're injected into a sandboxed V8 isolate at runtime. Actions are logged, and connections have an emergency kill switch.

02 — Built on MCP Fusion

This MCP server was built with **MCP Fusion**, the open-source framework (Apache 2.0) that powers the entire Vinkius catalog. Schema-as-firewall strips undeclared fields, compiled PII redaction runs at zero overhead, and cryptographic lockfiles produce git-diffable audit trails.

03 — Deterministic observability

Eight immutable metrics per endpoint: request volume, p95 latency, error rate, active connections, cost attribution. A live payload feed logs every tool call with mutation detection.

04 — Autonomous operations

Servers are deployed, monitored, and patched autonomously. New capabilities and security patches ship weekly. Zero-downtime deployments ensure continuous availability across all managed MCP servers.

AES-256	Ed25519	24h TTL	V8 Isolate
Encryption at rest	PKI vault signatures	Ephemeral session keys	Sandboxed execution

One Token. Instant Access.

Every MCP server on Vinkius is accessed through a **Connection Token**. Tokens are generated in the cloud dashboard and produce a unique MCP endpoint URL. Paste this URL into any MCP-compatible client — no SDK required.

A single token can serve **multiple AI clients simultaneously**, or you can issue separate tokens per client for granular access control. Each token tracks its own request count, last activity timestamp, and can be individually enabled or revoked.

MCP ENDPOINT

```
https://edge.vinkius.com/{token}/mcp
```

Claude · Cursor · VS Code · Windsurf · Grok · Gemini

Security Is the Architecture

Security in Vinkius is not a feature — it's the foundation of the runtime. The gateway enforces multiple independent protection layers between AI agents and third-party APIs.

01 — Ed25519 PKI Vault

Every workspace has an Ed25519 Master Key. Session keys are generated ephemerally (24h TTL) and signed by the Master Key. Credentials never leave the vault boundary.

02 — V8 Isolate Sandboxing

Tool code runs inside isolated-vm V8 isolates with 64 MB memory caps and per-request timeouts. No filesystem access, no network access except through the SSRF-guarded fetch bridge.

03 — SSRF Guard

All outbound HTTP requests are DNS-resolved and validated before execution. Private IP ranges (10.x, 172.16-31.x, 192.168.x, AWS metadata 169.254.x) are blocked at the network layer.

04 — DLP & PII Redaction

A ResponseGuard pipeline intercepts every tool response. Configurable redaction patterns strip sensitive fields (emails, SSNs, card numbers) before data reaches the AI agent.

05 — Cryptographic Audit Trail

Every request is signed into a SHA-256 hash chain with Ed25519 signatures. Events form a tamper-proof, SIEM-exportable forensic record.

06 — Honeytoken Trap System

Phantom credentials are injected into isolated environments. If a honeytoken is used outside Vinkius infrastructure, the server is quarantined instantly.

Emergency Kill Switch

EU AI Act Art. 14(1) Compliant

The kill switch is an **emergency halt** mechanism — not a simple toggle. When triggered, it executes three actions atomically:

01 — Server deactivated

The MCP server is immediately taken offline across the entire cluster.

02 — All tokens revoked

Every connection token is invalidated. Total lockout — reconnection blocked until new tokens are issued.

03 — WebSocket connections killed

Active connections terminated via Redis pubsub broadcast. Propagates to every runtime node in the cluster.

Full Visibility. Zero Guesswork.

The Vinkius cloud dashboard includes a full MCP Governance suite — real-time analytics and security controls for production AI operations.

Control Plane

KPI dashboard with request volume, latency, success rate, token consumption, and AI-generated operational briefings.

Agent Activity

Which AI clients are connecting, how often, and what they're doing — real-time session tracking.

FinOps

Cost tracking per tool, payload compression savings, budget optimization signals, and consumption trends.

Tool Health

Slowest and most error-prone tools, with actionable root-cause insights and performance baselines.

Firewall & DLP

PII redaction activity, sensitive data protection counters, and security event timeline.

Incident Log

Error trends, failure rates, status-code breakdowns, and forensic audit trail access.

> Get started at **cloud.vinkius.com** — connect your AI agent in under 60 seconds.

Dialogue Ratio Calculator MCP

4 tools available
Cloud-hosted on Vinkius

Writing a balanced story is hard. You might feel like your characters talk too much or that your narration is dragging, but guessing isn't helpful. This MCP gives you the hard numbers. By plugging your manuscript into your AI client, you can instantly see the ratio of dialogue to narration. You can define your own quotation marks or delimiters to make sure the math is right. It's a technical way to handle a creative problem. Instead of squinting at pages to see if a scene feels heavy on speech, you just ask your agent for the percentage. It works by identifying spoken segments based on your specific punctuation rules and then calculating the word count distribution. This lets you make data-driven decisions about your pacing and character interaction without manual counting.

Core Capabilities

01 — Ratio Calculation

Your agent calculates the exact percentage of spoken words compared to narration.

02 — Segment Identification

The MCP finds every instance of dialogue in a block of text.

03 — Pacing Checks

Your agent uses manuscript summaries to flag if a scene is too heavy on dialogue.

04 — Delimiter Validation

The tool verifies that your quotation marks are correctly paired for accurate parsing.

One Click on Vinkius — From Prompt to Execution

Available at **vinkius.com/en/ai-agent-connect/dialogue-ratio-calculator** — connect your AI agent in three steps.

01 Connect your preferred client like Claude or Cursor to Vinkius.

02 Provide the text you want to analyze to your agent.

03 Define your quotation marks or delimiters if they are non-standard.

04 Run the analysis tool to get your dialogue and narration percentages.

You connect the MCP to your AI client and start analyzing text immediately.

Built For

This MCP is built for people working with long-form prose who need to track structural balance.

Authors

They use it to check the pacing and dialogue density of their drafts.

Editors

They use it to provide objective feedback on a manuscript's composition.

Copyeditors

They use it to validate delimiter pairs and ensure text parsing is consistent.

What Changes When You Connect

01	Removes the guesswork from measuring dialogue density.
02	Provides exact word counts for spoken vs. narrated text.
03	Works with custom quotation marks to fit different writing styles.
04	Identifies specific dialogue locations instantly.

Real-World Applications

Pacing Analysis

Check if a chapter is moving too fast by seeing if the dialogue ratio is too high.

Character Voice Checks

Use segment identification to see how much a specific character actually speaks.

Formatting Verification

Run delimiter validation to make sure your quotation marks are correctly placed.

Manuscript Summarization

Get a quick summary to see if a scene is dialogue-heavy before doing a deep dive.

Patterns to Avoid

Guessing pacing by eye

AVOID

You read a chapter and decide it feels too chatty without actually knowing the numbers.

✓ INSTEAD

Use analyze_manuscript_text to get the exact percentage of dialogue versus narration.

Ignoring broken delimiters

AVOID

You try to run a full analysis but the results are wrong because you missed a closing quotation mark.

✓ INSTEAD

Run validate_delimiter_pairs first to ensure your punctuation is logically sound before calculating ratios.

Manual word counting

✗ AVOID

You spend an hour counting words in a scene to see if a character talks too much.

✓ INSTEAD

Let your agent use find_dialogue_segments to locate every spoken part instantly.

The Right Fit

Authors and editors working on long-form prose should connect this MCP to track structural balance. Casual writers or those working on short social media posts won't find value here. The decision depends on whether you need objective data to manage your story's pacing.

Dialogue Ratio Calculator Tools

These tools handle the heavy lifting of parsing text, validating punctuation, and calculating word count distributions.

#	TOOL	DESCRIPTION
01	`find_dialogue_segments`	This tool locates all spoken parts within your text. It identifies specific segments of dialogue based on your defined delimiters.
02	`get_manuscript_summary`	This tool provides a high-level overview of your text. It helps you quickly determine if a passage is dialogue-heavy.
03	`validate_delimiter_pairs`	This tool checks your quotation marks or custom delimiters. It ensures your parsing characters are logically sound before you run an analysis.
04	`analyze_manuscript_text`	This tool calculates the exact percentage of dialogue versus narration. It uses your custom delimiters to split the text and count the words.

See It in Action

Real prompts you can use once this MCP is connected to your AI agent through Vinkius Cloud.

U Analyze this text: He said, "Hello!" She replied, "Hi there." How much is the dialogue ratio?

The dialogue ratio is 50%. There are 4 dialogue words and 4 narration words.

U Is this text dialogue-heavy? Text: "Wait!" he shouted. "No way!" she yelled.

Yes, the text is dialogue-heavy as the dialogue makes up more than half of the total word count.

U Find all the dialogue segments in: The cat sat. 'Meow,' said the cat. 'Purr,' it added.

The dialogue segments are: 'Meow' (1 word) and 'Purr' (1 word).

Frequently Asked Questions

01 **How does the MCP calculate the dialogue ratio?**

It uses your specified quotation delimiters to separate spoken words from narration and then compares the word counts.

02 **Can I use custom quotation marks?**

Yes, you can specify custom delimiters to ensure the tool parses your specific writing style correctly.

03 **What clients can I use this with?**

You can use this MCP with any compatible client, including Claude, Cursor, Windsurf, and VS Code.

04 **Will this help me find where characters are talking?**

Yes, the find_dialogue_segments tool is designed to locate specific spoken parts in your text.

05 **How do I know if my quotation marks are correct?**

You can use the validate_delimiter_pairs tool to check that your parsing characters are logically sound.

06 **How do I define my quotation marks?**

You provide the specific characters used as start and end delimiters in the tool inputs. For example, use double quotes (") for standard English text.

07 **Can I use non-standard symbols for dialogue?**

Yes, as long as the delimiters are distinct and follow an alternating pattern, you can use any character or string to mark dialogue.

08 **What is considered a 'word' in the analysis?**

A word is defined as any sequence of characters separated by whitespace.

Go Live in 60 Seconds

Get your connection token from **cloud.vinkius.com**, then paste the endpoint URL into any MCP-compatible client.

YOUR MCP ENDPOINT

```
https://edge.vinkius.com/[TOKEN]/mcp
```

CLIENT	WHERE TO CONFIGURE
Claude AI	Profile → Customize → Connectors → "+" → Add custom connector → Paste endpoint
Cursor	Settings → Features → MCP Servers → "+ Add New MCP Server" → Type: SSE → Paste endpoint
VS Code	Ctrl/Cmd+Shift+P → "MCP: Add Server" → add `"dialogue-ratio-calculator": { "url": "…" }`
Windsurf	MCP Settings → `mcp_settings.json` → Add endpoint URL
ChatGPT	Settings → Tools & plugins → Add MCP server → Paste endpoint
Gemini	Extensions → Add MCP Server → Paste endpoint URL

ASK AN AI ABOUT THIS

Let your preferred AI explain this MCP server

- Ask ChatGPT
- Ask Claude
- Ask Perplexity
- Ask Gemini
- Ask Grok

READY TO CONNECT

Dialogue Ratio Calculator is live on Vinkius Cloud.

Get your connection token, paste it into your AI agent, and start building. No SDK. No deployment. Just results.

Start at cloud.vinkius.com →

vinkius.com · support@vinkius.com

INDEPENDENT PLATFORM DISCLAIMER

Vinkius is an independent platform and is not affiliated with, endorsed by, sponsored by, verified by, or otherwise authorized by Dialogue Ratio Calculator. All third-party trademarks, logos, and brand names are the property of their respective owners. Their use in this document is strictly for informational purposes to identify service compatibility and interoperability.

DOCUMENT INFORMATION

Generated	October 2026
MCP Server	Dialogue Ratio Calculator MCP
Server ID	`01a0f60b-6514-7355-a106-97be04dfdd06`
Platform	Vinkius Cloud for AI Agents
Endpoint	`https://edge.vinkius.com/{token}/mcp`

LICENSE & USAGE

This document is generated automatically by the Vinkius PDF Engine. Content reflects the MCP server configuration at the time of generation and may change as updates are deployed. For the most current information, visit vinkius.com/en/ai-agent-connect/dialogue-ratio-calculator.

© 2026 Vinkius · vinkius.com · support@vinkius.com