

MCP SERVER

NO CODE

CLOUD HOSTED

EmailListVerify MCP for AI Agents

Validate Email Deliverability and Clean Bulk Contact Lists

EmailListVerify connects your AI agent to a professional bulk email verification system. It lets you check individual emails for deliverability, manage massive list cleaning jobs, track processing status, and monitor remaining verification credits—all through natural conversation.

A+ Quality Score 100/100

email-validation

deliverability

data-cleaning

bulk-processing

spam-prevention

list-hygiene



The connectivity layer between AI and the world's software.



Vinkius sits between AI and every application. All communication passes through Vinkius Cloud via the Model Context Protocol (MCP) — with governance, observability, and security at every layer.

Your AI Connections Run Through Vinkius Cloud

The world's largest
managed MCP catalog

Vinkius is the connectivity layer where AI connects to the software your business already runs. We handle the hosting, the security, the credentials, the uptime — you get agents that actually do things.

We operate the world's largest managed MCP catalog. Major SaaS platforms, CRMs, databases, and cloud providers — running, monitored, production-ready. This MCP server is hosted and maintained by the Vinkius Cloud for AI Agents.

The agent doesn't manage credentials, doesn't manage uptime, doesn't manage security. Vinkius does.

— Architecture principle

Four Pillars of the Vinkius Runtime

01 — Security by design

Credentials stay encrypted at rest via AES-256. The AI agent never touches raw keys — they're injected into a sandboxed V8 isolate at runtime. Actions are logged, and connections have an emergency kill switch.

03 — Deterministic observability

Eight immutable metrics per endpoint: request volume, p95 latency, error rate, active connections, cost attribution. A live payload feed logs every tool call with mutation detection.

02 — Built on MCP Fusion

This MCP server was built with **MCP Fusion**, the open-source framework (Apache 2.0) that powers the entire Vinkius catalog. Schema-as-firewall strips undeclared fields, compiled PII redaction runs at zero overhead, and cryptographic lockfiles produce git-diffable audit trails.

04 — Autonomous operations

Servers are deployed, monitored, and patched autonomously. New capabilities and security patches ship weekly. Zero-downtime deployments ensure continuous availability across all managed MCP servers.

AES-256

Encryption at rest

Ed25519

PKI vault signatures

24h TTL

Ephemeral session keys

V8 Isolate

Sandboxed execution

One Token. Instant Access.

Every MCP server on Vinkius is accessed through a **Connection Token**. Tokens are generated in the cloud dashboard and produce a unique MCP endpoint URL. Paste this URL into any MCP-compatible client — no SDK required.

A single token can serve **multiple AI clients simultaneously**, or you can issue separate tokens per client for granular access control. Each token tracks its own request count, last activity timestamp, and can be individually enabled or revoked.

MCP ENDPOINT

`https://edge.vinkius.com/{token}/mcp`

Claude



Cursor



VS Code



Windsurf



Grok



Gemini

Security Is the Architecture

Security in Vinkius is not a feature — it's the foundation of the runtime. The gateway enforces multiple independent protection layers between AI agents and third-party APIs.

01 — Ed25519 PKI Vault

Every workspace has an Ed25519 Master Key. Session keys are generated ephemerally (24h TTL) and signed by the Master Key. Credentials never leave the vault boundary.

02 — V8 Isolate Sandboxing

Tool code runs inside isolated-vm V8 isolates with 64 MB memory caps and per-request timeouts. No filesystem access, no network access except through the SSRF-guarded fetch bridge.

03 — SSRF Guard

All outbound HTTP requests are DNS-resolved and validated before execution. Private IP ranges (10.x, 172.16-31.x, 192.168.x, AWS metadata 169.254.x) are blocked at the network layer.

05 — Cryptographic Audit Trail

Every request is signed into a SHA-256 hash chain with Ed25519 signatures. Events form a tamper-proof, SIEM-exportable forensic record.

04 — DLP & PII Redaction

A ResponseGuard pipeline intercepts every tool response. Configurable redaction patterns strip sensitive fields (emails, SSNs, card numbers) before data reaches the AI agent.

06 — Honeypot Trap System

Phantom credentials are injected into isolated environments. If a honeypot is used outside Vinkius infrastructure, the server is quarantined instantly.

Emergency Kill Switch

EU AI Act Art. 14(1)
Compliant

The kill switch is an **emergency halt** mechanism — not a simple toggle. When triggered, it executes three actions atomically:

01 — Server deactivated

The MCP server is immediately taken offline across the entire cluster.

02 — All tokens revoked

Every connection token is invalidated. Total lockout — reconnection blocked until new tokens are issued.

03 — WebSocket connections killed

Active connections terminated via Redis pubsub broadcast. Propagates to every runtime node in the cluster.

Full Visibility. Zero Guesswork.

The Vinkius cloud dashboard includes a full MCP Governance suite — real-time analytics and security controls for production AI operations.

Control Plane

KPI dashboard with request volume, latency, success rate, token consumption, and AI-generated operational briefings.

FinOps

Cost tracking per tool, payload compression savings, budget optimization signals, and consumption trends.

Firewall & DLP

PII redaction activity, sensitive data protection counters, and security event timeline.

Agent Activity

Which AI clients are connecting, how often, and what they're doing — real-time session tracking.

Tool Health

Slowest and most error-prone tools, with actionable root-cause insights and performance baselines.

Incident Log

Error trends, failure rates, status-code breakdowns, and forensic audit trail access.

Get started at cloud.vinkius.com — connect your AI agent in under 60 seconds.

EmailListVerify MCP

9 tools available

Cloud-hosted on Vinkius

Stop guessing if your email lists are clean. This MCP gives your AI client direct access to the EmailListVerify platform, letting you instantly verify single addresses or process entire files of contacts. You can run large-scale jobs, monitoring everything from start to finish using simple chat commands. It also handles all the administrative details for you, showing you exactly how many credits you have left and generating audit summaries so you know your list quality at a glance.

If you're used to jumping between dashboards or exporting CSVs just to check one status field, this changes that. Now, your agent pulls all that data together in one chat window. Because it lives on the Vinkius Catalog, you connect once from any compatible AI client and gain access to powerful list hygiene tools like this.

Core Capabilities

01 — Verify individual email addresses

Check a single email address instantly for deliverability, resolving MX records and confirming it's not disposable.

03 — Check credit balance

Retrieve your real-time account quota to know exactly how many remaining credits you have for verification runs.

02 — Manage bulk verification jobs

List, track the status of, and retrieve results for large files you upload for cleaning and validation.

04 — Audit list quality metrics

Get high-level summaries of past processing activity, success rates, and patterns of invalid emails.

One Click on Vinkius — From Prompt to Execution

Available at vinkius.com/mcp/emaillistverify — connect your AI agent in three steps.

- 01 Connect the EmailListVerify MCP to your AI client using your Vinkius subscription.
- 02 Authorize access by providing the API key for your EmailListVerify account within your agent's context.
- 03 Tell your agent what you need—for example, 'Check my remaining credits' or 'What's the status of the last job I uploaded?'

The bottom line is that your AI client handles all the platform communication, allowing you to manage list hygiene through natural conversation.

Built For

This MCP targets marketing teams and data operations staff who deal with large email lists. It's for anyone frustrated by manually checking list quality or waiting hours for bulk job status updates.

Email Marketing Manager

Uses this to quickly validate individual contacts on the fly while writing campaigns, ensuring high deliverability rates.

CRM Administrator

Runs bulk verification jobs and retrieves detailed results summaries after importing a massive list of new leads.

Operations Analyst

Monitors account quotas, checks job status across multiple projects, and audits historical processing rates to optimize spending.

What Changes When You Connect

- 01 Instantly check single emails using `verify_single_email` to confirm deliverability before sending a campaign.

-
- 02** Keep track of your budget by calling `get_remaining_credits` so you never run out of verification quota mid-project.
-
- 03** Monitor large jobs with `list_verification_jobs` or `get_verification_job_status`, eliminating manual dashboard checks.
-
- 04** Get a quick overview of list health using `quick_verification_health_audit` without needing to check every single file.
-
- 05** Streamline compliance by accessing metadata and settings via `get_emaillistverify_metadata` in one chat session.
-

Real-World Applications

Pre-Send List Audit

A marketing manager uploads a new contact list. Instead of waiting for email reports, they ask their agent to run the bulk job and then use `get_verification_job_status` to get immediate feedback on completion status and key failure rates.

Quarterly List Cleanup

An operations team member wants to know how many lists they've cleaned this quarter. They use `list_successfully_processed_files` and then ask for a summary of all past activity using `quick_verification_health_audit`.

On-the-Fly Data Validation

A CRM admin is entering data from a spreadsheet. They ask their agent to `verify_single_email` for each address, getting instant 'Valid' or 'Invalid' feedback without leaving the chat interface.

Quota Management

Before starting a major campaign, the team lead asks their agent about available credits. The agent uses `get_remaining_credits`, immediately letting them adjust their plan or scope before wasting time on jobs they can't afford.

Patterns to Avoid

Checking Status Manually

✗ AVOID

A user has to log into the platform, navigate to 'Jobs,' find the specific file name, and click a button to see if it's finished.

✓ INSTEAD

Just tell your agent to use ``list_verification_jobs`` to see all files, then ask for the status using ``get_verification_job_status``. It's faster.

Guessing Deliverability

✗ AVOID

Sending an email campaign based on a list that hasn't been checked since last year.

✓ INSTEAD

Always use the MCP. Ask your agent to ``list_latest_verification_jobs`` and then run a check using ``verify_single_email`` before sending.

Ignoring Quotas

✗ AVOID

Starting a massive job only to get an 'Insufficient Credits' error halfway through.

✓ INSTEAD

Always start by checking your balance. Ask the agent to use ``get_remaining_credits`` first. This prevents wasted time and money.

The Right Fit

Use this MCP if list hygiene is a critical part of your marketing process, specifically when you need to manage bulk jobs or validate individual emails in real-time. If your primary goal is simply sending messages without caring about the source quality, you don't need it. Don't use this if you only deal with small, static lists that never change. Instead, if you just want a simple way to read data from a database, look for a general database connector; this MCP is strictly focused on email deliverability and job management.

EmailListVerify MCP: Solving Manual Bulk Email Verification Problems

Right now, cleaning up an email list means jumping between the platform dashboard, downloading CSV files to review status, and manually checking individual addresses one by one. It's slow, tedious copy-pasting that guarantees you lose track of which jobs are done and what the final success rate is.

With this MCP, your agent handles all that coordination. You simply ask for a list of completed jobs or run an audit. The result isn't a spreadsheet; it's a clear answer delivered right in your chat window.

EmailListVerify MCP: Tracking Account Quotas and Job Status

Manually tracking verification credits and monitoring multiple jobs across different projects is a constant pain point. You have to check the dashboard, remember which job was running last, and then figure out your budget.

Now, you can ask for an inventory of all your jobs using `list_verification_jobs` and immediately see your remaining quota by checking credits. It keeps your entire verification process visible in one place.

EmailListVerify: 9 Tools for Bulk Email Verification Management

Use these tools to perform everything from single address checks to monitoring large-scale job status and managing account quotas.

#	TOOL	DESCRIPTION
01	<code>get_emaillistverify_metadata</code>	Retrieves general metadata and configuration settings for your EmailListVerify account.
02	<code>get_remaining_credits</code>	Pulls the exact number of verification credits currently available in your account.
03	<code>get_verification_job_status</code>	Gets the current status and a summary of results for one specific bulk email verification job file.
04	<code>quick_verification_health_audit</code>	Retrieves a quick, high-level summary showing overall verification activity and success rates across your account history.
05	<code>list_successfully_processed_files</code>	Identifies all bulk verification jobs that have finished processing completely.
06	<code>list_in_progress_verification_jobs</code>	Finds and lists any bulk verification files that are currently running through the processing queue.
07	<code>list_latest_verification_jobs</code>	Shows you a list of the most recently uploaded email verification jobs/files.
08	<code>list_verification_jobs</code>	Lists all bulk email verification files and jobs currently associated with your account.
09	<code>verify_single_email</code>	Performs a real-time check on one single email address to confirm its deliverability status.

See It in Action

Real prompts you can use once this MCP is connected to your AI agent through Vinkius Cloud.

U I need to clean up a list of 5,000 leads before the campaign next week.



List Cleanup Status: Initializing...

- **Action:** Running Bulk Job (File: `Q3_Leads.csv`)
- **Status:** In Progress (78% Complete)
- **Estimated Completion:** 15 minutes
- **Initial Audit Check:** Success Rate of known invalid patterns is currently at 4.2%.

U How many credits do I have, and what was the result of my last job?



Account Check: You currently sit on 12,450 verification credits. That's good.

Last Job Results (Newsletter_Clean_Q1):

- Total Processed: 9,870 addresses
- Valid: 8,500 (86%) ✓
- Invalid/Risky: 1,370 (14%) ⚠

I recommend running a quick health audit next to see patterns in those invalid emails.

U Is this email address valid for a new client?



Verification Report for user@company.com:

- **Status:** Valid (ok) ✓
- **MX Records:** Found and verified.
- **SMTP Check:** Passed successfully.
- **Disposable Check:** Not flagged as temporary or disposable.

You can send this email with confidence.

Frequently Asked Questions

01 How does the EmailListVerify MCP help me clean my email list?

It runs bulk verification jobs that check every address in your file against real-time deliverability standards. You get detailed results showing exactly which addresses are valid, invalid, or risky.

02 What if I need to verify just one email quickly?

The MCP handles single verification checks instantly. It confirms the address's existence and deliverability status without needing a large file upload.

03 Can I track my progress on multiple list cleaning jobs using EmailListVerify MCP?

Yes, you can list all your jobs—both running and finished. This allows you to monitor several files at once and pull results summaries for each project.

04 Does the EmailListVerify MCP help me manage my budget?

Absolutely. It provides real-time access to your remaining verification credits, so you always know how much quota you have left before starting a major cleanup run.

05 Is this tool only for big marketing teams?

No. Whether you're validating five emails or fifty thousand, the MCP gives you the same powerful tools to ensure list quality and improve your campaign results consistently.

Go Live in 60 Seconds

Get your connection token from cloud.vinkius.com, then paste the endpoint URL into any MCP-compatible client.

YOUR MCP ENDPOINT

```
https://edge.vinkius.com/[TOKEN]/mcp
```

CLIENT

WHERE TO CONFIGURE



Claude AI

Profile → Customize → Connectors → "+" → Add custom connector → Paste endpoint



Cursor

Settings → Features → MCP Servers → "+ Add New MCP Server" → Type: SSE → Paste endpoint



VS Code

Ctrl/Cmd+Shift+P → "MCP: Add Server" → add `"emaiIistverify": { "url": "..." }`



Windsurf

MCP Settings → `mcp_settings.json` → Add endpoint URL



ChatGPT

Settings → Tools & plugins → Add MCP server → Paste endpoint



Gemini

Extensions → Add MCP Server → Paste endpoint URL

ASK AN AI
ABOUT THIS

Let your preferred AI
explain this MCP server



Ask ChatGPT



Ask Claude



Ask Perplexity



Ask Gemini



Ask Grok



READY TO CONNECT

EmailListVerify is live on Vinkius Cloud.

Get your connection token, paste it into your AI agent, and
start building. No SDK. No deployment. Just results.

[Start at cloud.vinkius.com](https://cloud.vinkius.com) →

vinkius.com · support@vinkius.com

INDEPENDENT PLATFORM DISCLAIMER

Vinkius is an independent platform and is not affiliated with, endorsed by, sponsored by, verified by, or otherwise authorized by EmailListVerify. All third-party trademarks, logos, and brand names are the property of their respective owners. Their use in this document is strictly for informational purposes to identify service compatibility and interoperability.

DOCUMENT INFORMATION

Generated	June 2026
MCP Server	EmailListVerify MCP
Server ID	019d758f-4914-7209-bb5d-a846fe373223
Platform	Vinkius Cloud for AI Agents
Endpoint	https://edge.vinkius.com/{token}/mcp

LICENSE & USAGE

This document is generated automatically by the Vinkius PDF Engine. Content reflects the MCP server configuration at the time of generation and may change as updates are deployed. For the most current information, visit vinkius.com/mcp/emaillistverify.