

MCP SERVER

NO CODE

CLOUD HOSTED

Eventbrite MCP

Audit event attendees, orders, and metadata.

Eventbrite MCP helps your AI agent manage everything related to large-scale events—from tracking ticket sales and auditing attendee lists to listing specific event details across multiple organizations. It gives you a single point of access to audit all your ticketing, registration, and operational data without ever opening a dashboard.

A+ Quality Score 100/100

ticketing

attendee-management

event-planning

registration

order-tracking



The infrastructure that powers AI agents in the real world.



Vinkius connects AI to the world's software through secure, enterprise-grade infrastructure — enabling real-world execution at scale, built on the Model Context Protocol (MCP).

Your AI Connections Run Through Vinkius Cloud

The world's largest
managed MCP catalog

Vinkius is the cloud infrastructure where AI agents connect to the software your business already runs. We handle the hosting, the security, the credentials, the uptime — you get agents that actually do things.

We operate the world's largest managed MCP catalog. Major SaaS platforms, CRMs, databases, and cloud providers — running, monitored, production-ready. This MCP server is hosted and maintained by the Vinkius Cloud for AI Agents.

The agent doesn't manage credentials, doesn't manage uptime, doesn't manage security. Vinkius does.

— Architecture principle

Four Pillars of the Vinkius Runtime

01 — Security by design

Credentials stay encrypted at rest via AES-256. The AI agent never touches raw keys — they're injected into a sandboxed V8 isolate at runtime. Actions are logged, and connections have an emergency kill switch.

03 — Deterministic observability

Eight immutable metrics per endpoint: request volume, p95 latency, error rate, active connections, cost attribution. A live payload feed logs every tool call with mutation detection.

02 — Built on MCP Fusion

This MCP server was built with **MCP Fusion**, the open-source framework (Apache 2.0) that powers the entire Vinkius catalog. Schema-as-firewall strips undeclared fields, compiled PII redaction runs at zero overhead, and cryptographic lockfiles produce git-diffable audit trails.

04 — Autonomous operations

Servers are deployed, monitored, and patched autonomously. New capabilities and security patches ship weekly. Zero-downtime deployments ensure continuous availability across all managed MCP servers.

AES-256

Encryption at rest

Ed25519

PKI vault signatures

24h TTL

Ephemeral session keys

V8 Isolate

Sandboxed execution

One Token. Instant Access.

Every MCP server on Vinkius is accessed through a **Connection Token**. Tokens are generated in the cloud dashboard and produce a unique MCP endpoint URL. Paste this URL into any MCP-compatible client — no SDK required.

A single token can serve **multiple AI clients simultaneously**, or you can issue separate tokens per client for granular access control. Each token tracks its own request count, last activity timestamp, and can be individually enabled or revoked.

MCP ENDPOINT

`https://edge.vinkius.com/{token}/mcp`

Claude



Cursor



VS Code



Windsurf



Grok



Gemini

Security Is the Architecture

Security in Vinkius is not a feature — it's the foundation of the runtime. The gateway enforces multiple independent protection layers between AI agents and third-party APIs.

01 — Ed25519 PKI Vault

Every workspace has an Ed25519 Master Key. Session keys are generated ephemerally (24h TTL) and signed by the Master Key. Credentials never leave the vault boundary.

02 — V8 Isolate Sandboxing

Tool code runs inside isolated-vm V8 isolates with 64 MB memory caps and per-request timeouts. No filesystem access, no network access except through the SSRF-guarded fetch bridge.

03 — SSRF Guard

All outbound HTTP requests are DNS-resolved and validated before execution. Private IP ranges (10.x, 172.16-31.x, 192.168.x, AWS metadata 169.254.x) are blocked at the network layer.

05 — Cryptographic Audit Trail

Every request is signed into a SHA-256 hash chain with Ed25519 signatures. Events form a tamper-proof, SIEM-exportable forensic record.

04 — DLP & PII Redaction

A ResponseGuard pipeline intercepts every tool response. Configurable redaction patterns strip sensitive fields (emails, SSNs, card numbers) before data reaches the AI agent.

06 — Honeypot Trap System

Phantom credentials are injected into isolated environments. If a honeypot is used outside Vinkius infrastructure, the server is quarantined instantly.

Emergency Kill Switch

EU AI Act Art. 14(1)
Compliant

The kill switch is an **emergency halt** mechanism — not a simple toggle. When triggered, it executes three actions atomically:

01 — Server deactivated

The MCP server is immediately taken offline across the entire cluster.

02 — All tokens revoked

Every connection token is invalidated. Total lockout — reconnection blocked until new tokens are issued.

03 — WebSocket connections killed

Active connections terminated via Redis pubsub broadcast. Propagates to every runtime node in the cluster.

Full Visibility. Zero Guesswork.

The Vinkius cloud dashboard includes a full MCP Governance suite — real-time analytics and security controls for production AI operations.

Control Plane

KPI dashboard with request volume, latency, success rate, token consumption, and AI-generated operational briefings.

FinOps

Cost tracking per tool, payload compression savings, budget optimization signals, and consumption trends.

Firewall & DLP

PII redaction activity, sensitive data protection counters, and security event timeline.

Agent Activity

Which AI clients are connecting, how often, and what they're doing — real-time session tracking.

Tool Health

Slowest and most error-prone tools, with actionable root-cause insights and performance baselines.

Incident Log

Error trends, failure rates, status-code breakdowns, and forensic audit trail access.

Get started at cloud.vinkius.com — connect your AI agent in under 60 seconds.

Eventbrite MCP

8 tools available

Cloud-hosted on Vinkius

This connector lets your AI client handle the heavy lifting of event administration. Think of it as having an expert assistant who has instant access to every record in your event platform. Instead of clicking through multiple tabs or logging into several dashboards just to compile a report, you simply ask your agent for what you need.

Your agent can pull together complex data streams: listing all events under an organization's umbrella, retrieving specific order details for revenue tracking, and even compiling complete lists of attendees for any single event. It keeps the entire lifecycle—from initial setup to final check-in—organized in a conversational flow. Because this MCP lives on Vinkius, you connect your preferred AI client once and immediately get access to this powerful auditing capability alongside thousands of other tools.

Whether you're running an annual conference or a small internal workshop, the system compiles all necessary audience and financial data instantly. You just need to tell it what records you want to see.

Core Capabilities

01 — Audit event metadata

You can list every active event in an organization and retrieve key details like status, start time, and unique event URLs.

03 — Monitor revenue streams

You get a full audit of all orders linked to an event, allowing you to track sales and ticketing revenue trends.

02 — Track audience participation

The agent compiles complete lists of attendees for any specific event you reference.

04 — Manage organizational scope

The agent allows you to browse and monitor the various organizations associated with your profile.

05 — Check venue resources

You can list available venues and event categories linked to an organization for catalog review.

One Click on Vinkius — From Prompt to Execution

Available at vinkius.com/mcp/eventbrite-alternative — connect your AI agent in three steps.

- 01 Subscribe to this MCP and enter your Eventbrite Private Merchant Token.
- 02 Connect the service to your preferred AI client (like Claude or Cursor).
- 03 Tell your agent exactly what data you need; it handles all the API calls and returns a clear summary.

The bottom line is, instead of manually querying multiple pages for event details, attendees, or orders, you ask one question to your AI client and get everything compiled in response.

Built For

This MCP is built for operational roles who deal with massive amounts of structured data. It's perfect for the event manager who's tired of clicking through dozens of dashboards just to reconcile one annual conference's sales figures, or the marketing lead who needs real-time proof that new events were published correctly.

Event Operations Manager

Uses this MCP to run comprehensive audits, checking order details and attendee lists across multiple events simultaneously.

Marketing Lead

Verifies that new event categories or organizational listings are correct before a campaign launch, ensuring maximum visibility for all publications.

Support Specialist

Performs rapid deep dives into specific events to check order details or audit attendee lists without needing manual dashboard logins.

What Changes When You Connect

- 01 You get instant access to the full attendee roster using `list_attendees`. You don't have to manually export CSVs or switch between tabs just to check who showed up.

- 02 Track every dollar coming in. With `list_orders`, you can audit an event's entire sales history, seeing new revenue totals without needing access to the financial dashboard.
- 03 Maintain a clear view of your company structure by running `list_organizations`. This tool helps you monitor which events are being distributed across all linked profiles.
- 04 Understand your full scope with `list_events`, which lists every event in your organization, giving you key data points like start times and status immediately.
- 05 Rapidly resolve support queries. By pairing `get_event` with `list_attendees`, your agent can quickly pull all the necessary details about a single person at a specific gathering.

Real-World Applications

Reconciling cross-departmental event data

The Ops Manager needs to know if three different departmental events (e.g., 'Q3 Workshop', 'Sales Summit', and 'Client Day') all used the same venue. They ask their agent, which uses `list_venues` combined with `list_events`, instantly confirming the shared location details for auditing.

Auditing registration for compliance

A Support Specialist needs to confirm if a VIP attendee (Jane Doe) was registered for an event last month. They use `list_attendees` on the specific date and event ID, getting confirmation without manual database lookups.

Investigating a sales discrepancy

The Marketing Lead spots a revenue mismatch and asks the agent to check recent orders. By using `list_orders` on the specific event ID, they immediately see which tickets were sold and when, pinpointing the exact source of the error.

Reviewing future event planning

The Organizer wants to plan a new conference series. They run `list_categories` and `list_venues` first, ensuring the event catalog is properly organized before writing a single line of copy for promotion.

Patterns to Avoid

Trying to edit records directly

✗ AVOID

The user assumes they can ask the agent to 'Update Jane Doe's registration status from pending to paid.'

✓ INSTEAD

This MCP is for auditing and reading data. If you need to change a record, use your native platform tools.

This MCP only supports functions like ``list_attendees`` or ``get_event``.

Asking for 'all' unspecific metrics

✗ AVOID

The user says, 'Give me all the numbers about my event.' The agent gets overwhelmed by ambiguity.

✓ INSTEAD

Be specific. Instead of a vague request, ask to ``list_orders`` and include the filter 'last 7 days'.

Specificity ensures you get actionable data.

Ignoring organizational boundaries

✗ AVOID

The user asks for attendees from an event in Organization A, but the agent pulls records from Organization B by mistake.

✓ INSTEAD

Always first run ``list_organizations`` to confirm you are referencing the correct organizational ID before querying attendee or order details.

The Right Fit

Use this MCP if your primary need is auditing, reporting, and data retrieval. You use it when you need a comprehensive view of event metrics—like who attended, how much money came in, and what the basic metadata is for every associated event. Don't use this if you plan to *create* new events or modify user details; this connector only reads existing records via tools like `list_attendees` and `list_orders`. If your goal is content creation, you need a different type of tool entirely.

The headache of event data silos

Today, getting a full picture of an event's performance means jumping between at least three tabs: the 'Events' dashboard for dates and status; the 'Attendees' tab to count heads; and finally, the 'Orders' section just to check how much money came in. You spend twenty minutes copying IDs, switching contexts, and manually correlating data points before you can even start writing the report.

With this MCP, that whole process vanishes. Your agent accesses all those separate data sources—the event list, the attendee roster, and the order ledger—and compiles it into a single, cohesive answer. You ask for an audit of attendance and sales; you get both without ever leaving your chat window.

Get event insights with Eventbrite MCP

You don't have to manually check the status of every event or track down the correct order ID. The agent handles the internal queries using tools like `list_events` and `get_event`, pulling metadata, start times, and URLs automatically.

Now, your workflow is linear. You ask a question, you get an answer. It's that simple.

Eventbrite MCP: 8 Tools for Event Management

These tools let you programmatically access every piece of core event information, including attendee lists, event metadata, and financial order records.

#	TOOL	DESCRIPTION
01	<code>get_event</code>	Retrieves full, specific data for a single event by providing its unique ID.
02	<code>get_me</code>	Pulls basic profile and user authentication information from your Eventbrite account.
03	<code>list_attendees</code>	Generates a complete roster of attendees who registered for a specified event.
04	<code>list_categories</code>	Retrieves a list of all standard event categories used within the platform.
05	<code>list_events</code>	Lists and retrieves basic metadata for every event associated with your organization.
06	<code>list_orders</code>	Provides an audit of all sales orders tied to a specific event, tracking revenue.
07	<code>list_organizations</code>	Shows every organizational profile you are linked to within your account.
08	<code>list_venues</code>	Lists physical venue details and information for an organization's catalog.

See It in Action

Real prompts you can use once this MCP is connected to your AI agent through Vinkius Cloud.

U List all events for organization ID 12345.



I've retrieved your events for that organization. You have 4 active events, including 'AI Workshop' and 'Annual Conference'. Would you like the start times for any of them?

U Show me the attendee list for event ID 98765.



I've found 15 attendees for this event. Notable participants include 'Marcus R.' and 'Jane Doe'. I can provide the full registration details if you like.

U Check recent orders for my upcoming conference.



I've scanned your orders. You have 10 new sales today, totaling \$450. The most recent order was placed by 'john@doe.com'. Would you like a breakdown by ticket type?

Frequently Asked Questions

01 How does the Eventbrite MCP handle attendee lists?

It uses the `list_attendees` tool to retrieve complete rosters for any specified event ID, giving you a full account of participation.

02 Can I check sales figures using the Eventbrite MCP?

Yes. You use the `list_orders` tool to audit all sales linked to an event, providing clear visibility into your ticketing revenue and overall sales trends.

03 What is the scope of organizations I can check with the Eventbrite MCP?

The agent uses `list_organizations` to show every organizational profile you belong to, allowing you to monitor events across multiple linked entities.

04 Is this MCP only for checking existing data?







Correct. This connector is strictly for reading and auditing data, using tools like `get_event` and `list_venues`. It does not write or modify records on the platform.

Go Live in 60 Seconds

Get your connection token from cloud.vinkius.com, then paste the endpoint URL into any MCP-compatible client.











YOUR MCP ENDPOINT

```
https://edge.vinkius.com/[TOKEN]/mcp
```

CLIENT	WHERE TO CONFIGURE
 Claude AI	Profile → Customize → Connectors → "+" → Add custom connector → Paste endpoint
 Cursor	Settings → Features → MCP Servers → "+ Add New MCP Server" → Type: SSE → Paste endpoint
 VS Code	Ctrl/Cmd+Shift+P → "MCP: Add Server" → add <code>"eventbrite-alternative": { "url": "..." }</code>
 Windsurf	MCP Settings → <code>mcp_settings.json</code> → Add endpoint URL
 ChatGPT	Settings → Tools & plugins → Add MCP server → Paste endpoint
 Gemini	Extensions → Add MCP Server → Paste endpoint URL

ASK AN AI ABOUT THIS

Let your preferred AI explain this MCP server

-  **Ask ChatGPT** 
-  **Ask Claude** 
-  **Ask Perplexity** 
-  **Ask Gemini** 
-  **Ask Grok** 

READY TO CONNECT

Eventbrite is live on Vinkius Cloud.

Get your connection token, paste it into your AI agent, and start building. No SDK. No deployment. Just results.

[Start at cloud.vinkius.com](https://cloud.vinkius.com) →

vinkius.com · support@vinkius.com

INDEPENDENT PLATFORM DISCLAIMER

Vinkius is an independent platform and is not affiliated with, endorsed by, sponsored by, verified by, or otherwise authorized by Eventbrite. All third-party trademarks, logos, and brand names are the property of their respective owners. Their use in this document is strictly for informational purposes to identify service compatibility and interoperability.

DOCUMENT INFORMATION

Generated	June 2026
MCP Server	Eventbrite MCP
Server ID	019d8436-cccb-7277-b4bd-d2666c645ef8
Platform	Vinkius Cloud for AI Agents
Endpoint	https://edge.vinkius.com/{token}/mcp

LICENSE & USAGE

This document is generated automatically by the Vinkius PDF Engine. Content reflects the MCP server configuration at the time of generation and may change as updates are deployed. For the most current information, visit vinkius.com/mcp/eventbrite-alternative.