

MCP SERVER

NO CODE

CLOUD HOSTED

Files.com Alternative MCP

Automate file movements and manage all user access.

Files.com alternative MCP manages enterprise file storage and user access automatically. Use your agent to list folders, move files between directories, delete documents, and manage all user accounts and permissions without opening the web UI.

A+ Quality Score 100/100

file-transfer

user-administration

enterprise-storage

ftp-alternative

workflow-automation



The infrastructure that powers AI agents in the real world.



Vinkius connects AI to the world's software through secure, enterprise-grade infrastructure — enabling real-world execution at scale, built on the Model Context Protocol (MCP).

Your AI Connections Run Through Vinkius Cloud

The world's largest
managed MCP catalog

Vinkius is the cloud infrastructure where AI agents connect to the software your business already runs. We handle the hosting, the security, the credentials, the uptime — you get agents that actually do things.

We operate the world's largest managed MCP catalog. Major SaaS platforms, CRMs, databases, and cloud providers — running, monitored, production-ready. This MCP server is hosted and maintained by the Vinkius Cloud for AI Agents.

The agent doesn't manage credentials, doesn't manage uptime, doesn't manage security. Vinkius does.

— Architecture principle

Four Pillars of the Vinkius Runtime

01 — Security by design

Credentials stay encrypted at rest via AES-256. The AI agent never touches raw keys — they're injected into a sandboxed V8 isolate at runtime. Actions are logged, and connections have an emergency kill switch.

03 — Deterministic observability

Eight immutable metrics per endpoint: request volume, p95 latency, error rate, active connections, cost attribution. A live payload feed logs every tool call with mutation detection.

02 — Built on MCP Fusion

This MCP server was built with **MCP Fusion**, the open-source framework (Apache 2.0) that powers the entire Vinkius catalog. Schema-as-firewall strips undeclared fields, compiled PII redaction runs at zero overhead, and cryptographic lockfiles produce git-diffable audit trails.

04 — Autonomous operations

Servers are deployed, monitored, and patched autonomously. New capabilities and security patches ship weekly. Zero-downtime deployments ensure continuous availability across all managed MCP servers.

AES-256

Encryption at rest

Ed25519

PKI vault signatures

24h TTL

Ephemeral session keys

V8 Isolate

Sandboxed execution

One Token. Instant Access.

Every MCP server on Vinkius is accessed through a **Connection Token**. Tokens are generated in the cloud dashboard and produce a unique MCP endpoint URL. Paste this URL into any MCP-compatible client — no SDK required.

A single token can serve **multiple AI clients simultaneously**, or you can issue separate tokens per client for granular access control. Each token tracks its own request count, last activity timestamp, and can be individually enabled or revoked.

MCP ENDPOINT

`https://edge.vinkius.com/{token}/mcp`

Claude



Cursor



VS Code



Windsurf



Grok



Gemini

Security Is the Architecture

Security in Vinkius is not a feature — it's the foundation of the runtime. The gateway enforces multiple independent protection layers between AI agents and third-party APIs.

01 — Ed25519 PKI Vault

Every workspace has an Ed25519 Master Key. Session keys are generated ephemerally (24h TTL) and signed by the Master Key. Credentials never leave the vault boundary.

02 — V8 Isolate Sandboxing

Tool code runs inside isolated-vm V8 isolates with 64 MB memory caps and per-request timeouts. No filesystem access, no network access except through the SSRF-guarded fetch bridge.

03 — SSRF Guard

All outbound HTTP requests are DNS-resolved and validated before execution. Private IP ranges (10.x, 172.16-31.x, 192.168.x, AWS metadata 169.254.x) are blocked at the network layer.

05 — Cryptographic Audit Trail

Every request is signed into a SHA-256 hash chain with Ed25519 signatures. Events form a tamper-proof, SIEM-exportable forensic record.

04 — DLP & PII Redaction

A ResponseGuard pipeline intercepts every tool response. Configurable redaction patterns strip sensitive fields (emails, SSNs, card numbers) before data reaches the AI agent.

06 — Honeypot Trap System

Phantom credentials are injected into isolated environments. If a honeypot is used outside Vinkius infrastructure, the server is quarantined instantly.

Emergency Kill Switch

EU AI Act Art. 14(1)
Compliant

The kill switch is an **emergency halt** mechanism — not a simple toggle. When triggered, it executes three actions atomically:

01 — Server deactivated

The MCP server is immediately taken offline across the entire cluster.

02 — All tokens revoked

Every connection token is invalidated. Total lockout — reconnection blocked until new tokens are issued.

03 — WebSocket connections killed

Active connections terminated via Redis pubsub broadcast. Propagates to every runtime node in the cluster.

Full Visibility. Zero Guesswork.

The Vinkius cloud dashboard includes a full MCP Governance suite — real-time analytics and security controls for production AI operations.

Control Plane

KPI dashboard with request volume, latency, success rate, token consumption, and AI-generated operational briefings.

FinOps

Cost tracking per tool, payload compression savings, budget optimization signals, and consumption trends.

Firewall & DLP

PII redaction activity, sensitive data protection counters, and security event timeline.

Agent Activity

Which AI clients are connecting, how often, and what they're doing — real-time session tracking.

Tool Health

Slowest and most error-prone tools, with actionable root-cause insights and performance baselines.

Incident Log

Error trends, failure rates, status-code breakdowns, and forensic audit trail access.

Get started at cloud.vinkius.com — connect your AI agent in under 60 seconds.

Files.com MCP

17 tools available
Cloud-hosted on Vinkius

This connector lets you govern large corporate file systems using only natural conversation. Instead of navigating complex permission trees or running multiple CLI commands, simply tell your AI client what needs doing with your assets. You can ask it to list everything in a directory, move an entire folder from 'Drafts' to 'Final', or track down who has access to sensitive documents. It handles user lifecycle tasks too: creating new employees, updating roles, or deleting stale accounts.

The whole process works by letting your agent interact directly with the core file and user services. If you use Vinkius for other tools, connecting this MCP gives you a single point of control over your entire digital workspace, making IT administration feel like talking to a coworker who already knows where everything is.

Core Capabilities

01 — Manage User Accounts

Create new user profiles or delete old ones and modify existing accounts.

02 — Adjust Group Membership

Add specific users to security groups, controlling their access rights across the platform.

03 — Control File Movement

Copy or move files and entire folders between any two directories.

04 — Audit Access Rights

Check who has permissions for a folder, and programmatically grant or remove access for specific users.

05 — Create Automation Triggers

Set up webhooks to automatically connect the file system actions to external tech stacks.

One Click on Vinkius — From Prompt to Execution

Available at vinkius.com/mcp/filescom-alternative — connect your AI agent in three steps.

- 01 Subscribe to this MCP and provide your Files.com API Key.
- 02 Connect it via your preferred AI client, like Cursor or Claude.
- 03 Tell your agent what you need done: 'Move the Q3 report from /uploads/drafts to /finance/final.'

The bottom line is, you talk to your agent, and it executes the file system changes in Files.com.

Built For

This MCP is for IT Administrators and DevOps Engineers who spend too much time clicking through web UIs just to perform routine maintenance. If you're tired of manually auditing permissions or running complex, multi-step file movements via a CLI script, this is your tool.

IT Administrator

Manages user lifecycles—creating accounts, updating roles, and ensuring the right users have access to the correct sensitive directories.

DevOps Engineer

Automates file movements as part of a deployment pipeline, monitoring webhooks, or setting up directory structures directly from their IDE or terminal.

Data Manager

Verifies file metadata and organizes large datasets by moving files between staging and production environments via natural language prompts.

What Changes When You Connect

- 01 Stop manually listing directory contents; use the `list_folder` tool to quickly see everything inside a path, letting your agent read out the full structure instantly. This saves you clicking through multiple nested folders.

-
- 02 Handle entire user lifecycles in one go. You can create new accounts using `create_user` and then immediately assign them access via `add_user_to_group`, skipping separate dashboards entirely.

 - 03 Improve data integrity by moving files accurately. Instead of copying, use the `move_file` tool to shift a document from 'Staging' to 'Final,' ensuring all tracking records are updated automatically.

 - 04 Maintain strict security policies without headaches. Use `create_permission` and `delete_permission` to programmatically tighten or loosen access control rules for sensitive folders.

 - 05 Build scalable backends by setting up automation. The `create_webhook` tool lets you link file actions to other services, turning a simple file upload into a multi-system trigger.
-

Real-World Applications

Offboarding a Contractor

An IT admin needs to remove all access for an exiting contractor. They prompt the agent: 'Deactivate user John Smith and ensure he can't access any files.' The agent runs `delete_user` first, then checks if they were members of any groups needing clean up, ensuring a secure removal.

Role-Based Access Audit

A security team needs to check if only the 'Finance' group can view payroll documents. They ask the agent to `list_permissions` on the `/payroll` directory and verify that no individual user has been manually granted access.

Archiving Old Campaigns

A data manager needs to move all assets from the '2023 Q4' folder into the permanent archive. They tell their agent to `list_folder` in 2023 Q4, then run `move_file` for every subfolder found, guaranteeing nothing gets missed.

Preparing a New Project Directory

A developer starts a new project folder. Instead of setting permissions manually, they ask the agent to `create_group` for 'Project X,' and then use `add_user_to_group` for all team members, immediately securing the space.

Patterns to Avoid

Manual Permission Auditing

X AVOID

Opening the web UI to check every user's access on a shared folder. This takes 15 minutes and is prone to missing edge cases.

✓ INSTEAD

Ask your agent to `list_permissions` for that specific directory path. The agent compiles all rules instantly, telling you exactly who can do what.

Forgetting the Webhook Step

X AVOID

Moving a file successfully but forgetting to notify the CRM system about the location change.

✓ INSTEAD

Use `create_webhook` first. This sets up an automated trigger so that when you run `move_file`, the notification goes out to your external systems automatically.

Using Generic File Actions

X AVOID

Telling your agent just 'delete these files.' Without specifying which folder, it risks deleting the wrong data.

✓ INSTEAD

Always scope your command. Use `list_folder` first to confirm the contents of `/uploads/old-drafts`, and then tell the agent to `delete_file` only those specific items.

The Right Fit

Use this MCP if your pain point involves managing user identities, defining permissions, or performing bulk file operations across a large enterprise storage system. Specifically, if you need to check what users are in which groups (`list_users` , `add_user_to_group`), or if you manage documents that must move between structured environments (e.g., 'Staging' -> 'Production'), this is the right tool. Don't use it if your primary goal is content creation, like summarizing a document (use a dedicated NLP MCP). Also, don't use it for simple file sharing; for basic transfers, a standard cloud storage connector works fine. However, if that transfer needs to be tied into user roles or complex governance rules, this MCP handles the full lifecycle.

The headache of managing corporate access controls manually.

Right now, updating file permissions requires a frustrating dance through multiple dashboards. You have to navigate to the folder, click into security settings, find the group name, and then select which users belong to it. One mistake in that manual process, like forgetting to revoke access for a departing employee or missing one shared directory, creates a massive compliance risk.

With this MCP, you just tell your agent what needs fixing. You can simply ask it to audit permissions on the 'Q4 Reports' folder and remove all user access except those in the 'Senior Management' group. The entire governance check happens instantly, giving you immediate confirmation that everything is locked down correctly.

Control file movements and user roles with Files.com alternative MCP.

Manually updating users means opening the admin console to `create_user`, then switching tabs to find the correct group, and finally running a command to add them. This process takes time and requires jumping between several separate interfaces just to onboard one person.

Now, you can prompt your agent: 'Onboard Jane Doe.' It handles the whole chain for you—it runs `create_user`, then calls `add_user_to_group` with the correct department group. The task is complete in a single conversational exchange.

Files.com Alternative: 17 Tools for Storage and Users

These tools give your agent direct command line access to manage every aspect of user accounts, groups, file structures, and security permissions within Files.com.

#	TOOL	DESCRIPTION
01	<code>add_user_to_group</code>	Assigns a specific user to an existing security group.
02	<code>copy_file</code>	Copies a file or folder from one location to another.
03	<code>create_group</code>	Creates a brand new organizational user group.
04	<code>create_permission</code>	Sets up a specific, unique permission rule for files or folders.
05	<code>create_user</code>	Establishes a new user account on the platform.
06	<code>create_webhook</code>	Generates and sets up a webhook trigger for automation purposes.
07	<code>delete_file</code>	Permanently removes a specified file or folder.
08	<code>delete_permission</code>	Removes an existing permission rule from the system.
09	<code>delete_user</code>	Deactivates and removes a user account entirely.
10	<code>get_file_metadata</code>	Retrieves detailed information about a specific file, like its size or creation date.
11	<code>list_automations</code>	Shows a list of all current automation workflows running on the account.
12	<code>list_folder</code>	Lists every file and subfolder contained within a given directory path.
13	<code>list_groups</code>	Retrieves a list of all security groups currently defined.
14	<code>list_permissions</code>	Shows every active permission rule that governs file access.
15	<code>list_users</code>	Retrieves a full roster of all user accounts on the platform.
16	<code>move_file</code>	Transfers a file or folder from one path to another, updating its location record.
17	<code>update_user</code>	Changes details for an existing user account, like their email or name.

See It in Action

Real prompts you can use once this MCP is connected to your AI agent through Vinkius Cloud.

U List all files and folders inside the `/marketing/2024` directory.



I've scanned the `/marketing/2024` folder. It contains 3 subfolders (Campaigns, Assets, Reports) and 2 files: `'strategy_v1.pdf'` and `'budget.xlsx'`.

U Create a new user with username `'dev_team_lead'` and email `'lead@company.com'`.



User `'dev_team_lead'` has been successfully created with ID 88291. Would you like me to add them to any specific groups now?

U Move `'invoice_99.pdf'` from `/uploads` to `/finance/invoices`.



The file `'invoice_99.pdf'` has been moved to `/finance/invoices`. The operation was successful.

Frequently Asked Questions

01 How do I check what files are inside a specific directory using Files.com alternative MCP?

You use the `'list_folder'` tool. Just tell your agent the exact path, and it will scan that folder, listing all contained subfolders and files for you.

02 Can I update a user's role using Files.com alternative MCP?

Yes, use the `'update_user'` tool. You can change details like email or name for an existing account through natural language prompts.

03 What if I need to move multiple files at once with Files.com alternative MCP?

You run the ``move_file`` tool, but you list all the items in a single prompt. For example: 'Move file A and folder B from X to Y.'

04 Does Files.com alternative MCP handle complex permission changes?

Absolutely. You can use ``create_permission`` or ``delete_permission`` to establish highly specific rules, ensuring granular control over who sees what.

05 Is listing all users reliable with Files.com alternative MCP?







Yes, the ``list_users`` tool provides a complete roster of every user account on your platform for immediate review and auditing purposes.

Go Live in 60 Seconds

Get your connection token from cloud.vinkius.com, then paste the endpoint URL into any MCP-compatible client.

YOUR MCP ENDPOINT

```
https://edge.vinkius.com/[TOKEN]/mcp
```

CLIENT	WHERE TO CONFIGURE
 Claude AI	Profile → Customize → Connectors → "+" → Add custom connector → Paste endpoint
 Cursor	Settings → Features → MCP Servers → "+ Add New MCP Server" → Type: SSE → Paste endpoint
 VS Code	Ctrl/Cmd+Shift+P → "MCP: Add Server" → add <code>"filescom-alternative": { "url": "..."} </code>
 Windsurf	MCP Settings → <code>mcp_settings.json</code> → Add endpoint URL
 ChatGPT	Settings → Tools & plugins → Add MCP server → Paste endpoint
 Gemini	Extensions → Add MCP Server → Paste endpoint URL

ASK AN AI ABOUT THIS

Let your preferred AI explain this MCP server

-  **Ask ChatGPT** 
-  **Ask Claude** 
-  **Ask Perplexity** 
-  **Ask Gemini** 
-  **Ask Grok** 

READY TO CONNECT

Files.com is live on Vinkius Cloud.

Get your connection token, paste it into your AI agent, and start building. No SDK. No deployment. Just results.

[Start at cloud.vinkius.com](https://cloud.vinkius.com) →

vinkius.com · support@vinkius.com

INDEPENDENT PLATFORM DISCLAIMER

Vinkius is an independent platform and is not affiliated with, endorsed by, sponsored by, verified by, or otherwise authorized by Files.com. All third-party trademarks, logos, and brand names are the property of their respective owners. Their use in this document is strictly for informational purposes to identify service compatibility and interoperability.

DOCUMENT INFORMATION

Generated	June 2026
MCP Server	Files.com MCP
Server ID	019e3896-afc4-71aa-bf4c-c0d642a94f16
Platform	Vinkius Cloud for AI Agents
Endpoint	https://edge.vinkius.com/{token}/mcp

LICENSE & USAGE

This document is generated automatically by the Vinkius PDF Engine. Content reflects the MCP server configuration at the time of generation and may change as updates are deployed. For the most current information, visit vinkius.com/mcp/filescom-alternative.