

MCP SERVER

NO CODE

CLOUD HOSTED

Findymail MCP

Verify Emails & Find Direct Phone Numbers Automatically

Findymail finds and verifies B2B emails and direct phone numbers for sales prospecting. Connect it via Vinkius to any AI client, letting your agent locate key decision-makers, enrich company data from domains, or verify an email address instantly. Stop guessing on contact info.

A+ Quality Score 98.33/100

email-verification

b2b-prospecting

contact-enrichment

sales-intelligence

data-scraping



The infrastructure that powers AI agents in the real world.



Vinkius connects AI to the world's software through secure, enterprise-grade infrastructure — enabling real-world execution at scale, built on the Model Context Protocol (MCP).

Your AI Connections Run Through Vinkius Cloud

The world's largest
managed MCP catalog

Vinkius is the cloud infrastructure where AI agents connect to the software your business already runs. We handle the hosting, the security, the credentials, the uptime — you get agents that actually do things.

We operate the world's largest managed MCP catalog. Major SaaS platforms, CRMs, databases, and cloud providers — running, monitored, production-ready. This MCP server is hosted and maintained by the Vinkius Cloud for AI Agents.

The agent doesn't manage credentials, doesn't manage uptime, doesn't manage security. Vinkius does.

— Architecture principle

Four Pillars of the Vinkius Runtime

01 — Security by design

Credentials stay encrypted at rest via AES-256. The AI agent never touches raw keys — they're injected into a sandboxed V8 isolate at runtime. Actions are logged, and connections have an emergency kill switch.

03 — Deterministic observability

Eight immutable metrics per endpoint: request volume, p95 latency, error rate, active connections, cost attribution. A live payload feed logs every tool call with mutation detection.

02 — Built on MCP Fusion

This MCP server was built with **MCP Fusion**, the open-source framework (Apache 2.0) that powers the entire Vinkius catalog. Schema-as-firewall strips undeclared fields, compiled PII redaction runs at zero overhead, and cryptographic lockfiles produce git-diffable audit trails.

04 — Autonomous operations

Servers are deployed, monitored, and patched autonomously. New capabilities and security patches ship weekly. Zero-downtime deployments ensure continuous availability across all managed MCP servers.

AES-256

Encryption at rest

Ed25519

PKI vault signatures

24h TTL

Ephemeral session keys

V8 Isolate

Sandboxed execution

One Token. Instant Access.

Every MCP server on Vinkius is accessed through a **Connection Token**. Tokens are generated in the cloud dashboard and produce a unique MCP endpoint URL. Paste this URL into any MCP-compatible client — no SDK required.

A single token can serve **multiple AI clients simultaneously**, or you can issue separate tokens per client for granular access control. Each token tracks its own request count, last activity timestamp, and can be individually enabled or revoked.

MCP ENDPOINT

`https://edge.vinkius.com/{token}/mcp`

Claude



Cursor



VS Code



Windsurf



Grok



Gemini

Security Is the Architecture

Security in Vinkius is not a feature — it's the foundation of the runtime. The gateway enforces multiple independent protection layers between AI agents and third-party APIs.

01 — Ed25519 PKI Vault

Every workspace has an Ed25519 Master Key. Session keys are generated ephemerally (24h TTL) and signed by the Master Key. Credentials never leave the vault boundary.

02 — V8 Isolate Sandboxing

Tool code runs inside isolated-vm V8 isolates with 64 MB memory caps and per-request timeouts. No filesystem access, no network access except through the SSRF-guarded fetch bridge.

03 — SSRF Guard

All outbound HTTP requests are DNS-resolved and validated before execution. Private IP ranges (10.x, 172.16-31.x, 192.168.x, AWS metadata 169.254.x) are blocked at the network layer.

05 — Cryptographic Audit Trail

Every request is signed into a SHA-256 hash chain with Ed25519 signatures. Events form a tamper-proof, SIEM-exportable forensic record.

04 — DLP & PII Redaction

A ResponseGuard pipeline intercepts every tool response. Configurable redaction patterns strip sensitive fields (emails, SSNs, card numbers) before data reaches the AI agent.

06 — Honeypot Trap System

Phantom credentials are injected into isolated environments. If a honeypot is used outside Vinkius infrastructure, the server is quarantined instantly.

Emergency Kill Switch

EU AI Act Art. 14(1)
Compliant

The kill switch is an **emergency halt** mechanism — not a simple toggle. When triggered, it executes three actions atomically:

01 — Server deactivated

The MCP server is immediately taken offline across the entire cluster.

02 — All tokens revoked

Every connection token is invalidated. Total lockout — reconnection blocked until new tokens are issued.

03 — WebSocket connections killed

Active connections terminated via Redis pubsub broadcast. Propagates to every runtime node in the cluster.

Full Visibility. Zero Guesswork.

The Vinkius cloud dashboard includes a full MCP Governance suite — real-time analytics and security controls for production AI operations.

Control Plane

KPI dashboard with request volume, latency, success rate, token consumption, and AI-generated operational briefings.

FinOps

Cost tracking per tool, payload compression savings, budget optimization signals, and consumption trends.

Firewall & DLP

PII redaction activity, sensitive data protection counters, and security event timeline.

Agent Activity

Which AI clients are connecting, how often, and what they're doing — real-time session tracking.

Tool Health

Slowest and most error-prone tools, with actionable root-cause insights and performance baselines.

Incident Log

Error trends, failure rates, status-code breakdowns, and forensic audit trail access.

Get started at cloud.vinkius.com — connect your AI agent in under 60 seconds.

Findymail MCP

12 tools available

Cloud-hosted on Vinkius

This MCP connects professional intelligence into your daily workflow. It lets you find verified B2B emails and direct phone numbers without having to manually search LinkedIn or guess patterns. You simply ask your agent for the data—for example, 'Find me SaaS founders in Texas.' The tool handles the heavy lifting, providing accurate contact details that actually work.

You can also enrich a simple company domain into a full profile, getting industry size and social identifiers all at once. Need to check if an email address is valid before you send it? It verifies deliverability instantly. If your team needs to manage multiple leads, the MCP even lets you build and organize contact lists directly from your conversation. Because Vinkius hosts this connection, you get access to robust lead generation tools right inside your preferred AI client.

Core Capabilities

01 — Search for Leads

Find companies or contacts based on criteria like industry, location, and company size.

02 — Locate Contact Details

Retrieve verified email addresses or direct phone numbers using a person's name and company information.

03 — Verify Emails

Check if an existing email address is deliverable before you use it in outreach campaigns.

04 — Enrich Company Profiles

Take a domain name or LinkedIn URL and expand it into a detailed company intelligence report.

05 — Manage Contact Lists

Create, view, and organize dedicated lists of contacts for targeted campaigns.

One Click on Vinkius — From Prompt to Execution

Available at vinkius.com/mcp/findymail — connect your AI agent in three steps.

- 01 Subscribe to this MCP through the Vinkius Marketplace.
- 02 Input your Findymail API Token into your AI client's settings.
- 03 Ask your agent a natural language question, such as 'Find SaaS founders in New York,' and receive verified data directly.

The bottom line is you tell the MCP what contact information you need, and it executes complex searches and verifications using specialized tools.

Built For

This MCP is for sales development teams (SDRs/BDRs), marketing operations staff, and corporate recruiters. If your job involves finding high-quality contact data or building accurate prospect lists, you need this.

Business Development Representative (BDR)

Using the MCP to find verified emails and direct phone numbers for specific target companies without leaving their primary AI chat interface.

Marketing Operations Manager

Running bulk list enrichment tasks, making sure every lead in a campaign is clean, verified, and has updated metadata before launch.

Corporate Recruiter

Identifying key decision-makers or specialized technical candidates by searching for them using natural language prompts.

What Changes When You Connect

- 01 Save time by finding verified emails: Instead of spending hours guessing email formats, use the `find_email` tool to get a deliverable address instantly.

-
- 02 Scale cold calling efforts: The dedicated phone finder allows you to pull direct numbers from profiles, making your outreach much more targeted and effective.

 - 03 Keep campaigns clean: Before any major send-out, run every list through verification checks using `verify_email` to protect your sender reputation.

 - 04 Deepen prospect knowledge: Use the `enrich_company` tool on a domain name to get full company intelligence—industry, size, and more—without leaving your chat window.

 - 05 Targeting complex groups: You don't need specific search syntax. Just ask your agent to 'Find marketing heads in London,' letting the MCP handle the advanced logic via `search_leads`.
-

Real-World Applications

Launching a new campaign for FinTech.

A Marketing Ops manager needs 50 verified emails for FinTech VPs in California. They prompt their agent: 'Find me VPs of Fintech companies in CA.' The MCP uses `search_leads` and the results are piped into a contact list using `create_contact_list`, ready for campaign deployment.

Cleaning up stale lead lists.

Before sending a newsletter to 1,000 contacts, the manager runs all emails through verification. The MCP uses `verify_email` for every address, flagging any dead or invalid accounts so they don't waste sender reputation.

Cold calling a specific executive.

A BDR finds a target person's name and company domain. They ask their agent to 'Get the phone number for John Doe at Acme Corp.' The MCP uses `find_phone` and returns the direct line immediately, saving them an hour of manual searching.

Building out market research.

A recruiter wants to know about competitors in the healthcare space. They provide a few competitor domains. The MCP uses `enrich_company` on each URL, providing standardized data points like employee count and industry classification for easy comparison.

Patterns to Avoid

Manually guessing email formats

X AVOID

The BDR tries to figure out if the email is name.last@company.com or first.last@company.net, wasting minutes per lead.

✓ INSTEAD

Instead, use the MCP's `find_email` tool. Give it the person's name and the company domain; the tool handles the complex verification process automatically.

Using general search engines for contacts

X AVOID

The user relies on Google or LinkedIn searches, which often lead to outdated phone numbers or generic contact forms.

✓ INSTEAD

Use `find_phone` and `get_contact`. These tools query specialized databases designed specifically for finding verified direct lines and complete contact records.

Sending emails without checking deliverability

X AVOID

The Marketing Ops team sends a major campaign blast with several hard bounces, damaging the company's sender score.

✓ INSTEAD

Always run your list through `verify_email` first. This prevents failed sends and ensures that only active accounts receive your outreach.

The Right Fit

Use this MCP if your primary bottleneck is obtaining verified, accurate contact details—emails or direct phone numbers—for sales prospecting or marketing campaigns. If you need to search by criteria (e.g., 'CEOs in SaaS'), use `search_leads`. Don't use it if you are simply building a directory of company names without needing specific contacts; for that, basic scraping tools might suffice. Also, don't rely on this MCP for general market trends or financial statements—while `enrich_company` provides metrics, deep financial analysis requires specialized BI platforms. Always remember to use the dedicated verification tools, like `verify_email`, before any large-scale outreach.

The Grind of Finding Contact Data

Today, getting a clean list of prospects feels impossible. You spend hours clicking through LinkedIn profiles, trying to piece together an email address from a website's 'Contact Us' page. You copy one name, paste it into another tool, and then manually check if the phone number listed is even current. It's repetitive, slow work that eats up your entire day.

With this MCP, you stop clicking through tabs and start asking questions. You tell your agent exactly what you need—like 'Marketing heads in London'—and the tool does all the cross-referencing, verification, and data gathering behind the scenes. The result is a clean, actionable list of contacts delivered directly to you.

Findymail: Verified Contacts on Demand

Manual data sourcing requires multiple steps: first finding the company domain, then searching for key roles within that company, and finally running those names through a separate email checker. This process breaks down every time you hit an error.

Now, all these complex actions are centralized. Whether you need to build a list with `create_contact_list` or just verify one address using `verify_email`, the intelligence is conversational. It turns painstaking data entry into simple commands.

Findymail – 12 Tools

These tools let you perform complex data operations, including searching for leads, enriching company profiles, and verifying specific contact details.

#	TOOL	DESCRIPTION
01	<code>create_contact_list</code>	Builds a new, dedicated list to hold specific contacts you want to track.
02	<code>enrich_company</code>	Expands basic company data from a domain or URL into a full profile containing industry and size details.
03	<code>find_email</code>	Attempts to locate a verified email address for a specified person at a given domain.
04	<code>find_phone</code>	Searches and retrieves direct phone numbers associated with a profile or company.
05	<code>get_contact</code>	Pulls all known contact details for an individual once you provide enough identifying information.
06	<code>get_credits_summary</code>	Retrieves a summary of your account usage and remaining credit balance directly in the chat.
07	<code>get_credits</code>	Provides a quick check on your current available API credit amount.
08	<code>get_lead_search_data</code>	Fetches the completed results after running a large lead search query.
09	<code>get_lead_search_status</code>	Checks if a background lead search task is still running or has finished processing.
10	<code>list_contact_lists</code>	Shows you every contact list that currently exists within your account structure.
11	<code>search_leads</code>	Initiates a broad search across the platform to find groups of companies and contacts based on criteria.
12	<code>verify_email</code>	Confirms whether an email address is active and actually capable of receiving mail.

See It in Action

Real prompts you can use once this MCP is connected to your AI agent through Vinkius Cloud.

U Find the verified email for Satya Nadella at microsoft.com



Searching... I found a verified email for Satya Nadella at Microsoft. The email is verified and safe to send.

U Enrich company data for the domain 'vinkius.com'



Fetching data... I've retrieved the company profile for Vinkius, including LinkedIn URL, industry, and size metrics.

U Search for 'marketing agency owners in New York' using Intellimatch.



Lead search task started! The Task ID is 'task_123'. I will check the status and notify you when the results are ready to be fetched.

Frequently Asked Questions

01 How does Findymail MCP find verified emails?

The Findymail MCP uses specialized tools to check multiple data sources and confirms if an email address is deliverable. It doesn't guess; it verifies.

02 Can I use the Findymail MCP to get phone numbers for leads?

Yes, you can. Use the `find_phone` tool by asking your agent for direct phone lines associated with a specific company or profile.

03 Is the Findymail MCP useful for marketing operations?

Absolutely. Marketing Ops teams use it to ensure all lead lists are clean and verified before any major campaign launch, protecting sender reputation.

04 What is the difference between `search_leads` and `get_contact`?

`search_leads` finds broad groups of companies or contacts based on criteria. `get_contact` retrieves all known details for a specific individual you already have some information about.

05 Do I need to worry about API credits with Findymail MCP?







No. You can check your usage and remaining balance at any time by invoking the `get_credits` tool right inside the chat interface.

Go Live in 60 Seconds

Get your connection token from cloud.vinkius.com, then paste the endpoint URL into any MCP-compatible client.

YOUR MCP ENDPOINT

```
https://edge.vinkius.com/[TOKEN]/mcp
```

CLIENT	WHERE TO CONFIGURE
 Claude AI	Profile → Customize → Connectors → "+" → Add custom connector → Paste endpoint
 Cursor	Settings → Features → MCP Servers → "+ Add New MCP Server" → Type: SSE → Paste endpoint
 VS Code	Ctrl/Cmd+Shift+P → "MCP: Add Server" → add <code>"findymail": { "url": "..."} </code>
 Windsurf	MCP Settings → <code>mcp_settings.json</code> → Add endpoint URL
 ChatGPT	Settings → Tools & plugins → Add MCP server → Paste endpoint
 Gemini	Extensions → Add MCP Server → Paste endpoint URL

ASK AN AI ABOUT THIS

Let your preferred AI explain this MCP server

-  **Ask ChatGPT** 
-  **Ask Claude** 
-  **Ask Perplexity** 
-  **Ask Gemini** 
-  **Ask Grok** 

READY TO CONNECT

Findymail is live on Vinkius Cloud.

Get your connection token, paste it into your AI agent, and start building. No SDK. No deployment. Just results.

[Start at cloud.vinkius.com](https://cloud.vinkius.com) →

vinkius.com · support@vinkius.com

INDEPENDENT PLATFORM DISCLAIMER

Vinkius is an independent platform and is not affiliated with, endorsed by, sponsored by, verified by, or otherwise authorized by Findymail. All third-party trademarks, logos, and brand names are the property of their respective owners. Their use in this document is strictly for informational purposes to identify service compatibility and interoperability.

DOCUMENT INFORMATION

Generated	June 2026
MCP Server	Findymail MCP
Server ID	019d7599-2f21-73a9-b1fa-e140cbf922c8
Platform	Vinkius Cloud for AI Agents
Endpoint	https://edge.vinkius.com/{token}/mcp

LICENSE & USAGE

This document is generated automatically by the Vinkius PDF Engine. Content reflects the MCP server configuration at the time of generation and may change as updates are deployed. For the most current information, visit vinkius.com/mcp/findymail.