

MCP SERVER

NO CODE

CLOUD HOSTED

Formsite MCP

Query, manage, and automate your form submissions.

Formsite MCP connects your AI agent directly to your form builder data. You can list every form you own, pull real-time submission results for analysis, and manage complex webhook triggers—all through natural conversation. Stop jumping between dashboards; get all your form data and operational insights in one place.

A+ Quality Score 100/100

online-forms

data-collection

webhooks

survey-builder

reporting

automation



The infrastructure that powers AI agents in the real world.



Vinkius connects AI to the world's software through secure, enterprise-grade infrastructure — enabling real-world execution at scale, built on the Model Context Protocol (MCP).

Your AI Connections Run Through Vinkius Cloud

The world's largest
managed MCP catalog

Vinkius is the cloud infrastructure where AI agents connect to the software your business already runs. We handle the hosting, the security, the credentials, the uptime — you get agents that actually do things.

We operate the world's largest managed MCP catalog. Major SaaS platforms, CRMs, databases, and cloud providers — running, monitored, production-ready. This MCP server is hosted and maintained by the Vinkius Cloud for AI Agents.

The agent doesn't manage credentials, doesn't manage uptime, doesn't manage security. Vinkius does.

— Architecture principle

Four Pillars of the Vinkius Runtime

01 — Security by design

Credentials stay encrypted at rest via AES-256. The AI agent never touches raw keys — they're injected into a sandboxed V8 isolate at runtime. Actions are logged, and connections have an emergency kill switch.

03 — Deterministic observability

Eight immutable metrics per endpoint: request volume, p95 latency, error rate, active connections, cost attribution. A live payload feed logs every tool call with mutation detection.

02 — Built on MCP Fusion

This MCP server was built with **MCP Fusion**, the open-source framework (Apache 2.0) that powers the entire Vinkius catalog. Schema-as-firewall strips undeclared fields, compiled PII redaction runs at zero overhead, and cryptographic lockfiles produce git-diffable audit trails.

04 — Autonomous operations

Servers are deployed, monitored, and patched autonomously. New capabilities and security patches ship weekly. Zero-downtime deployments ensure continuous availability across all managed MCP servers.

AES-256

Encryption at rest

Ed25519

PKI vault signatures

24h TTL

Ephemeral session keys

V8 Isolate

Sandboxed execution

One Token. Instant Access.

Every MCP server on Vinkius is accessed through a **Connection Token**. Tokens are generated in the cloud dashboard and produce a unique MCP endpoint URL. Paste this URL into any MCP-compatible client — no SDK required.

A single token can serve **multiple AI clients simultaneously**, or you can issue separate tokens per client for granular access control. Each token tracks its own request count, last activity timestamp, and can be individually enabled or revoked.

MCP ENDPOINT

`https://edge.vinkius.com/{token}/mcp`

Claude



Cursor



VS Code



Windsurf



Grok



Gemini

Security Is the Architecture

Security in Vinkius is not a feature — it's the foundation of the runtime. The gateway enforces multiple independent protection layers between AI agents and third-party APIs.

01 — Ed25519 PKI Vault

Every workspace has an Ed25519 Master Key. Session keys are generated ephemerally (24h TTL) and signed by the Master Key. Credentials never leave the vault boundary.

02 — V8 Isolate Sandboxing

Tool code runs inside isolated-vm V8 isolates with 64 MB memory caps and per-request timeouts. No filesystem access, no network access except through the SSRF-guarded fetch bridge.

03 — SSRF Guard

All outbound HTTP requests are DNS-resolved and validated before execution. Private IP ranges (10.x, 172.16-31.x, 192.168.x, AWS metadata 169.254.x) are blocked at the network layer.

05 — Cryptographic Audit Trail

Every request is signed into a SHA-256 hash chain with Ed25519 signatures. Events form a tamper-proof, SIEM-exportable forensic record.

04 — DLP & PII Redaction

A ResponseGuard pipeline intercepts every tool response. Configurable redaction patterns strip sensitive fields (emails, SSNs, card numbers) before data reaches the AI agent.

06 — Honeypot Trap System

Phantom credentials are injected into isolated environments. If a honeypot is used outside Vinkius infrastructure, the server is quarantined instantly.

Emergency Kill Switch

EU AI Act Art. 14(1)
Compliant

The kill switch is an **emergency halt** mechanism — not a simple toggle. When triggered, it executes three actions atomically:

01 — Server deactivated

The MCP server is immediately taken offline across the entire cluster.

02 — All tokens revoked

Every connection token is invalidated. Total lockout — reconnection blocked until new tokens are issued.

03 — WebSocket connections killed

Active connections terminated via Redis pubsub broadcast. Propagates to every runtime node in the cluster.

Full Visibility. Zero Guesswork.

The Vinkius cloud dashboard includes a full MCP Governance suite — real-time analytics and security controls for production AI operations.

Control Plane

KPI dashboard with request volume, latency, success rate, token consumption, and AI-generated operational briefings.

FinOps

Cost tracking per tool, payload compression savings, budget optimization signals, and consumption trends.

Firewall & DLP

PII redaction activity, sensitive data protection counters, and security event timeline.

Agent Activity

Which AI clients are connecting, how often, and what they're doing — real-time session tracking.

Tool Health

Slowest and most error-prone tools, with actionable root-cause insights and performance baselines.

Incident Log

Error trends, failure rates, status-code breakdowns, and forensic audit trail access.

Get started at cloud.vinkius.com — connect your AI agent in under 60 seconds.

Formsite MCP

8 tools available

Cloud-hosted on Vinkius

This connector lets your AI client treat your forms like a database it can query directly. You don't need to log into the Formsite dashboard or manually export CSVs anymore. Instead, you talk to your agent, and it handles the heavy lifting. Want to know what people are saying about your latest survey? Just ask for recent results. Need to update how new submissions get routed when they come in? The MCP lets your agent manage webhooks automatically. It gives you full visibility into every form you run, letting you inspect field definitions or pull high-level report summaries instantly. You'll find this integrated data management capability is a core feature available across the Vinkius catalog, making it easy to connect disparate business tools without writing any code.

Core Capabilities

01 — List all forms

Retrieves a comprehensive directory of every form you have created in your account.

03 — Inspect form fields

Shows the exact structure of a selected form by listing all defined input types and items.

05 — Retrieve report summaries

Gathers high-level reports and metadata about the form's overall performance metrics.

02 — Fetch submission results

Pulls the most recent or specific data entries from any existing form, including detailed answers and timestamps.

04 — Manage webhooks

Creates, deletes, or lists automated triggers that send notifications when new data arrives.

One Click on Vinkius — From Prompt to Execution

Available at vinkius.com/mcp/formsite — connect your AI agent in three steps.

- 01** Subscribe to this MCP on Vinkius, then provide your specific Formsite server credentials and access token.
- 02** Your AI client uses these credentials to authenticate with your account's data layer.
- 03** You prompt your agent using natural language—for example, 'Show me the results for my annual survey'—and it executes the necessary calls.

The bottom line is you tell your AI what data you need from Formsite; the MCP handles connecting and retrieving it.

Built For

Anyone who relies on forms for customer feedback or internal tracking. This connector saves time for Data Analysts bogged down in manual exports, Operations Managers needing real-time workflow visibility, and Customer Feedback Specialists who need to quickly gauge sentiment across dozens of surveys.

Data Analyst

Retrieves specific form results or lists report metadata directly from the chat interface instead of logging into a separate reporting dashboard.

Operations Manager

Monitors new form submissions and configures webhook triggers to ensure operational systems receive alerts instantly, without checking logs manually.

Customer Feedback Specialist

Runs complex queries on multiple surveys to quickly identify trends or measure user sentiment across different product areas.

What Changes When You Connect

- 01** Access all forms with the `list_forms` tool. You never have to guess what data you have; you can see every collector directory right from your agent chat.

-
- 02 Stop manually exporting results. Use `list_results` to pull recent submission batches directly into your conversation for instant analysis and pattern spotting.

 - 03 Need to know the structure of a form? The `list_form_items` tool shows exactly what fields exist, helping you map data before writing any automation scripts.

 - 04 Automate responses with webhooks. You can use `create_webhook` or `delete_webhook` to ensure that when new feedback comes in, your backend system gets notified instantly.

 - 05 Get a performance overview by using `get_form_reports`. This tool provides high-level summaries so you don't have to sift through thousands of individual entries.
-

Real-World Applications

Onboarding new survey data

A marketing manager needs to know the performance of their Q3 customer satisfaction survey. They ask their agent, 'What are the top three pain points from the last month?' The agent uses `list_results` and summarizes key themes without opening any dashboards.

Auditing data collection structure

A developer needs to verify if a form has been updated with new fields before integrating it into an application. They run 'What fields are in my main contact form?' and the agent uses `list_form_items` to give them the exact list.

Setting up real-time alerts

An operations team needs to know when a specific form (e.g., an incident report) is completed so the ticketing system updates immediately. They use `create_webhook` and configure the trigger via conversation, ensuring zero manual monitoring.

Comparing multiple data sources

A researcher wants a high-level view of three different surveys (user feedback, product usage, onboarding). They ask the agent to 'List all forms' and then request `get_form_reports` for each one in sequence.

Patterns to Avoid

Trying to copy-paste raw data

✗ AVOID

Manually opening a form, copying 50 rows of text, and pasting it into the chat. This is slow, messy, and often fails due to formatting errors.

✓ INSTEAD

Instead, ask your agent to 'List results for my survey.' The tool uses `list_results` to pull clean data directly into the conversation, ready for immediate use.

Forgetting webhook management

✗ AVOID

Building a complex workflow that requires real-time updates but forgetting to activate or manage the notification triggers.

✓ INSTEAD

Use `list_webhooks` first to check what's running. If you need a new trigger, use `create_webhook` and confirm it works before relying on it.

Asking for general report data

✗ AVOID

Saying 'Give me the performance overview.' without specifying which form or time frame. The agent won't know what you mean.

✓ INSTEAD

Be specific: 'Use `get_form_reports` on the Annual Survey for Q1.' This directs the tool to the exact data set you need.

The Right Fit

Use this MCP if your primary pain point is accessing, structuring, or automating actions around form submissions. If you spend time exporting reports, checking field definitions, or manually triggering notifications when a form fills out, this is for you. You're looking for data orchestration across different systems. Don't use this if all you need is to write a simple survey; then just build the form itself. Also, don't expect it to clean up raw text fields—it only reports what was submitted. If your goal is complex business logic (e.g., 'If field A > 10 AND field B = X'), you might need an additional integration layer that consumes the data provided by `list_results`.

The Pain of Manual Data Extraction

Today, collecting feedback means logging into Formsite. You navigate to the 'Results' tab, filter for the right date range, and then copy-paste chunks of data into a spreadsheet or send them over Slack. If you need reports on three different forms, that's three separate dashboards, three sets of clicks, and half an hour lost just switching tabs.

With this MCP, your agent handles it all conversationally. You simply ask, 'What were the main complaints about X product last month?' The agent executes multiple internal checks—listing forms, fetching results, and analyzing reports—and hands you a synthesized answer without ever opening a browser.

Formsite MCP: Conversational Form Data Management

The manual steps that disappear are the dashboard visits, the filtering process, and the copy-pasting of structured data. You no longer have to remember which report tab holds which metric or track down a specific form directory name.

What's different now is control. Instead of being limited by Formsite's UI flow, you use your agent as an API layer, directing it with plain language commands that execute powerful tools like `list_results` and `get_form_details`.

Formsite MCP: 8 Tools for Form Data Control

These tools give your AI agent the capability to interact with every core function of your Formsite account, from listing forms to managing real-time data triggers.

#	TOOL	DESCRIPTION
01	<code>create_webhook</code>	Sets up a new automated notification trigger for your forms.
02	<code>delete_webhook</code>	Removes an existing data notification trigger from your account.
03	<code>get_form_details</code>	Pulls metadata to describe a specific form and its structure within the system.
04	<code>get_form_reports</code>	Fetches high-level summary reports about the performance of your forms.
05	<code>list_form_items</code>	Shows a list of all specific fields and data points defined within a selected form.
06	<code>list_forms</code>	Lists every single form directory available in your account for quick selection.
07	<code>list_results</code>	Retrieves a list of completed submissions and the data submitted by users.
08	<code>list_webhooks</code>	Shows all currently active or configured data notification triggers.

See It in Action

Real prompts you can use once this MCP is connected to your AI agent through Vinkius Cloud.

U List all forms in my Formsite account and their directory names.



Retrieving forms... I found 5 forms, including 'Annual Survey' (dir: survey_2023) and 'Contact Form' (dir: contact_us). Which one would you like to check results for?

U Show me the 10 most recent results for form 'survey_2023'.



Fetching results... For survey_2023, I found 10 recent submissions. Key feedback includes requests for 'Faster shipping' and 'More color options'.

U What fields are defined in my 'Contact' form (dir: contact_us)?



Inspecting form items... The 'Contact Form' includes fields for 'Name', 'Email Address', 'Subject', and 'Message (Paragraph Text)'.

Frequently Asked Questions

01 How do I list all my forms using the Formsite MCP?

You use the `list_forms` tool. It pulls a full directory of every form in your account, letting you know exactly what data collectors are available.

02 Can the Formsite MCP retrieve results for multiple forms at once?

Yes. You can ask your agent to `list_results` across different directories or provide specific filters, giving you a consolidated view of submissions.

03 What is the difference between listing form fields and getting form details in Formsite MCP?

The ``get_form_details`` tool gives overall metadata about the form (like its creation date). The ``list_form_items`` tool specifically shows the name and type of every input field defined within that form.

04 Does Formsite MCP handle webhooks for me?

Yes. You can use ``create_webhook`` to set up a new automated notification trigger, or ``list_webhooks`` to review all the currently active triggers in your account.

05 Is this Formsite MCP safe to connect with my business data?

The connection requires you to provide specific credentials (Server, User Directory, Token) which the Vinkius platform manages securely. It only exposes the functions defined by the available tools.

Go Live in 60 Seconds

Get your connection token from cloud.vinkius.com, then paste the endpoint URL into any MCP-compatible client.

YOUR MCP ENDPOINT

```
https://edge.vinkius.com/[TOKEN]/mcp
```

CLIENT

WHERE TO CONFIGURE



Claude AI

Profile → Customize → Connectors → "+" → Add custom connector → Paste endpoint



Cursor

Settings → Features → MCP Servers → "+ Add New MCP Server" → Type: SSE → Paste endpoint



VS Code

Ctrl/Cmd+Shift+P → "MCP: Add Server" → add `"formsite": { "url": "..." }`



Windsurf

MCP Settings → `mcp_settings.json` → Add endpoint URL



ChatGPT

Settings → Tools & plugins → Add MCP server → Paste endpoint



Gemini

Extensions → Add MCP Server → Paste endpoint URL

ASK AN AI
ABOUT THIS

Let your preferred AI
explain this MCP server



Ask ChatGPT



Ask Claude



Ask Perplexity



Ask Gemini



Ask Grok



READY TO CONNECT

Formsite is live on Vinkius Cloud.

Get your connection token, paste it into your AI agent, and start building. No SDK. No deployment. Just results.

[Start at cloud.vinkius.com](https://cloud.vinkius.com) →

vinkius.com · support@vinkius.com

INDEPENDENT PLATFORM DISCLAIMER

Vinkius is an independent platform and is not affiliated with, endorsed by, sponsored by, verified by, or otherwise authorized by Formsite. All third-party trademarks, logos, and brand names are the property of their respective owners. Their use in this document is strictly for informational purposes to identify service compatibility and interoperability.

DOCUMENT INFORMATION

Generated	June 2026
MCP Server	Formsite MCP
Server ID	019d759e-220e-70b4-a457-87da8c519134
Platform	Vinkius Cloud for AI Agents
Endpoint	https://edge.vinkius.com/{token}/mcp

LICENSE & USAGE

This document is generated automatically by the Vinkius PDF Engine. Content reflects the MCP server configuration at the time of generation and may change as updates are deployed. For the most current information, visit vinkius.com/mcp/formsite.