

MCP SERVER

NO CODE

CLOUD HOSTED

Formstack MCP

Manage forms, submissions, and data structures via chat.

Formstack connects your AI agent directly to your professional form data. Manage submissions, build new forms, and handle webhooks without ever logging into Formstack. This MCP lets you query every piece of submission history or manage metadata instantly using natural conversation.

A+ Quality Score 100/100

workflow-automation

data-collection

secure-forms

document-generation

process-optimization

business-forms



The infrastructure that powers AI agents in the real world.



Vinkius connects AI to the world's software through secure, enterprise-grade infrastructure — enabling real-world execution at scale, built on the Model Context Protocol (MCP).

Your AI Connections Run Through Vinkius Cloud

The world's largest
managed MCP catalog

Vinkius is the cloud infrastructure where AI agents connect to the software your business already runs. We handle the hosting, the security, the credentials, the uptime — you get agents that actually do things.

We operate the world's largest managed MCP catalog. Major SaaS platforms, CRMs, databases, and cloud providers — running, monitored, production-ready. This MCP server is hosted and maintained by the Vinkius Cloud for AI Agents.

The agent doesn't manage credentials, doesn't manage uptime, doesn't manage security. Vinkius does.

— Architecture principle

Four Pillars of the Vinkius Runtime

01 — Security by design

Credentials stay encrypted at rest via AES-256. The AI agent never touches raw keys — they're injected into a sandboxed V8 isolate at runtime. Actions are logged, and connections have an emergency kill switch.

03 — Deterministic observability

Eight immutable metrics per endpoint: request volume, p95 latency, error rate, active connections, cost attribution. A live payload feed logs every tool call with mutation detection.

02 — Built on MCP Fusion

This MCP server was built with **MCP Fusion**, the open-source framework (Apache 2.0) that powers the entire Vinkius catalog. Schema-as-firewall strips undeclared fields, compiled PII redaction runs at zero overhead, and cryptographic lockfiles produce git-diffable audit trails.

04 — Autonomous operations

Servers are deployed, monitored, and patched autonomously. New capabilities and security patches ship weekly. Zero-downtime deployments ensure continuous availability across all managed MCP servers.

AES-256

Encryption at rest

Ed25519

PKI vault signatures

24h TTL

Ephemeral session keys

V8 Isolate

Sandboxed execution

One Token. Instant Access.

Every MCP server on Vinkius is accessed through a **Connection Token**. Tokens are generated in the cloud dashboard and produce a unique MCP endpoint URL. Paste this URL into any MCP-compatible client — no SDK required.

A single token can serve **multiple AI clients simultaneously**, or you can issue separate tokens per client for granular access control. Each token tracks its own request count, last activity timestamp, and can be individually enabled or revoked.

MCP ENDPOINT

`https://edge.vinkius.com/{token}/mcp`

Claude



Cursor



VS Code



Windsurf



Grok



Gemini

Security Is the Architecture

Security in Vinkius is not a feature — it's the foundation of the runtime. The gateway enforces multiple independent protection layers between AI agents and third-party APIs.

01 — Ed25519 PKI Vault

Every workspace has an Ed25519 Master Key. Session keys are generated ephemerally (24h TTL) and signed by the Master Key. Credentials never leave the vault boundary.

02 — V8 Isolate Sandboxing

Tool code runs inside isolated-vm V8 isolates with 64 MB memory caps and per-request timeouts. No filesystem access, no network access except through the SSRF-guarded fetch bridge.

03 — SSRF Guard

All outbound HTTP requests are DNS-resolved and validated before execution. Private IP ranges (10.x, 172.16-31.x, 192.168.x, AWS metadata 169.254.x) are blocked at the network layer.

05 — Cryptographic Audit Trail

Every request is signed into a SHA-256 hash chain with Ed25519 signatures. Events form a tamper-proof, SIEM-exportable forensic record.

04 — DLP & PII Redaction

A ResponseGuard pipeline intercepts every tool response. Configurable redaction patterns strip sensitive fields (emails, SSNs, card numbers) before data reaches the AI agent.

06 — Honeypot Trap System

Phantom credentials are injected into isolated environments. If a honeypot is used outside Vinkius infrastructure, the server is quarantined instantly.

Emergency Kill Switch

EU AI Act Art. 14(1)
Compliant

The kill switch is an **emergency halt** mechanism — not a simple toggle. When triggered, it executes three actions atomically:

01 — Server deactivated

The MCP server is immediately taken offline across the entire cluster.

02 — All tokens revoked

Every connection token is invalidated. Total lockout — reconnection blocked until new tokens are issued.

03 — WebSocket connections killed

Active connections terminated via Redis pubsub broadcast. Propagates to every runtime node in the cluster.

Full Visibility. Zero Guesswork.

The Vinkius cloud dashboard includes a full MCP Governance suite — real-time analytics and security controls for production AI operations.

Control Plane

KPI dashboard with request volume, latency, success rate, token consumption, and AI-generated operational briefings.

FinOps

Cost tracking per tool, payload compression savings, budget optimization signals, and consumption trends.

Firewall & DLP

PII redaction activity, sensitive data protection counters, and security event timeline.

Agent Activity

Which AI clients are connecting, how often, and what they're doing — real-time session tracking.

Tool Health

Slowest and most error-prone tools, with actionable root-cause insights and performance baselines.

Incident Log

Error trends, failure rates, status-code breakdowns, and forensic audit trail access.

Get started at cloud.vinkius.com — connect your AI agent in under 60 seconds.

Formstack MCP

12 tools available

Cloud-hosted on Vinkius

Manage professional forms and complex data collection workflows through this MCP connector. You can now treat your entire form library like a database accessible via chat. Instead of manually jumping between tabs to check submissions, ask your agent for specific insights—like finding all applications from last quarter that mention 'remote work' or checking which fields are currently underused.

This connection lets you perform deep data hygiene tasks, such as listing every form in your account or permanently deleting outdated ones. You can retrieve real-time submission counts and even get the raw HTML code for embedding forms elsewhere. Because this is hosted on Vinkius, you connect once from any compatible client, giving you access to professional data collection tools across thousands of other services.

It handles everything from checking form configuration metadata to listing all associated webhooks, making it a single source of truth for your company's collected data.

Core Capabilities

01 — Query and analyze submission history

Retrieve specific records, list recent submissions, or calculate total counts from any form.

03 — Inspect data structures and fields

List all defined fields for a form to understand its underlying data structure and validation rules.

02 — Manage the entire form lifecycle

Create brand new forms, update existing settings, or remove obsolete forms entirely through simple commands.

04 — Automate notification monitoring

View and manage webhooks to ensure your system gets real-time alerts every time a form is completed.

One Click on Vinkius — From Prompt to Execution

Available at vinkius.com/mcp/formstack — connect your AI agent in three steps.

- 01** Subscribe to this MCP on the Vinkius Marketplace, then provide your Formstack Access Token found in your API settings.
- 02** Connect your preferred AI client (like Cursor or Claude) and prompt it with a specific data request. For example, 'Show me all submissions for Q3.'
- 03** The agent uses the tools to fetch the necessary form metadata, lists the submissions, and presents the clean data directly in the chat window.

The bottom line is that you talk to your AI client, and it handles talking to Formstack so you get the answer without clicking anything.

Built For

Compliance Officers who need quick data checks. Operations Managers tired of dashboard clicks. Marketing teams managing multiple campaigns.

Operations Manager

Needs a real-time overview of active forms, checking the submission count or listing all webhooks to ensure continuous data flow.

Compliance Officer

Must quickly check form metadata and historical submissions against internal standards without needing direct API access.

Marketing Specialist

Needs to automate the retrieval of lead data from various forms or create a new form structure for a multi-channel campaign.

What Changes When You Connect

- 01** No more logging in. You manage everything—from creating a new form using `create_form` to deleting outdated ones with `delete_form`—all through your AI agent's conversation.

-
- 02 Get deep insight into lead flow by listing all forms (`list_forms`) and then fetching the total submission count (`get_form_stats`). It's instant, conversational reporting.

 - 03 Automate data pipelines: You can use `create_webhook` to ensure that every time a form is completed, your CRM or database gets an immediate notification without manual setup.

 - 04 Understand what you're working with. Use `list_form_fields` to see the exact structure of any form before trying to build it, saving hours on debugging data inputs.

 - 05 When embedding forms, use `get_form_html` to pull the raw code directly. This avoids manually copy-pasting from the Formstack dashboard into your website's source code.
-

Real-World Applications

Auditing compliance data

A Compliance Officer needs to confirm that all forms used in the last quarter collected a specific required field. They prompt their agent, and it uses `list_form_fields` across multiple forms to validate the structure instantly.

Analyzing survey results

An Operations Manager needs a quick summary of recent feedback. The agent uses `get_submission_details` to pull the five most recent records, giving immediate actionable insight on service quality trends.

Debugging lead capture failure

A Marketing Specialist notices leads aren't hitting the CRM. They ask their agent to check form webhooks, which lists all active endpoints using `list_form_webhooks`, revealing that a necessary webhook was never added.

Migrating content

A developer needs to embed an existing survey form into a new internal application. They ask their agent for the raw HTML using `get_form_html`, bypassing all manual UI steps and getting code ready in seconds.

Patterns to Avoid

Manually checking form status

X AVOID

A user logs into Formstack, clicks through three different menus (Dashboard > Forms > Settings) just to see if a form is active or inactive.

✓ INSTEAD

Instead, ask your agent to check the form's operational state. Use ``get_form_details`` for comprehensive metadata, or use ``list_forms`` to view all forms at once.

Copying data field by field

X AVOID

A developer needs to know if a specific form has an email field. They manually navigate into the form settings and scroll through every single field type.

✓ INSTEAD

Ask your agent to run ``list_form_fields`` for that form ID. It immediately returns a structured list of all defined fields, saving manual inspection.

Tracking submission growth

X AVOID

A manager wants to know if last month's marketing campaign was successful, so they open the dashboard and wait for graphs to load.

✓ INSTEAD

Ask your agent directly. It uses ``get_form_stats`` to provide a clean, immediate number representing total submissions, eliminating waiting time.

The Right Fit

Use this MCP if your primary need is managing the content and data flow of professional forms—creating them, updating their fields, or reading the resulting submissions. It's ideal for compliance, operations, and marketing teams whose jobs revolve around structured data collection.

Don't use it if you just need to write a basic text message reminder or manage internal user roles; those require messaging tools. Don't use it if your goal is complex financial calculation across multiple sheets; then look for dedicated spreadsheet connectors. If you simply need to check form metadata, this MCP handles that with `get_form_details`. But if you need to run a completely separate business process (like triggering an external API call unrelated to submissions), you'll need a workflow automation tool, not just data retrieval.

The endless cycle of logging in and clicking through dashboards is exhausting.

Today, reviewing form performance means opening Formstack. You click to see the submissions list, then you have to open a second tab to check the specific field data for one record. If you need an overview of all forms across your organization, you manually navigate the main dashboard and copy down submission counts from different widgets. It takes ten minutes just to gather the initial numbers.

With this MCP, that entire process becomes conversational. You simply ask your agent, 'What were my top five submissions last week?' The tool uses `list_submissions` and pulls only the data you need, presenting a clean answer immediately. No tabs open, no logins required.

Formstack MCP: Get Submission Data Without Logging In

The biggest time sink is gathering context. You might need to check if the form structure changed last month or confirm a new webhook was added for campaign launch. Previously, this meant going into settings pages and running through every list item. Now, you just ask your agent to run `list_form_webhooks` or fetch the configuration metadata using `get_form_details`.

Your AI client handles all that API work in the background. You get instant answers on form structure and status without ever seeing a dashboard or navigating an interface.

Formstack Tools (12)

These twelve tools let you control every part of the form lifecycle: creating, updating, viewing fields, tracking submissions, and automating webhooks.

#	TOOL	DESCRIPTION
01	<code>create_form</code>	Builds and sets up an entirely new form within your Formstack account.
02	<code>create_webhook</code>	Adds a specific webhook endpoint to trigger actions when a form is completed.
03	<code>delete_form</code>	Permanently removes an existing form from your library.
04	<code>get_form_html</code>	Retrieves the raw HTML code needed to embed a specific form on an external website.
05	<code>get_form_stats</code>	Pulls the total number of submissions received by a given form.
06	<code>get_form_details</code>	Retrieves detailed configuration metadata about any specific form.
07	<code>get_submission_details</code>	Fetches all the specific data points for a single, individual submission record.
08	<code>list_form_fields</code>	Shows every field name and type defined within a selected form's structure.
09	<code>list_forms</code>	Provides a comprehensive list of all forms currently active in your account.
10	<code>list_submissions</code>	Retrieves a list summarizing multiple form submissions over time.
11	<code>list_form_webhooks</code>	Displays all existing webhooks configured for a particular form.
12	<code>update_form</code>	Modifies the settings and configurations of an already existing form.

See It in Action

Real prompts you can use once this MCP is connected to your AI agent through Vinkius Cloud.

U List all forms in my Formstack account.



Retrieving forms... I found 6 forms, including 'Customer Feedback' and 'Job Application'. Which one would you like to see submissions for?

U Show me the 5 most recent submissions for form '1234567'.



Fetching submissions... For form 1234567, I found 5 recent submissions. Sentiment appears positive with high scores in 'Service Quality'.

U Get the embed HTML code for my 'Survey' form (ID: 9876543).



Retrieving HTML... I've fetched the raw HTML code for form 9876543. You can now copy and paste it into your website's source code.

Frequently Asked Questions

01 How do I use the Formstack MCP to find out how many people submitted forms?

You ask your agent for the submission count. It uses ``get_form_stats`` and provides a single, current number for any form you specify.

02 Can I use the Formstack MCP to delete old forms?

Yes, if you need to clean up your library, the agent can execute ``delete_form``. Just confirm the exact name or ID of the form first.

03 Does Formstack MCP let me see what fields are available on a form?

Absolutely. You run the ``list_form_fields`` tool, and it gives you an accurate list of every field name and its data type, letting you understand the schema.

04 What is the best way to get raw code for a form?

Use ``get_form_html``. This fetches the complete HTML necessary to embed that specific form onto an external website or application.

05 Is Formstack MCP suitable for compliance checking?







Yes. You can use it to pull detailed metadata with ``get_form_details`` and then review historical records using ``list_submissions``, ensuring standards are consistently met.

Go Live in 60 Seconds

Get your connection token from cloud.vinkius.com, then paste the endpoint URL into any MCP-compatible client.











YOUR MCP ENDPOINT

```
https://edge.vinkius.com/[TOKEN]/mcp
```

CLIENT	WHERE TO CONFIGURE
 Claude AI	Profile → Customize → Connectors → "+" → Add custom connector → Paste endpoint
 Cursor	Settings → Features → MCP Servers → "+ Add New MCP Server" → Type: SSE → Paste endpoint
 VS Code	Ctrl/Cmd+Shift+P → "MCP: Add Server" → add <code>"formstack": { "url": "..." }</code>
 Windsurf	MCP Settings → <code>mcp_settings.json</code> → Add endpoint URL
 ChatGPT	Settings → Tools & plugins → Add MCP server → Paste endpoint
 Gemini	Extensions → Add MCP Server → Paste endpoint URL

ASK AN AI ABOUT THIS

Let your preferred AI explain this MCP server

-  **Ask ChatGPT** 
-  **Ask Claude** 
-  **Ask Perplexity** 
-  **Ask Gemini** 
-  **Ask Grok** 

READY TO CONNECT

Formstack is live on Vinkius Cloud.

Get your connection token, paste it into your AI agent, and start building. No SDK. No deployment. Just results.

[Start at cloud.vinkius.com](https://cloud.vinkius.com) →

vinkius.com · support@vinkius.com

INDEPENDENT PLATFORM DISCLAIMER

Vinkius is an independent platform and is not affiliated with, endorsed by, sponsored by, verified by, or otherwise authorized by Formstack. All third-party trademarks, logos, and brand names are the property of their respective owners. Their use in this document is strictly for informational purposes to identify service compatibility and interoperability.

DOCUMENT INFORMATION

Generated	June 2026
MCP Server	Formstack MCP
Server ID	019d759e-3d46-7088-a409-599c2ccc3684
Platform	Vinkius Cloud for AI Agents
Endpoint	https://edge.vinkius.com/{token}/mcp

LICENSE & USAGE

This document is generated automatically by the Vinkius PDF Engine. Content reflects the MCP server configuration at the time of generation and may change as updates are deployed. For the most current information, visit vinkius.com/mcp/formstack.