

MCP SERVER

NO CODE

CLOUD HOSTED

GatherContent MCP

Manage structured content and editorial workflows.

GatherContent MCP connects your content operations platform directly to your AI client. Manage complex, structured content projects by listing entire project folders, checking item metadata, or updating article drafts—all through simple conversation with your agent.

A+ Quality Score 100/100

structured-content

editorial-workflow

content-operations

project-tracking

content-production



The infrastructure that powers AI agents in the real world.



Vinkius connects AI to the world's software through secure, enterprise-grade infrastructure — enabling real-world execution at scale, built on the Model Context Protocol (MCP).

Your AI Connections Run Through Vinkius Cloud

The world's largest
managed MCP catalog

Vinkius is the cloud infrastructure where AI agents connect to the software your business already runs. We handle the hosting, the security, the credentials, the uptime — you get agents that actually do things.

We operate the world's largest managed MCP catalog. Major SaaS platforms, CRMs, databases, and cloud providers — running, monitored, production-ready. This MCP server is hosted and maintained by the Vinkius Cloud for AI Agents.

The agent doesn't manage credentials, doesn't manage uptime, doesn't manage security. Vinkius does.

— Architecture principle

Four Pillars of the Vinkius Runtime

01 — Security by design

Credentials stay encrypted at rest via AES-256. The AI agent never touches raw keys — they're injected into a sandboxed V8 isolate at runtime. Actions are logged, and connections have an emergency kill switch.

03 — Deterministic observability

Eight immutable metrics per endpoint: request volume, p95 latency, error rate, active connections, cost attribution. A live payload feed logs every tool call with mutation detection.

02 — Built on MCP Fusion

This MCP server was built with **MCP Fusion**, the open-source framework (Apache 2.0) that powers the entire Vinkius catalog. Schema-as-firewall strips undeclared fields, compiled PII redaction runs at zero overhead, and cryptographic lockfiles produce git-diffable audit trails.

04 — Autonomous operations

Servers are deployed, monitored, and patched autonomously. New capabilities and security patches ship weekly. Zero-downtime deployments ensure continuous availability across all managed MCP servers.

AES-256

Encryption at rest

Ed25519

PKI vault signatures

24h TTL

Ephemeral session keys

V8 Isolate

Sandboxed execution

One Token. Instant Access.

Every MCP server on Vinkius is accessed through a **Connection Token**. Tokens are generated in the cloud dashboard and produce a unique MCP endpoint URL. Paste this URL into any MCP-compatible client — no SDK required.

A single token can serve **multiple AI clients simultaneously**, or you can issue separate tokens per client for granular access control. Each token tracks its own request count, last activity timestamp, and can be individually enabled or revoked.

MCP ENDPOINT

`https://edge.vinkius.com/{token}/mcp`

Claude



Cursor



VS Code



Windsurf



Grok



Gemini

Security Is the Architecture

Security in Vinkius is not a feature — it's the foundation of the runtime. The gateway enforces multiple independent protection layers between AI agents and third-party APIs.

01 — Ed25519 PKI Vault

Every workspace has an Ed25519 Master Key. Session keys are generated ephemerally (24h TTL) and signed by the Master Key. Credentials never leave the vault boundary.

02 — V8 Isolate Sandboxing

Tool code runs inside isolated-vm V8 isolates with 64 MB memory caps and per-request timeouts. No filesystem access, no network access except through the SSRF-guarded fetch bridge.

03 — SSRF Guard

All outbound HTTP requests are DNS-resolved and validated before execution. Private IP ranges (10.x, 172.16-31.x, 192.168.x, AWS metadata 169.254.x) are blocked at the network layer.

05 — Cryptographic Audit Trail

Every request is signed into a SHA-256 hash chain with Ed25519 signatures. Events form a tamper-proof, SIEM-exportable forensic record.

04 — DLP & PII Redaction

A ResponseGuard pipeline intercepts every tool response. Configurable redaction patterns strip sensitive fields (emails, SSNs, card numbers) before data reaches the AI agent.

06 — Honeypot Trap System

Phantom credentials are injected into isolated environments. If a honeypot is used outside Vinkius infrastructure, the server is quarantined instantly.

Emergency Kill Switch

EU AI Act Art. 14(1)
Compliant

The kill switch is an **emergency halt** mechanism — not a simple toggle. When triggered, it executes three actions atomically:

01 — Server deactivated

The MCP server is immediately taken offline across the entire cluster.

02 — All tokens revoked

Every connection token is invalidated. Total lockout — reconnection blocked until new tokens are issued.

03 — WebSocket connections killed

Active connections terminated via Redis pubsub broadcast. Propagates to every runtime node in the cluster.

Full Visibility. Zero Guesswork.

The Vinkius cloud dashboard includes a full MCP Governance suite — real-time analytics and security controls for production AI operations.

Control Plane

KPI dashboard with request volume, latency, success rate, token consumption, and AI-generated operational briefings.

FinOps

Cost tracking per tool, payload compression savings, budget optimization signals, and consumption trends.

Firewall & DLP

PII redaction activity, sensitive data protection counters, and security event timeline.

Agent Activity

Which AI clients are connecting, how often, and what they're doing — real-time session tracking.

Tool Health

Slowest and most error-prone tools, with actionable root-cause insights and performance baselines.

Incident Log

Error trends, failure rates, status-code breakdowns, and forensic audit trail access.

Get started at cloud.vinkius.com — connect your AI agent in under 60 seconds.

GatherContent MCP

12 tools available

Cloud-hosted on Vinkius

Need to manage structured content without logging into the GatherContent interface? This MCP lets you run your editorial workflows and track production status directly from your AI client. You can ask your agent to list every active project in your account, then request all articles within a specific folder, or check if an item's workflow status is 'Review.' It's like having a content operations expert sitting next to you, ready to answer questions about metadata and templates on demand.

Connecting via Vinkius makes this available across any compatible AI client. You don't have to copy-paste data or manually export spreadsheets anymore. Just talk to your agent; it handles the complex backend requests for project details, item content, or even programmatically updating an article's status so production keeps moving.

Core Capabilities

01 — List all active projects

Retrieve a list of every structured content project configured in your account.

03 — Monitor workflow status

Check the current stage (like Draft or Published) that a project is configured to follow.

05 — Create or modify content items

Programmatically generate new placeholder articles or make changes to existing item metadata.

02 — View item details and metadata

Fetch specific data points, including field values and general metadata, for any given content item.

04 — Manage content templates and folders

List available content templates or browse the hierarchy of project folders to understand your organizational structure.

One Click on Vinkius — From Prompt to Execution

Available at vinkius.com/mcp/gathercontent — connect your AI agent in three steps.

- 01 Subscribe to the GatherContent MCP through Vinkius and provide your API credentials.
- 02 Connect this MCP to your preferred AI client (Claude, Cursor, etc.) within the platform.
- 03 Ask your agent a natural language question, like 'What are the current drafts in the Blog Production project?' The agent then executes the necessary tool calls.

The bottom line is you use simple chat commands to manage complex content operations that used to require multiple dashboard clicks or API calls.

Built For

Content Strategists and Project Managers who are sick of manually checking status reports across dozens of content items. This MCP lets you get a real-time, conversational overview of your entire publishing pipeline.

Content Editor

Needs to quickly verify the field schemas or check if an article item has the required metadata before sending it for review.

Project Manager

Wants a high-level, real-time overview of content production across multiple projects without needing manual exports or spreadsheet aggregation.

Operations Specialist

Must automate the creation of placeholder items and verify that all content templates adhere to current organizational standards.

What Changes When You Connect

- 01 Stop jumping between dashboards. Your AI agent lets you query project metadata, listing projects or getting detailed configuration information without ever leaving your chat window.

-
- 02** Accelerate the review process by asking for item content directly. Use `get_item_content` to pull specific field data—like the body copy and headline—and analyze it instantly.

 - 03** Maintain consistency across all content types. Before creating an item, ask for template schemas using `get_template_schema` to ensure you're capturing every required piece of metadata.

 - 04** Keep track of your publishing cycle by monitoring status. The agent can list workflow statuses or check a project's current stage, giving immediate visibility into bottlenecks.

 - 05** Handle content structure programmatically. Use `list_project_folders` to map the entire organizational hierarchy, knowing exactly where every type of asset lives.

 - 06** Update items and move them along. You can use `update_content_item` to change an article's status or modify fields directly via conversation.

-

Real-World Applications

Checking content readiness for a major launch

A Project Manager needs to know if all 20 articles in the 'Website Redesign' project have been reviewed. Instead of manually checking status reports, they ask their agent: 'List all items in Website Redesign and tell me which ones are not published.' The agent uses `list_project_items` and `get_item_content` to give a precise count.

Auditing content production gaps

An Operations Specialist suspects some project folders are missing critical assets. They ask their agent to list all project folders for a given client and compare that list against what they expect, ensuring the entire content structure is accounted for.

Onboarding new content writers

A Content Editor needs to know what fields they must use for a new product guide. They prompt their agent: 'What are the required fields for the 2024 Product Guide template?' The agent uses `get_template_schema`, providing the necessary structure so the writer doesn't miss anything.

Troubleshooting workflow bottlenecks

A PM notices delays in publishing. They prompt: 'What are the current stages for the Blog Production project?' The agent uses `list_workflow_statuses` to confirm if the required transition steps (like Review to Published) are correctly set up.

Patterns to Avoid

Manually gathering item data

X AVOID

Exporting a CSV of 50 articles, filtering it in Excel for 'Draft' status, and then having to email the resulting spreadsheet.

✓ INSTEAD

Just ask your agent: 'List all content items with Draft status in my current project.' The agent uses `list_project_items` combined with `get_item_content` to give you a filtered, readable answer instantly.

Forgetting required fields

X AVOID

Creating a new article and realizing halfway through that the template requires 'SEO Keywords' but they didn't include it in their initial draft.

✓ INSTEAD

Before you write anything, ask your agent to retrieve the needed field structure using `get_template_schema`. This guarantees you account for every required piece of data.

Confusing project scope

X AVOID

Asking a general question like 'What content do I have?' without specifying which client or project, resulting in vague answers.

✓ INSTEAD

Start by asking the agent to `list_content_projects` first. This narrows down the scope, ensuring every subsequent action (like listing items) is targeted and accurate.

The Right Fit

Use this MCP if your pain point involves managing structured content that lives within a dedicated platform like GatherContent. Specifically, if you need to know *what* fields are required for an item or *where* certain projects are located, this is the right tool. You should use it when you need conversational access to metadata, status tracking, and organizational structure.

Don't use this MCP if your goal is simply general content generation (like writing a first draft). For that, you just need a generic LLM connection. Also, don't use it if the data you need lives outside of GatherContent entirely. This connector only works with structured content managed by the platform. If all you need is to manage users or calendar events, look for a different category MCP instead.

The Content Operations Headache

Right now, overseeing a large content project feels like juggling ten separate dashboards. You have to jump into GatherContent, check the status of Project A; then open another tab to see what templates are available for Project B. If you need to know if an article is ready to publish, you're either clicking through multiple layers of menus or exporting a massive spreadsheet just to filter by 'Review.'

With this MCP, that process disappears. You tell your agent, 'Show me the status of all articles in the Fall Campaign project.' It handles the lookups for item metadata and workflow statuses automatically. The result is a clean, conversational answer you can act on immediately.

GatherContent MCP: Structured Data Oversight

You no longer have to manually list project folders or check every content template by hand. The agent handles the hierarchy mapping and field discovery for you, giving immediate context about your entire content structure.

Your AI client becomes a true extension of your content operations team. You don't just get data; you get actionable insights into who has access (via `get_my_identity`) and what needs to be updated next.

GatherContent MCP Tools (12)

These tools allow you to interact with every aspect of your content operations—from listing all projects to updating individual articles—all through natural conversation.

#	TOOL	DESCRIPTION
01	<code>verify_api_connection</code>	Confirms the connection details between your AI client and GatherContent.
02	<code>create_content_item</code>	Generates a new content item within a specified project environment.
03	<code>get_item_content</code>	Retrieves the structured data and metadata for an existing piece of content.
04	<code>get_my_identity</code>	Fetches profile details to confirm what access level your account has.
05	<code>get_project_details</code>	Retrieves high-level configuration metadata for a specific content project.
06	<code>get_template_schema</code>	Outputs the required field structure and rules for using a content template.
07	<code>list_project_folders</code>	Shows all organizational folders within a project to map out your content hierarchy.
08	<code>list_project_items</code>	Returns a list of specific articles or pages contained within a given project.
09	<code>list_content_projects</code>	Provides an enumeration of all content projects available in the account.
10	<code>list_content_templates</code>	Displays all structured content templates used across your various projects.
11	<code>list_workflow_statuses</code>	Lists every possible lifecycle stage (e.g., Draft, Review) configured for a project.
12	<code>update_content_item</code>	Modifies specific metadata or content fields on an existing article item.

See It in Action

Real prompts you can use once this MCP is connected to your AI agent through Vinkius Cloud.

U List all active content projects in my account.



Retrieving projects... I found 3 active projects: 'Website Redesign', 'Blog Production', and '2024 Product Guide'. Which project would you like to explore?

U Show me the content items in the 'Blog Production' project (ID: 12345).



Fetching items... I found 12 items in 'Blog Production'. Key items include '10 Tips for Content Strategy' (Status: Review) and 'What is MCP?' (Status: Draft).

U Get the field values for item 'item_98765'.



Retrieving item content... For item 98765, I found fields for 'Headline', 'Body Copy', and 'Meta Description'. The body copy currently contains 450 words and is marked as 'Ready for Review'.

Frequently Asked Questions

01 How do I use the GatherContent MCP to see all my projects?

Use `list_content_projects`. This tool queries your account and returns a clean list of every content project you have access to, allowing you to pinpoint where specific assets live.

02 Can I check the status of an article using GatherContent MCP?

Yes. The agent can monitor workflow statuses by calling `list_workflow_statuses` and then checking specific item metadata via `get_item_content`, giving you real-time visibility into content progress.

03 What is the difference between listing folders and listing items with GatherContent MCP?

Listing project folders (`list_project_folders`) shows the high-level organizational buckets. Listing project items (`list_project_items`) gives you the actual, specific articles or pages within those buckets.

04 Does GatherContent MCP let me update content after it's published?

Yes, if your permissions allow it. You can use `update_content_item` to modify metadata on existing pieces of content, keeping the data current without needing manual platform access.

05 Can I get a list of available templates using GatherContent MCP?







You can certainly do that with `list_content_templates`. This shows you all the standardized structures available for creating new content items in your organization.

Go Live in 60 Seconds

Get your connection token from cloud.vinkius.com, then paste the endpoint URL into any MCP-compatible client.

YOUR MCP ENDPOINT

```
https://edge.vinkius.com/[TOKEN]/mcp
```

CLIENT	WHERE TO CONFIGURE
 Claude AI	Profile → Customize → Connectors → "+" → Add custom connector → Paste endpoint
 Cursor	Settings → Features → MCP Servers → "+ Add New MCP Server" → Type: SSE → Paste endpoint
 VS Code	Ctrl/Cmd+Shift+P → "MCP: Add Server" → add <code>"gathercontent": { "url": "..."</code>
 Windsurf	MCP Settings → <code>mcp_settings.json</code> → Add endpoint URL
 ChatGPT	Settings → Tools & plugins → Add MCP server → Paste endpoint
 Gemini	Extensions → Add MCP Server → Paste endpoint URL

ASK AN AI ABOUT THIS

Let your preferred AI explain this MCP server

-  **Ask ChatGPT** 
-  **Ask Claude** 
-  **Ask Perplexity** 
-  **Ask Gemini** 
-  **Ask Grok** 

READY TO CONNECT

GatherContent is live on Vinkius Cloud.

Get your connection token, paste it into your AI agent, and
start building. No SDK. No deployment. Just results.

[Start at cloud.vinkius.com](https://cloud.vinkius.com) →

vinkius.com · support@vinkius.com

INDEPENDENT PLATFORM DISCLAIMER

Vinkius is an independent platform and is not affiliated with, endorsed by, sponsored by, verified by, or otherwise authorized by GatherContent. All third-party trademarks, logos, and brand names are the property of their respective owners. Their use in this document is strictly for informational purposes to identify service compatibility and interoperability.

DOCUMENT INFORMATION

Generated	June 2026
MCP Server	GatherContent MCP
Server ID	019d75a2-9988-7236-ba3b-9033f2446591
Platform	Vinkius Cloud for AI Agents
Endpoint	https://edge.vinkius.com/{token}/mcp

LICENSE & USAGE

This document is generated automatically by the Vinkius PDF Engine. Content reflects the MCP server configuration at the time of generation and may change as updates are deployed. For the most current information, visit vinkius.com/mcp/gathercontent.