

MCP SERVER

NO CODE

CLOUD HOSTED

GetYourGuide MCP

Book, search, and manage global travel plans instantly.

GetYourGuide lets your AI agent search for, check availability on, and book global tours and activities directly within conversation. It handles everything from finding skip-the-line tickets in Paris to managing multi-day travel itineraries across dozens of destinations.

A+ Quality Score 100/100

tour-booking

travel-experiences

activity-discovery

marketplace-api

booking-management



The infrastructure that powers AI agents in the real world.



Vinkius connects AI to the world's software through secure, enterprise-grade infrastructure — enabling real-world execution at scale, built on the Model Context Protocol (MCP).

Your AI Connections Run Through Vinkius Cloud

The world's largest
managed MCP catalog

Vinkius is the cloud infrastructure where AI agents connect to the software your business already runs. We handle the hosting, the security, the credentials, the uptime — you get agents that actually do things.

We operate the world's largest managed MCP catalog. Major SaaS platforms, CRMs, databases, and cloud providers — running, monitored, production-ready. This MCP server is hosted and maintained by the Vinkius Cloud for AI Agents.

The agent doesn't manage credentials, doesn't manage uptime, doesn't manage security. Vinkius does.

— Architecture principle

Four Pillars of the Vinkius Runtime

01 — Security by design

Credentials stay encrypted at rest via AES-256. The AI agent never touches raw keys — they're injected into a sandboxed V8 isolate at runtime. Actions are logged, and connections have an emergency kill switch.

03 — Deterministic observability

Eight immutable metrics per endpoint: request volume, p95 latency, error rate, active connections, cost attribution. A live payload feed logs every tool call with mutation detection.

02 — Built on MCP Fusion

This MCP server was built with **MCP Fusion**, the open-source framework (Apache 2.0) that powers the entire Vinkius catalog. Schema-as-firewall strips undeclared fields, compiled PII redaction runs at zero overhead, and cryptographic lockfiles produce git-diffable audit trails.

04 — Autonomous operations

Servers are deployed, monitored, and patched autonomously. New capabilities and security patches ship weekly. Zero-downtime deployments ensure continuous availability across all managed MCP servers.

AES-256

Encryption at rest

Ed25519

PKI vault signatures

24h TTL

Ephemeral session keys

V8 Isolate

Sandboxed execution

One Token. Instant Access.

Every MCP server on Vinkius is accessed through a **Connection Token**. Tokens are generated in the cloud dashboard and produce a unique MCP endpoint URL. Paste this URL into any MCP-compatible client — no SDK required.

A single token can serve **multiple AI clients simultaneously**, or you can issue separate tokens per client for granular access control. Each token tracks its own request count, last activity timestamp, and can be individually enabled or revoked.

MCP ENDPOINT

`https://edge.vinkius.com/{token}/mcp`

Claude



Cursor



VS Code



Windsurf



Grok



Gemini

Security Is the Architecture

Security in Vinkius is not a feature — it's the foundation of the runtime. The gateway enforces multiple independent protection layers between AI agents and third-party APIs.

01 — Ed25519 PKI Vault

Every workspace has an Ed25519 Master Key. Session keys are generated ephemerally (24h TTL) and signed by the Master Key. Credentials never leave the vault boundary.

02 — V8 Isolate Sandboxing

Tool code runs inside isolated-vm V8 isolates with 64 MB memory caps and per-request timeouts. No filesystem access, no network access except through the SSRF-guarded fetch bridge.

03 — SSRF Guard

All outbound HTTP requests are DNS-resolved and validated before execution. Private IP ranges (10.x, 172.16-31.x, 192.168.x, AWS metadata 169.254.x) are blocked at the network layer.

05 — Cryptographic Audit Trail

Every request is signed into a SHA-256 hash chain with Ed25519 signatures. Events form a tamper-proof, SIEM-exportable forensic record.

04 — DLP & PII Redaction

A ResponseGuard pipeline intercepts every tool response. Configurable redaction patterns strip sensitive fields (emails, SSNs, card numbers) before data reaches the AI agent.

06 — Honeypot Trap System

Phantom credentials are injected into isolated environments. If a honeypot is used outside Vinkius infrastructure, the server is quarantined instantly.

Emergency Kill Switch

EU AI Act Art. 14(1)
Compliant

The kill switch is an **emergency halt** mechanism — not a simple toggle. When triggered, it executes three actions atomically:

01 — Server deactivated

The MCP server is immediately taken offline across the entire cluster.

02 — All tokens revoked

Every connection token is invalidated. Total lockout — reconnection blocked until new tokens are issued.

03 — WebSocket connections killed

Active connections terminated via Redis pubsub broadcast. Propagates to every runtime node in the cluster.

Full Visibility. Zero Guesswork.

The Vinkius cloud dashboard includes a full MCP Governance suite — real-time analytics and security controls for production AI operations.

Control Plane

KPI dashboard with request volume, latency, success rate, token consumption, and AI-generated operational briefings.

FinOps

Cost tracking per tool, payload compression savings, budget optimization signals, and consumption trends.

Firewall & DLP

PII redaction activity, sensitive data protection counters, and security event timeline.

Agent Activity

Which AI clients are connecting, how often, and what they're doing — real-time session tracking.

Tool Health

Slowest and most error-prone tools, with actionable root-cause insights and performance baselines.

Incident Log

Error trends, failure rates, status-code breakdowns, and forensic audit trail access.

Get started at cloud.vinkius.com — connect your AI agent in under 60 seconds.

GetYourGuide MCP

12 tools available

Cloud-hosted on Vinkius

Stop jumping between the GetYourGuide website, booking portals, and spreadsheets just to plan a trip. This MCP lets your AI client manage complex travel logistics instantly, letting you talk through an entire itinerary as if you were speaking to a human concierge.

Need to find the best local food tours in Rome? Your agent can search for activities by keyword or location. Want to know if that tour is free on October 15th? It checks real-time availability. Found the perfect day, but need to secure it? The MCP creates the booking and pulls back confirmation details immediately. You also manage your shopping cart status and check existing reservations. Because this entire system runs through Vinkius, you keep managing all these travel operations without ever leaving your primary workspace.

Core Capabilities

01 — Discover Activities

Search for tours or experiences using keywords, specific locations, or map coordinates to find available options.

03 — Book & Confirm Trips

Create new reservations for activities or tours using the agent, instantly getting confirmation details back.

05 — Track Shopping Carts

List and get details on any active or saved shopping cart items for later review.

02 — Verify Open Slots

Check if a specific tour is running on your desired date and time, seeing exactly how many spots are open.

04 — Manage Bookings

Retrieve the current status of an existing reservation or cancel a booking entirely using its unique ID.

One Click on Vinkius — From Prompt to Execution

Available at vinkius.com/mcp/getyourguide — connect your AI agent in three steps.

- 01** First, subscribe to this MCP through the Vinkius Marketplace and provide your GetYourGuide Partner Access Token.
- 02** Next, tell your AI client what you want to do—like 'Find me a tour in Barcelona next month' or 'Check the status of booking XYZ'.
- 03** The agent executes the necessary tools, retrieves the live data, and presents actionable results back to you.

The bottom line is that your AI client becomes an automated travel agent that handles every step from searching to confirmation.

Built For

This MCP is for operations teams and agencies who spend too much time clicking through multiple booking portals. If you're tired of manually checking availability across different sites, this tool lets your agent do the heavy lifting.

Travel Agency Coordinator

Uses the MCP to quickly check activity availability for dozens of clients without having to log into individual booking portals.

Concierge Service Operator

Gets a real-time overview of the best local experiences in any destination, summarizing options via simple conversation prompts.

Logistics Operations Manager

Automates the retrieval of tour details and booking statuses for large travel itineraries, saving hours of manual cross-referencing.

What Changes When You Connect

-
- 01 Instead of navigating multiple tabs to find a tour, you simply ask your agent. Use `search_travel_activities` to pull up all options—from guided walks to museum passes—in one conversational turn.

 - 02 Don't guess if a tour is available; check for sure. You can use `check_activity_availability` to instantly confirm open time slots, knowing exactly when your group can go.

 - 03 Booking shouldn't be stressful. Use `create_travel_booking` with a simple command and get the final confirmation details without ever hitting 'Submit' yourself.

 - 04 Need to change plans? You don't have to manually cancel through a web portal. The agent handles it by calling `cancel_travel_booking`, keeping your workflow moving fast.

 - 05 Manage pending trips easily. If you need to see what items are saved for later, the MCP lets you list active carts using `list_active_carts` and review them instantly.
-

Real-World Applications

Building a Multi-City Itinerary

A travel coordinator needs to build an itinerary for five days in Italy. Instead of manually checking availability, they ask their agent to find tours using `search_travel_activities` and then use `check_activity_availability` for the top three options, getting real-time results back instantly.

Last-Minute Booking Changes

A client's flight changed, forcing a booking change. The agent first uses `get_booking_status` to confirm the original reservation details, and then uses `cancel_travel_booking` before initiating a new search.

Checking Corporate Accounts

A corporate planner needs to verify if their API connection is working correctly. They call `verify_api_connection` first, confirming the system's operational status before attempting any bookings or data retrieval.

Handling Pending Sales Leads

An agency representative has several clients whose tours are partially booked. The agent can use `list_active_carts` to review all pending shopping cart details, letting them follow up with the client on specific items.

Patterns to Avoid

Trying to search by date alone

X AVOID

The user tries to tell the agent: 'Show me tours for October 10th.' The agent might return thousands of results, overwhelming the user and requiring manual filtering.

✓ INSTEAD

Better off using `search_by_destination` first to narrow down the city, then using `search_travel_activities` with keywords, and finally confirming dates via `check_activity_availability`.

Assuming booking success

X AVOID

The agent books a tour without verifying if that specific date/time was actually available in the system. The user gets an error later because the slot was already taken.

✓ INSTEAD

Always check real-time slots first by calling `check_activity_availability` before you attempt to call `create_travel_booking`. This verifies capacity.

Overcomplicating cancellations

X AVOID

The user tries to cancel a booking just by saying, 'Cancel my Venice trip.' The agent needs more context and might fail.

✓ INSTEAD

You must provide the unique hash ID. Use `get_booking_status` first to confirm the correct details, then call `cancel_travel_booking` with that specific reservation ID.

The Right Fit

Use this MCP if your workflow involves multi-step travel planning where you frequently need to check availability, search across global destinations, and finalize bookings. Specifically, if you are managing client accounts or agency operations, the ability to call `get_booking_status` and then either modify it or use `cancel_travel_booking` is crucial.

Don't use this if your primary need is simple information retrieval that doesn't involve transactional changes (like writing a blog post about travel). For general destination data, you might only need to call `list_travel_destinations`. If you just need to read static tour descriptions and don't care about availability or booking, the `get_activity_details` tool is sufficient. But if you are planning anything real, this MCP is your hub.

Dealing with travel bookings means switching between at least four different screens a day.

Today's process looks like this: You pull up the GetYourGuide website to see available tours. Then, you open your internal CRM to check if the client has already booked something. Next, you switch to a spreadsheet to track which activities need follow-up, and finally, if everything checks out, you manually go through a checkout flow. It's constant context switching and copy/pasting.

With this MCP, that whole process collapses into one conversation with your AI client. You simply ask for the itinerary details—the agent searches, checks availability, tracks carts, and even books it. The result is not a series of clicks; it's an immediate, actionable summary.

GetYourGuide MCP: Manage bookings & availability

Gone are the days of manually checking if a tour slot was open before booking. You don't have to remember unique reservation IDs or switch between status pages just to confirm details.

Now, your agent manages it all. Need to know what the client already booked? Use `get_booking_status`. Want to cancel it? The MCP handles that via `cancel_travel_booking`—all within a single, continuous workflow.

GetYourGuide MCP with 12 Tools

These tools give your agent direct access to every function needed for booking, managing, and searching all types of travel experiences worldwide.

#	TOOL	DESCRIPTION
01	<code>get_booking_status</code>	Checks a specific reservation to confirm if it's active or what its current status is.
02	<code>get_cart_details</code>	Retrieves detailed metadata about the items currently saved in a shopping cart.
03	<code>check_activity_availability</code>	Checks specific tour times to see which ones are open and available for booking on a given date.
04	<code>get_activity_details</code>	Fetches all the descriptive information, like length or meeting points, for a single tour activity.
05	<code>list_active_carts</code>	Pulls a list of all shopping carts that are currently open or pending checkout.
06	<code>list_travel_destinations</code>	Shows a full list of cities and regions supported by the platform for travel planning.
07	<code>search_by_destination</code>	Narrows down search results to only show activities located within a specific city or region.
08	<code>search_travel_activities</code>	Searches broadly for tours and experiences based on keywords, like 'historical' or 'culinary'.
09	<code>cancel_travel_booking</code>	Processes the cancellation of an existing booking using its unique identifier.
10	<code>verify_api_connection</code>	Checks that your access token is valid and that the connection to GetYourGuide works properly.
11	<code>create_travel_booking</code>	Finalizes a transaction by creating a new reservation for an activity or tour.
12	<code>get_partner_details</code>	Retrieves key information about your connected partner account identity and settings.

See It in Action

Real prompts you can use once this MCP is connected to your AI agent through Vinkius Cloud.

U Search for guided tours of the Eiffel Tower in Paris.



Searching activities... I found several options for the Eiffel Tower, including 'Priority Access Tour' (ID: 123) and 'Summit Guided Tour'. Which one would you like to check availability for?

U Is the 'Louvre Museum Skip-the-Line Ticket' available for October 10th?



Checking availability... Yes, there are 15 slots available for October 10th at various times starting from 09:00 AM. Prices start at \$22.00.

U Show me the status of my booking 'GYG-ABC-123-XYZ'.



Fetching booking... Your reservation for the 'Venice Gondola Ride' is 'Confirmed'. The meeting point is San Marco Square at 10:30 AM tomorrow. Would you like the meeting point coordinates?

Frequently Asked Questions

01 How do I search for tours using the GetYourGuide MCP?

You use the `search_travel_activities` tool. This allows you to query broad categories of experiences or specific keywords to find options across global destinations.

02 Can I check if a tour is available for a different date with GetYourGuide MCP?

Yes, that's exactly what `check_activity_availability` does. You tell it the specific activity ID and the target dates, and it returns real-time vacancy information.

03 What is the difference between listing carts and booking a tour with GetYourGuide MCP?

Listing active carts (`list_active_carts`) just shows you what's saved for later. Booking a tour requires `create_travel_booking`, which completes the transaction using that cart data.

04 Does the GetYourGuide MCP help me update my account details?

No, this MCP focuses purely on travel activities and reservations. You can check your partner credentials with `get_partner_details` to ensure connectivity, but it doesn't manage user profiles.

05 What if I need to find out which cities the GetYourGuide MCP supports?







You simply run the `list_travel_destinations` tool. This provides a comprehensive list of all supported geographic locations you can plan trips for.

Go Live in 60 Seconds

Get your connection token from cloud.vinkius.com, then paste the endpoint URL into any MCP-compatible client.

YOUR MCP ENDPOINT

```
https://edge.vinkius.com/[TOKEN]/mcp
```

CLIENT	WHERE TO CONFIGURE
 Claude AI	Profile → Customize → Connectors → "+" → Add custom connector → Paste endpoint
 Cursor	Settings → Features → MCP Servers → "+ Add New MCP Server" → Type: SSE → Paste endpoint
 VS Code	Ctrl/Cmd+Shift+P → "MCP: Add Server" → add <code>"getyourguide": { "url": "..."</code>
 Windsurf	MCP Settings → <code>mcp_settings.json</code> → Add endpoint URL
 ChatGPT	Settings → Tools & plugins → Add MCP server → Paste endpoint
 Gemini	Extensions → Add MCP Server → Paste endpoint URL

ASK AN AI ABOUT THIS

Let your preferred AI explain this MCP server

-  **Ask ChatGPT** 
-  **Ask Claude** 
-  **Ask Perplexity** 
-  **Ask Gemini** 
-  **Ask Grok** 

READY TO CONNECT

GetYourGuide is live on Vinkius Cloud.

Get your connection token, paste it into your AI agent, and
start building. No SDK. No deployment. Just results.

[Start at cloud.vinkius.com](https://cloud.vinkius.com) →

vinkius.com · support@vinkius.com

INDEPENDENT PLATFORM DISCLAIMER

Vinkius is an independent platform and is not affiliated with, endorsed by, sponsored by, verified by, or otherwise authorized by GetYourGuide. All third-party trademarks, logos, and brand names are the property of their respective owners. Their use in this document is strictly for informational purposes to identify service compatibility and interoperability.

DOCUMENT INFORMATION

Generated	June 2026
MCP Server	GetYourGuide MCP
Server ID	019d75a4-1979-717d-afe4-5d42082bf112
Platform	Vinkius Cloud for AI Agents
Endpoint	https://edge.vinkius.com/{token}/mcp

LICENSE & USAGE

This document is generated automatically by the Vinkius PDF Engine. Content reflects the MCP server configuration at the time of generation and may change as updates are deployed. For the most current information, visit vinkius.com/mcp/getyourguide.