

MCP SERVER

NO CODE

CLOUD HOSTED

Givebutter MCP

Manage campaigns, donors, and every donation record.

Givebutter connects your nonprofit's fundraising data to any AI agent through Model Context Protocol (MCP). Use this MCP to automate donor management, track every donation transaction, and monitor campaign performance without leaving your chat client.

A+ Quality Score 100/100

donations

fundraising

donor-management

campaigns

nonprofit



The infrastructure that powers AI agents in the real world.



Vinkius connects AI to the world's software through secure, enterprise-grade infrastructure — enabling real-world execution at scale, built on the Model Context Protocol (MCP).

Your AI Connections Run Through Vinkius Cloud

The world's largest
managed MCP catalog

Vinkius is the cloud infrastructure where AI agents connect to the software your business already runs. We handle the hosting, the security, the credentials, the uptime — you get agents that actually do things.

We operate the world's largest managed MCP catalog. Major SaaS platforms, CRMs, databases, and cloud providers — running, monitored, production-ready. This MCP server is hosted and maintained by the Vinkius Cloud for AI Agents.

The agent doesn't manage credentials, doesn't manage uptime, doesn't manage security. Vinkius does.

— Architecture principle

Four Pillars of the Vinkius Runtime

01 — Security by design

Credentials stay encrypted at rest via AES-256. The AI agent never touches raw keys — they're injected into a sandboxed V8 isolate at runtime. Actions are logged, and connections have an emergency kill switch.

03 — Deterministic observability

Eight immutable metrics per endpoint: request volume, p95 latency, error rate, active connections, cost attribution. A live payload feed logs every tool call with mutation detection.

02 — Built on MCP Fusion

This MCP server was built with **MCP Fusion**, the open-source framework (Apache 2.0) that powers the entire Vinkius catalog. Schema-as-firewall strips undeclared fields, compiled PII redaction runs at zero overhead, and cryptographic lockfiles produce git-diffable audit trails.

04 — Autonomous operations

Servers are deployed, monitored, and patched autonomously. New capabilities and security patches ship weekly. Zero-downtime deployments ensure continuous availability across all managed MCP servers.

AES-256

Encryption at rest

Ed25519

PKI vault signatures

24h TTL

Ephemeral session keys

V8 Isolate

Sandboxed execution

One Token. Instant Access.

Every MCP server on Vinkius is accessed through a **Connection Token**. Tokens are generated in the cloud dashboard and produce a unique MCP endpoint URL. Paste this URL into any MCP-compatible client — no SDK required.

A single token can serve **multiple AI clients simultaneously**, or you can issue separate tokens per client for granular access control. Each token tracks its own request count, last activity timestamp, and can be individually enabled or revoked.

MCP ENDPOINT

`https://edge.vinkius.com/{token}/mcp`

Claude



Cursor



VS Code



Windsurf



Grok



Gemini

Security Is the Architecture

Security in Vinkius is not a feature — it's the foundation of the runtime. The gateway enforces multiple independent protection layers between AI agents and third-party APIs.

01 — Ed25519 PKI Vault

Every workspace has an Ed25519 Master Key. Session keys are generated ephemerally (24h TTL) and signed by the Master Key. Credentials never leave the vault boundary.

02 — V8 Isolate Sandboxing

Tool code runs inside isolated-vm V8 isolates with 64 MB memory caps and per-request timeouts. No filesystem access, no network access except through the SSRF-guarded fetch bridge.

03 — SSRF Guard

All outbound HTTP requests are DNS-resolved and validated before execution. Private IP ranges (10.x, 172.16-31.x, 192.168.x, AWS metadata 169.254.x) are blocked at the network layer.

05 — Cryptographic Audit Trail

Every request is signed into a SHA-256 hash chain with Ed25519 signatures. Events form a tamper-proof, SIEM-exportable forensic record.

04 — DLP & PII Redaction

A ResponseGuard pipeline intercepts every tool response. Configurable redaction patterns strip sensitive fields (emails, SSNs, card numbers) before data reaches the AI agent.

06 — Honeypot Trap System

Phantom credentials are injected into isolated environments. If a honeypot is used outside Vinkius infrastructure, the server is quarantined instantly.

Emergency Kill Switch

EU AI Act Art. 14(1)
Compliant

The kill switch is an **emergency halt** mechanism — not a simple toggle. When triggered, it executes three actions atomically:

01 — Server deactivated

The MCP server is immediately taken offline across the entire cluster.

02 — All tokens revoked

Every connection token is invalidated. Total lockout — reconnection blocked until new tokens are issued.

03 — WebSocket connections killed

Active connections terminated via Redis pubsub broadcast. Propagates to every runtime node in the cluster.

Full Visibility. Zero Guesswork.

The Vinkius cloud dashboard includes a full MCP Governance suite — real-time analytics and security controls for production AI operations.

Control Plane

KPI dashboard with request volume, latency, success rate, token consumption, and AI-generated operational briefings.

FinOps

Cost tracking per tool, payload compression savings, budget optimization signals, and consumption trends.

Firewall & DLP

PII redaction activity, sensitive data protection counters, and security event timeline.

Agent Activity

Which AI clients are connecting, how often, and what they're doing — real-time session tracking.

Tool Health

Slowest and most error-prone tools, with actionable root-cause insights and performance baselines.

Incident Log

Error trends, failure rates, status-code breakdowns, and forensic audit trail access.

Get started at cloud.vinkius.com — connect your AI agent in under 60 seconds.

Givebutter MCP

12 tools available

Cloud-hosted on Vinkius

This MCP lets you manage all things related to non-profit fundraising. You can connect your Givebutter account to your preferred AI client—like Claude or Cursor—and run complex reports using simple conversation. Need to know how much was raised for the 'Annual Gala'? Ask, and it returns the campaign metadata instantly. The tool also lets you list every donation transaction, giving you full visibility into revenue flow. Want to update donor records? You can search for profiles and even programmatically add new contacts. Plus, if someone gives money outside of Givebutter's platform, you don't have to manually enter it; the MCP allows you to record offline donations, keeping your data unified. Because Vinkius hosts this full catalog, you get access to all these features in one place, letting your agent do the heavy lifting.

Core Capabilities

01 — Report on financial activity

The MCP fetches and lists all donation transactions, providing metadata like status and timestamps.

02 — Review fundraising efforts

You can list active campaigns and retrieve detailed information about their configuration and total funds raised.

03 — Manage donor records

The MCP lets you search for existing profiles, view contact details, and add new donors to your database.

04 — Log external payments

Record donations or payments that happen outside of the primary system into the MCP data set.

05 — Track long-term giving commitments

List and monitor configured recurring donation plans to understand future funding streams.

One Click on Vinkius — From Prompt to Execution

Available at vinkius.com/mcp/givebutter — connect your AI agent in three steps.

- 01 Subscribe to this MCP through the Vinkius Marketplace, then enter your Givebutter API key.
- 02 Your AI agent uses the provided tools to request specific data—for example, listing recent donations or fetching campaign details.
- 03 The MCP returns structured information directly into your chat client, allowing you to read a summary or execute follow-up commands.

The bottom line is that your AI agent acts as an immediate interface, letting you query and manipulate Givebutter data without ever logging into the actual platform.

Built For

This MCP is built for nonprofit operations staff, development directors, and finance managers. If you spend your morning clicking through dashboards to verify donation statuses or compile campaign reports, this is what you need.

Development Director

Checks the real-time overview of fundraising campaigns and donor activity using simple conversational commands.

Nonprofit Finance Manager

Quickly verifies if a large donation has cleared or lists recent transactions without navigating through multiple financial tabs.

Donor Relations Coordinator

Verifies detailed donor history and synchronizes new contact profiles into the main database directly via AI commands.

What Changes When You Connect

-
- 01 Stop manual data gathering. Instead of clicking through dashboards to list recent transactions or check a single transaction's status, simply ask your agent for the details using `list_donation_transactions` or `get_transaction_details`. The answer appears instantly in your chat.

 - 02 Never lose track of donor history again. You can use the MCP to search and get detailed contact metadata about any profile via `list_donor_contacts`, making every follow-up personal and informed.

 - 03 Handle complex finance tasks from anywhere. If a donation happens offline, you don't have to manually enter it; just ask your agent to log it using `record_offline_donation` and keep all data in one place.

 - 04 Get an instant performance overview of campaigns. Instead of digging into campaign settings, use `list_fundraising_campaigns` to get the total amount raised for any active event instantly.

 - 05 Automate donor growth. When you meet a new contact at an event, your agent can immediately sync their details using `sync_donor_contact`, ensuring they are properly recorded in your database.
-

Real-World Applications

Need to reconcile recent funds.

A finance manager needs to know if the large donation from last week has fully cleared. They ask their agent to check 'last 10 successful' donations, and the tool provides a list of the most recent records, including status, letting them verify the payment instantly.

Onboarding a new board member.

A development director needs a full picture of a donor's commitment. They ask their agent to list all recurring plans and check general account details using `get_account_details`, giving them the necessary history for an appeal.

Tracking campaign progress remotely.

A director is traveling and needs a quick performance update on 'Annual Gala.' They ask their agent to fetch campaign metadata, which provides the total raised amount right away, without needing VPN or desktop access.

Patterns to Avoid

Trying to manually log every donation.

X AVOID

Opening the web portal, finding the 'Add Donation' form, copying the donor name, amount, and date, then pasting it all into a spreadsheet for tracking.

✓ INSTEAD

Use your agent to run `record_offline_donation` with the necessary details. It handles the data logging in one step.

Confusing campaign status with transaction logs.

X AVOID

Thinking that seeing a single donation listed means the entire campaign is successful, or vice versa, leading to inaccurate reporting.

✓ INSTEAD

Always use `list_fundraising_campaigns` for overall goals and structure, and `list_donation_transactions` only when you need granular financial records.

Ignoring external payments.

X AVOID

Getting a check payment or cash donation that isn't processed through the primary online system and forgetting to record it in the main database.

✓ INSTEAD

If the money is outside the platform, use `record_offline_donation` immediately so your records stay accurate.

The Right Fit

Use this MCP if your job involves gathering financial data, managing donor contacts, or reporting on fundraising campaigns. You need an agent that can read campaign metadata (`get_campaign_details`), list recent donations (`list_donation_transactions`), and handle contact syncing (`sync_donor_contact`). Don't use it if you just want to draft a message; for writing content, your AI client is enough. If your primary goal is complex data modeling or creating new

database schemas from scratch, you might need a specialized database tool, not a fundraising connector.

The headache of donor data silos.

Today, keeping track of giving history means jumping between your finance dashboard to check transactions, then logging into the CRM just to verify contact details, and maybe opening a spreadsheet to manually log any cash donations. It's clicking across tabs and copy-pasting data all day long.

With this MCP, you talk to your agent instead. You ask it for donor history or recent revenue flow, and it pulls that combined information—the transactions, the contacts, the campaign status—and presents a clean summary right in the chat window.

Givebutter: Instant access to every donation record.

You no longer need to manually check if a large payment cleared or list recent donations. You simply ask your agent to run `list_donation_transactions`, and it gives you the full, searchable metadata instantly.

The process is immediate: one command, clear data. It's how development teams actually work now.

Givebutter: 12 Tools for Fundraising Operations

These tools allow your AI agent to interact directly with your nonprofit's Givebutter account. You can list campaigns, manage contacts, log donations, and pull detailed financial records.

#	TOOL	DESCRIPTION
01	<code>verify_api_connection</code>	Checks if your connection credentials to Givebutter are active.
02	<code>sync_donor_contact</code>	Adds a newly identified donor contact profile into the system's database.
03	<code>record_offline_donation</code>	Manually logs details for a donation or payment that happened outside of Givebutter.
04	<code>get_account_details</code>	Retrieves general identifying information about your connected nonprofit account.
05	<code>get_campaign_details</code>	Fetches the current metadata and status of a specific fundraising campaign.
06	<code>get_transaction_details</code>	Retrieves detailed information about any single donation or transaction record.
07	<code>list_fundraising_campaigns</code>	Lists all active fundraising campaigns currently running through Givebutter.
08	<code>list_donor_contacts</code>	Presents a list of existing donor profiles and contact records.
09	<code>list_recurring_plans</code>	Lists all configured donation plans that happen on a regular schedule.
10	<code>list_recent_donations</code>	Retrieves the ten most recent successful donations made to the organization.
11	<code>list_donation_transactions</code>	Lists all donation transactions, providing metadata like status and timestamps.
12	<code>list_donation_webhooks</code>	Displays the configuration details for webhooks that track donations in real time.

See It in Action

Real prompts you can use once this MCP is connected to your AI agent through Vinkius Cloud.

U List all successful donations from the last 24 hours.



Retrieving donations... I found 12 successful transactions in the last 24 hours, totaling \$1,250.00. Would you like to see the details for the largest one?

U Check the progress of our 'Annual Gala' campaign (ID: gala_2024).



Fetching campaign details... The 'Annual Gala' has raised \$45,000 so far, which is 75% of your \$60,000 goal. There have been 150 unique donors.

U Log an offline donation of \$50.00 from 'Alice Smith' (ID: contact_123).



Donation logged! I have successfully recorded the \$50.00 offline transaction for Alice Smith. The new Transaction ID is 'tx_98765'.

Frequently Asked Questions

01 How do I get an API Key for Givebutter?

Log in to your Givebutter dashboard, navigate to Settings > Developers > API, and you can generate a new secret API key there.

02 Can I process live credit card transactions via the agent?

No, this integration is for management and data retrieval. For security, live donor checkouts must still happen through Givebutter's secure forms.

03 What format should the donation amount be in?

The Givebutter API uses major units for amounts. For example, to record a \$10.50 donation, you should provide the decimal value '10.50'.

04 How do I link a transaction to a specific campaign?







Use the 'campaign_id' parameter in the 'record_offline_donation' tool. You can find your campaign IDs using the 'list_fundraising_campaigns' tool.

Go Live in 60 Seconds

Get your connection token from cloud.vinkius.com, then paste the endpoint URL into any MCP-compatible client.

YOUR MCP ENDPOINT

```
https://edge.vinkius.com/[TOKEN]/mcp
```

CLIENT	WHERE TO CONFIGURE
 Claude AI	Profile → Customize → Connectors → "+" → Add custom connector → Paste endpoint
 Cursor	Settings → Features → MCP Servers → "+ Add New MCP Server" → Type: SSE → Paste endpoint
 VS Code	Ctrl/Cmd+Shift+P → "MCP: Add Server" → add <code>"givebutter": { "url": "..."} </code>
 Windsurf	MCP Settings → <code>mcp_settings.json</code> → Add endpoint URL
 ChatGPT	Settings → Tools & plugins → Add MCP server → Paste endpoint
 Gemini	Extensions → Add MCP Server → Paste endpoint URL

ASK AN AI ABOUT THIS

Let your preferred AI explain this MCP server

-  **Ask ChatGPT** 
-  **Ask Claude** 
-  **Ask Perplexity** 
-  **Ask Gemini** 
-  **Ask Grok** 

READY TO CONNECT

Givebutter is live on Vinkius Cloud.

Get your connection token, paste it into your AI agent, and
start building. No SDK. No deployment. Just results.

[Start at cloud.vinkius.com](https://cloud.vinkius.com) →

vinkius.com · support@vinkius.com

INDEPENDENT PLATFORM DISCLAIMER

Vinkius is an independent platform and is not affiliated with, endorsed by, sponsored by, verified by, or otherwise authorized by Givebutter. All third-party trademarks, logos, and brand names are the property of their respective owners. Their use in this document is strictly for informational purposes to identify service compatibility and interoperability.

DOCUMENT INFORMATION

Generated	June 2026
MCP Server	Givebutter MCP
Server ID	019d75a5-8b51-7161-9a54-e89af03f45ab
Platform	Vinkius Cloud for AI Agents
Endpoint	https://edge.vinkius.com/{token}/mcp

LICENSE & USAGE

This document is generated automatically by the Vinkius PDF Engine. Content reflects the MCP server configuration at the time of generation and may change as updates are deployed. For the most current information, visit vinkius.com/mcp/givebutter.