

MCP SERVER

NO CODE

CLOUD HOSTED

GiveWP MCP

Analyze donor history and form performance instantly.

GiveWP connects your WordPress donation system to any AI agent, letting you automatically pull complex fundraising data. You can query detailed donor profiles, track specific forms' performance, and retrieve comprehensive lists of donations without logging into the main dashboard. It's instant reporting for nonprofits.

A+ Quality Score 100/100

wordpress

donations

fundraising

donor-tracking

plugin



The infrastructure that powers AI agents in the real world.



Vinkius connects AI to the world's software through secure, enterprise-grade infrastructure — enabling real-world execution at scale, built on the Model Context Protocol (MCP).

Your AI Connections Run Through Vinkius Cloud

The world's largest
managed MCP catalog

Vinkius is the cloud infrastructure where AI agents connect to the software your business already runs. We handle the hosting, the security, the credentials, the uptime — you get agents that actually do things.

We operate the world's largest managed MCP catalog. Major SaaS platforms, CRMs, databases, and cloud providers — running, monitored, production-ready. This MCP server is hosted and maintained by the Vinkius Cloud for AI Agents.

The agent doesn't manage credentials, doesn't manage uptime, doesn't manage security. Vinkius does.

— Architecture principle

Four Pillars of the Vinkius Runtime

01 — Security by design

Credentials stay encrypted at rest via AES-256. The AI agent never touches raw keys — they're injected into a sandboxed V8 isolate at runtime. Actions are logged, and connections have an emergency kill switch.

03 — Deterministic observability

Eight immutable metrics per endpoint: request volume, p95 latency, error rate, active connections, cost attribution. A live payload feed logs every tool call with mutation detection.

02 — Built on MCP Fusion

This MCP server was built with **MCP Fusion**, the open-source framework (Apache 2.0) that powers the entire Vinkius catalog. Schema-as-firewall strips undeclared fields, compiled PII redaction runs at zero overhead, and cryptographic lockfiles produce git-diffable audit trails.

04 — Autonomous operations

Servers are deployed, monitored, and patched autonomously. New capabilities and security patches ship weekly. Zero-downtime deployments ensure continuous availability across all managed MCP servers.

AES-256

Encryption at rest

Ed25519

PKI vault signatures

24h TTL

Ephemeral session keys

V8 Isolate

Sandboxed execution

One Token. Instant Access.

Every MCP server on Vinkius is accessed through a **Connection Token**. Tokens are generated in the cloud dashboard and produce a unique MCP endpoint URL. Paste this URL into any MCP-compatible client — no SDK required.

A single token can serve **multiple AI clients simultaneously**, or you can issue separate tokens per client for granular access control. Each token tracks its own request count, last activity timestamp, and can be individually enabled or revoked.

MCP ENDPOINT

`https://edge.vinkius.com/{token}/mcp`

Claude



Cursor



VS Code



Windsurf



Grok



Gemini

Security Is the Architecture

Security in Vinkius is not a feature — it's the foundation of the runtime. The gateway enforces multiple independent protection layers between AI agents and third-party APIs.

01 — Ed25519 PKI Vault

Every workspace has an Ed25519 Master Key. Session keys are generated ephemerally (24h TTL) and signed by the Master Key. Credentials never leave the vault boundary.

02 — V8 Isolate Sandboxing

Tool code runs inside isolated-vm V8 isolates with 64 MB memory caps and per-request timeouts. No filesystem access, no network access except through the SSRF-guarded fetch bridge.

03 — SSRF Guard

All outbound HTTP requests are DNS-resolved and validated before execution. Private IP ranges (10.x, 172.16-31.x, 192.168.x, AWS metadata 169.254.x) are blocked at the network layer.

05 — Cryptographic Audit Trail

Every request is signed into a SHA-256 hash chain with Ed25519 signatures. Events form a tamper-proof, SIEM-exportable forensic record.

04 — DLP & PII Redaction

A ResponseGuard pipeline intercepts every tool response. Configurable redaction patterns strip sensitive fields (emails, SSNs, card numbers) before data reaches the AI agent.

06 — Honeypot Trap System

Phantom credentials are injected into isolated environments. If a honeypot is used outside Vinkius infrastructure, the server is quarantined instantly.

Emergency Kill Switch

EU AI Act Art. 14(1)
Compliant

The kill switch is an **emergency halt** mechanism — not a simple toggle. When triggered, it executes three actions atomically:

01 — Server deactivated

The MCP server is immediately taken offline across the entire cluster.

02 — All tokens revoked

Every connection token is invalidated. Total lockout — reconnection blocked until new tokens are issued.

03 — WebSocket connections killed

Active connections terminated via Redis pubsub broadcast. Propagates to every runtime node in the cluster.

Full Visibility. Zero Guesswork.

The Vinkius cloud dashboard includes a full MCP Governance suite — real-time analytics and security controls for production AI operations.

Control Plane

KPI dashboard with request volume, latency, success rate, token consumption, and AI-generated operational briefings.

FinOps

Cost tracking per tool, payload compression savings, budget optimization signals, and consumption trends.

Firewall & DLP

PII redaction activity, sensitive data protection counters, and security event timeline.

Agent Activity

Which AI clients are connecting, how often, and what they're doing — real-time session tracking.

Tool Health

Slowest and most error-prone tools, with actionable root-cause insights and performance baselines.

Incident Log

Error trends, failure rates, status-code breakdowns, and forensic audit trail access.

Get started at cloud.vinkius.com — connect your AI agent in under 60 seconds.

GiveWP MCP

9 tools available

Cloud-hosted on Vinkius

Your agent accesses all the raw numbers from your giving site, treating your donation records like a searchable database. Instead of navigating separate tabs to check goal progress or donor activity, you just talk to your AI client and ask what you need. You can list every active form on your site, pull up a specific donor's entire history, and get real-time stats for any campaign period. This capability lets non-profit admins automate tedious reporting tasks instantly. By connecting through the Vinkius Marketplace, your agent gets read-only access to everything—a safe way to manage all your giving data without leaving your workspace.

Core Capabilities

01 — Check API connectivity

Verifies that your AI client has a working connection to the donation records.

03 — Retrieve form performance statistics

Pulls key metrics, like total money raised and donation count, for any single form.

05 — Fetch general site statistics

Gives an overview of the overall plugin performance and fundraising totals.

07 — List all donor profiles

Pulls a roster of every unique individual who has donated money.

02 — Search donor history

Looks up all giving records for a specific person or donor name.

04 — Get detailed form metadata

Retrieves configuration details about a specific online giving form.

06 — List all donation records

Retrieves a comprehensive list of every donation that came through the system.

One Click on Vinkius — From Prompt to Execution

Available at vinkius.com/mcp/givewp — connect your AI agent in three steps.

- 01** Subscribe to this MCP on Vinkius and provide your WordPress Base URL along with the necessary GiveWP API keys.
- 02** Your AI client connects using these credentials, establishing a secure, read-only link to your donation database.
- 03** You ask your agent any question—like 'What was our average gift last month?' or 'Show me Jane Doe's history.'—and it pulls the precise data.

The bottom line is you talk to your AI client, and it handles all the database querying for donation reports.

Built For

Nonprofit site admins who spend hours manually compiling quarterly reports.
Digital fundraisers who need instant campaign performance checks. Marketing analysts who are tired of running multiple dashboard exports just to merge data into a presentation.

Nonprofit Site Admin

Checks if the latest donation was recorded, lists all active giving forms, or verifies API connection status without logging into the backend.

Digital Fundraiser

Needs a real-time overview of campaign performance and donor activity via simple commands to guide immediate fundraising efforts.

Marketing Analyst

Automates the retrieval of detailed donation statistics, pulling data for weekly or monthly board reports quickly.

What Changes When You Connect

- 01** Stop clicking through multiple dashboard tabs. You can ask your agent to list all active forms or get the goal progress for a specific campaign in one command, saving minutes every day.

-
- 02 Deep dive into individual giving. Instead of manually searching for records, use the `find_donor_history` tool to pull up a donor's entire giving journey instantly.

 - 03 Better reporting means more money. Automatically gather all necessary data by listing donations and form stats, making weekly reports accurate and fast.

 - 04 Confidence in your setup. Use `verify_api_connection` whenever you need assurance that the link between your AI client and your donation database is live and functioning.

 - 05 Manage forms without logging in. You can list all available giving options or get specific form metadata, all through natural conversation with your agent.
-

Real-World Applications

The Board Meeting Report

A marketing analyst needs to prove fundraising success for the board meeting. They ask their agent: 'Show me overall site stats and list all donations from Q3.' The MCP uses `get_plugin_stats` and `list_donation_forms` to pull a clean, compiled data set ready for presentation.

Quick Form Audit

A site admin needs to know if they launched a new campaign form. They ask: 'List all donation forms.' The MCP uses `list_donation_forms` and provides the names, IDs, and status of every form on the site.

Checking Donor Engagement

A fundraiser receives an email from a high-value donor. They immediately ask their agent: 'What is the entire giving history for this person?' The MCP uses `find_donor_history` to pull up five years of data in seconds, allowing them to tailor a thank you message.

Post-Campaign Review

The team just finished a major charity drive. They ask: 'What were the overall stats for the Annual Fund form?' The MCP uses `get_form_performance` to provide total funds and average donation size, eliminating manual calculation.

Patterns to Avoid

Trying to edit records

✗ AVOID

Asking the agent: 'Change Jane Doe's last gift amount.' The system will fail because this MCP is read-only and cannot modify data.

✓ INSTEAD

You can only query. To check a donor's past giving, use `find_donor_history`. If you need to change records, you must do that directly within the GiveWP admin dashboard.

Getting general site content

✗ AVOID

Asking: 'What is our latest blog post about?' The MCP only understands fundraising metrics and donor data; it won't know anything about your website's pages.

✓ INSTEAD

This MCP is dedicated to donation data. Use tools like `list_donation_forms` or `get_form_performance` when you need financial or campaign information.

Using it for user management

✗ AVOID

Asking: 'List all site users and their roles.' The MCP only tracks donors, not general WordPress users. It cannot fulfill this request.

✓ INSTEAD

The tools here are limited to donation data. For donor lists, use `list_plugin_donors`.

The Right Fit

Use this MCP if your primary job revolves around analyzing fundraising metrics and donor activity. If you need to know *who* gave money, *how much*, or *what forms* were used for giving, this is the right tool. Don't use it if you are trying to manage blog posts, edit website text, or handle general user accounts—those systems require different tools entirely. This MCP is purely a data extraction layer for donation and donor information; it won't change anything on your site itself.

Donation reporting used to be a nightmare of spreadsheets and dashboards.

Right now, generating a quarterly report means jumping between the dashboard, exporting raw donation lists, cross-referencing donor names in one tab, and then manually pulling specific form metrics into a separate spreadsheet. It's slow, it's error-prone, and it takes hours just to compile the data.

With this MCP, you simply tell your agent what report you need—for example, 'Give me all unique donors who gave over \$100 last year.' You get the compiled, accurate answer instantly, letting you spend time strategizing instead of copy-pasting.

Get Donor History and Form Performance with GiveWP MCP

You no longer have to run separate reports for donor lists versus form stats. Instead, you can ask your agent to pull up a donation record *and* tell you which specific form it came from in one go.

It's direct access to deep data insights. You get the answers immediately, eliminating the workflow bottleneck of manual data aggregation.

GiveWP with 9 Tools

These tools let you programmatically list forms, search donor profiles, get performance metrics, and retrieve all raw donation data using natural language queries.

#	TOOL	DESCRIPTION
01	<code>verify_api_connection</code>	Checks if your AI client has established a working link to the GiveWP database.
02	<code>find_donor_history</code>	Searches and retrieves all historical donation records associated with a specific donor's profile.
03	<code>get_form_performance</code>	Gathers key statistics, including total funds raised and the number of donations, for any given giving form.
04	<code>get_form_details</code>	Retrieves detailed configuration information and metadata about a specific donation form.
05	<code>get_plugin_stats</code>	Provides high-level, general statistics on the overall performance of the GiveWP plugin itself.
06	<code>list_plugin_donations</code>	Generates a complete list of every donation record processed through the entire system.
07	<code>list_plugin_donors</code>	Pulls a comprehensive list of all unique donor profiles recorded in your database.
08	<code>list_donation_forms</code>	Lists every active and archived donation form published on your website.
09	<code>list_recent_donations</code>	Retrieves the latest batch of donations recorded in the system for quick review.

See It in Action

Real prompts you can use once this MCP is connected to your AI agent through Vinkius Cloud.

U List all active donation forms on my website.



Retrieving forms... I found 4 active donation forms, including 'Emergency Relief Fund' (ID: 123) and 'Monthly Sponsorship'. Would you like to see the goal progress for any of them?

U Show me the donation history for donor 'jane@example.com'.



Fetching history... Jane Doe has made 5 donations totaling \$250.00. Her most recent contribution was \$50.00 on September 15th for the 'Holiday Campaign'.

U Get the fundraising stats for the 'Annual Fund' form (ID: 987).



Retrieving stats... The 'Annual Fund' form has raised \$12,450.00 from 145 unique donations. The average donation amount is \$85.86.

Frequently Asked Questions

01 How do I connect GiveWP MCP to my donation site?

You subscribe through Vinkius and provide your WordPress Base URL along with your GiveWP API keys. The connection is read-only, ensuring data safety.

02 Can I use the givewp mcps to edit donations?

No, this MCP only provides read access. You can view and report on donation history using tools like `'list_plugin_donations'`, but you cannot make any changes.

03 What if I want stats for a specific campaign?

Use the `get_form_performance` tool. You just need to provide the form ID or name, and your agent will pull total funds raised, donation counts, and other key metrics.

04 Does GiveWP MCP track non-WordPress donations?

No. This MCP is specifically designed to connect only with donations processed through the GiveWP WordPress plugin on your site.

05 Which tool should I use to see all my donors?







Use the `list_plugin_donors` tool. It compiles a list of every unique individual who has ever donated money through the system.

Go Live in 60 Seconds

Get your connection token from cloud.vinkius.com, then paste the endpoint URL into any MCP-compatible client.

YOUR MCP ENDPOINT

```
https://edge.vinkius.com/[TOKEN]/mcp
```

CLIENT	WHERE TO CONFIGURE
 Claude AI	Profile → Customize → Connectors → "+" → Add custom connector → Paste endpoint
 Cursor	Settings → Features → MCP Servers → "+ Add New MCP Server" → Type: SSE → Paste endpoint
 VS Code	Ctrl/Cmd+Shift+P → "MCP: Add Server" → add <code>"givewp": { "url": "..." }</code>
 Windsurf	MCP Settings → <code>mcp_settings.json</code> → Add endpoint URL
 ChatGPT	Settings → Tools & plugins → Add MCP server → Paste endpoint
 Gemini	Extensions → Add MCP Server → Paste endpoint URL

ASK AN AI ABOUT THIS

Let your preferred AI explain this MCP server

-  **Ask ChatGPT** 
-  **Ask Claude** 
-  **Ask Perplexity** 
-  **Ask Gemini** 
-  **Ask Grok** 

READY TO CONNECT

GiveWP is live on Vinkius Cloud.

Get your connection token, paste it into your AI agent, and start building. No SDK. No deployment. Just results.

[Start at cloud.vinkius.com](https://cloud.vinkius.com) →

vinkius.com · support@vinkius.com

INDEPENDENT PLATFORM DISCLAIMER

Vinkius is an independent platform and is not affiliated with, endorsed by, sponsored by, verified by, or otherwise authorized by GiveWP. All third-party trademarks, logos, and brand names are the property of their respective owners. Their use in this document is strictly for informational purposes to identify service compatibility and interoperability.

DOCUMENT INFORMATION

Generated	June 2026
MCP Server	GiveWP MCP
Server ID	019d75a5-dc64-706f-9a6c-35db7cf2300f
Platform	Vinkius Cloud for AI Agents
Endpoint	https://edge.vinkius.com/{token}/mcp

LICENSE & USAGE

This document is generated automatically by the Vinkius PDF Engine. Content reflects the MCP server configuration at the time of generation and may change as updates are deployed. For the most current information, visit vinkius.com/mcp/givewp.