MCP SERVER | NO CODE | CLOUD HOSTED

Google Forms MCP

Analyze Survey Data Conversationally

Google Forms MCP lets your AI client analyze data directly from Google Forms. List every active survey instance under your account, check the exact structure of any form, and pull all raw submitted answers without manually downloading CSV files. Stop sifting through dense charts; just chat with your form matrix to get instant insights.

A+ Quality Score 100/100

data-collection | survey-analysis | response-tracking | form-automation | data-extraction

MAINTAINED BY VINKIUS CLOUD FOR AI AGENTS · JUNE 2026
vinkius.com/mcp/google-forms

SCAN TO VIEW

The infrastructure that powers AI agents in the real world.

Vinkius connects AI to the world's software through secure, enterprise-grade infrastructure — enabling real-world execution at scale, built on the Model Context Protocol (MCP).

Your AI Connections Run Through Vinkius Cloud

The world's largest managed MCP catalog

Vinkius is the cloud infrastructure where AI agents connect to the software your business already runs. We handle the hosting, the security, the credentials, the uptime — you get agents that actually do things.

We operate the world's largest managed MCP catalog. Major SaaS platforms, CRMs, databases, and cloud providers — running, monitored, production-ready. This MCP server is hosted and maintained by the Vinkius Cloud for AI Agents.

> *The agent doesn't manage credentials, doesn't manage uptime, doesn't manage security. Vinkius does.*
>
> — Architecture principle

Four Pillars of the Vinkius Runtime

01 — Security by design

Credentials stay encrypted at rest via AES-256. The AI agent never touches raw keys — they're injected into a sandboxed V8 isolate at runtime. Actions are logged, and connections have an emergency kill switch.

02 — Built on MCP Fusion

This MCP server was built with **MCP Fusion**, the open-source framework (Apache 2.0) that powers the entire Vinkius catalog. Schema-as-firewall strips undeclared fields, compiled PII redaction runs at zero overhead, and cryptographic lockfiles produce git-diffable audit trails.

03 — Deterministic observability

Eight immutable metrics per endpoint: request volume, p95 latency, error rate, active connections, cost attribution. A live payload feed logs every tool call with mutation detection.

04 — Autonomous operations

Servers are deployed, monitored, and patched autonomously. New capabilities and security patches ship weekly. Zero-downtime deployments ensure continuous availability across all managed MCP servers.

AES-256	Ed25519	24h TTL	V8 Isolate
Encryption at rest	PKI vault signatures	Ephemeral session keys	Sandboxed execution

One Token. Instant Access.

Every MCP server on Vinkius is accessed through a **Connection Token**. Tokens are generated in the cloud dashboard and produce a unique MCP endpoint URL. Paste this URL into any MCP-compatible client — no SDK required.

A single token can serve **multiple AI clients simultaneously**, or you can issue separate tokens per client for granular access control. Each token tracks its own request count, last activity timestamp, and can be individually enabled or revoked.

MCP ENDPOINT

```
https://edge.vinkius.com/{token}/mcp
```

Claude · Cursor · VS Code · Windsurf · Grok · Gemini

Security Is the Architecture

Security in Vinkius is not a feature — it's the foundation of the runtime. The gateway enforces multiple independent protection layers between AI agents and third-party APIs.

01 — Ed25519 PKI Vault

Every workspace has an Ed25519 Master Key. Session keys are generated ephemerally (24h TTL) and signed by the Master Key. Credentials never leave the vault boundary.

02 — V8 Isolate Sandboxing

Tool code runs inside isolated-vm V8 isolates with 64 MB memory caps and per-request timeouts. No filesystem access, no network access except through the SSRF-guarded fetch bridge.

03 — SSRF Guard

All outbound HTTP requests are DNS-resolved and validated before execution. Private IP ranges (10.x, 172.16-31.x, 192.168.x, AWS metadata 169.254.x) are blocked at the network layer.

04 — DLP & PII Redaction

A ResponseGuard pipeline intercepts every tool response. Configurable redaction patterns strip sensitive fields (emails, SSNs, card numbers) before data reaches the AI agent.

05 — Cryptographic Audit Trail

Every request is signed into a SHA-256 hash chain with Ed25519 signatures. Events form a tamper-proof, SIEM-exportable forensic record.

06 — Honeytoken Trap System

Phantom credentials are injected into isolated environments. If a honeytoken is used outside Vinkius infrastructure, the server is quarantined instantly.

Emergency Kill Switch

EU AI Act Art. 14(1) Compliant

The kill switch is an **emergency halt** mechanism — not a simple toggle. When triggered, it executes three actions atomically:

01 — Server deactivated

The MCP server is immediately taken offline across the entire cluster.

02 — All tokens revoked

Every connection token is invalidated. Total lockout — reconnection blocked until new tokens are issued.

03 — WebSocket connections killed

Active connections terminated via Redis pubsub broadcast. Propagates to every runtime node in the cluster.

Full Visibility. Zero Guesswork.

The Vinkius cloud dashboard includes a full MCP Governance suite — real-time analytics and security controls for production AI operations.

Control Plane

KPI dashboard with request volume, latency, success rate, token consumption, and AI-generated operational briefings.

Agent Activity

Which AI clients are connecting, how often, and what they're doing — real-time session tracking.

FinOps

Cost tracking per tool, payload compression savings, budget optimization signals, and consumption trends.

Tool Health

Slowest and most error-prone tools, with actionable root-cause insights and performance baselines.

Firewall & DLP

PII redaction activity, sensitive data protection counters, and security event timeline.

Incident Log

Error trends, failure rates, status-code breakdowns, and forensic audit trail access.

> Get started at **cloud.vinkius.com** — connect your AI agent in under 60 seconds.

Google Forms MCP

2 tools available
Cloud-hosted on Vinkius

Managing feedback surveys shouldn't mean staring at spreadsheets or refreshing dashboards every fifteen minutes. This MCP connects Google Forms directly to your AI client, letting you talk to your data pipeline instead of wrestling with it. You can ask your agent specific questions—like 'What were the top three complaints from the Q3 event?'—and get an immediate summary built from thousands of responses. Need to know if a new question is structured correctly? Use the MCP to instantly validate the form's schema. This means you don't waste time verifying column headers or worrying about data types. Through Vinkius, your AI client gets access to this entire catalog, making it easy to connect Google Forms alongside other business tools for deep analysis. It simply makes complex feedback collection conversational.

Core Capabilities

01 — List all active surveys

Find every form running under your account using its unique file ID.

02 — Check survey structure

Examine the metadata and schema of a specific form to see exactly what questions it asks.

03 — Retrieve all responses

Pull every single answer submitted for a given form into your chat window for analysis.

04 — Summarize feedback trends

Get an AI summary of general sentiment or specific score ranges from the collected answers.

05 — Validate question types

Confirm if a form field is set up as text, multiple choice, or a rating scale.

One Click on Vinkius — From Prompt to Execution

Available at **vinkius.com/mcp/google-forms** — connect your AI agent in three steps.

01 Install and subscribe to the Google Forms MCP via Vinkius.

02 Authorize access using standard OAuth 2.0 credentials pointing to your Workspace account.

03 Execute a read command, telling your agent exactly what data you need (e.g., 'Get all responses for the Q4 survey').

The bottom line is you don't have to write complex API calls; you just tell your AI client what data you want, and it handles the connection.

Built For

This MCP is built for people who live in feedback. If you spend time cross-referencing survey results across multiple spreadsheets or waiting on a junior analyst to generate reports, this is for you. It’s for the Marketing Analyst tired of CSV nightmares and the Event Planner needing immediate attendee sentiment.

Marketing Analyst

Needs to quickly run comparative analyses (e.g., comparing NPS scores from three different campaigns) without manually exporting data every time.

Product Manager

Must validate user feedback schemas against product requirements, confirming if all necessary details were actually collected in the survey.

Event Coordinator

Needs to retrieve specific attendee confirmations or answers linked to targeted IDs rather than sifting through thousands of generic submissions.

What Changes When You Connect

01 Stop downloading CSVs. Instead of refreshing massive spreadsheets, ask your agent to pull raw answers directly into the chat window for immediate analysis using `get_form_responses`.

02 Pinpoint exactly what data you're collecting. Use `get_form_metadata` to verify the schema and check if a survey question was set up correctly before launch.

03 Move beyond simple counts. Your agent can read all responses and summarize complex trends, like identifying patterns in open-ended comments that signal system failures or feature gaps.

04 Handle large event data sets effortlessly. You don't need to write complex queries; you just tell your AI client which form ID to analyze and get the full picture instantly.

05 Streamline onboarding for new analysts. Instead of spending hours learning Google Forms API documentation, you simply use natural language prompts with this MCP.

Real-World Applications

Determining post-launch product sentiment

A Product Manager needs to know if the new checkout flow is confusing. They ask their agent to 'Get all responses for the Checkout Survey' and ask for a summary of negative comments about payment fields. The agent pulls the raw data using `get_form_responses` and highlights common complaints instantly.

Checking event survey readiness

An Event Coordinator needs to verify if their 'Speaker Feedback' form is ready for the next cohort. They use the MCP to call `get_form_metadata`, which immediately confirms the schema and shows that the required rating scale field is present.

Comparing regional campaign performance

A Marketing Analyst manages three distinct campaigns. Instead of opening three separate reports, they ask their agent to list all active forms via the MCP, then target the specific form IDs to pull and compare response counts from each region in one chat session.

Auditing data collection before launch

A PM wants to make sure a new quiz captures enough detail. They use `get_form_metadata` on the test form ID, confirming that it includes both quantitative rating fields and mandatory free-text comment sections.

Patterns to Avoid

Relying on manual data exports

✗ AVOID

The analyst downloads a CSV file, opens Excel, filters by date, then uses VLOOKUP to match it against another spreadsheet. This takes 30 minutes and requires perfect column matching.

✓ INSTEAD

Instead, let your agent use `get_form_responses` directly from the MCP. You ask for 'all responses in the last week,' and the data is delivered ready for analysis in one step.

Confusing form IDs

✗ AVOID

The user only remembers the title, not the unique file ID, leading to confusion when trying to pull the wrong year's data.

✓ INSTEAD

First, use the MCP to list all active forms. This gives you a clean directory of available surveys and their correct form IDs, so you can target the right dataset.

Assuming structure

✗ AVOID

The user assumes 'NPS score' is always collected in a specific column, only to find out later that the field name changed.

✓ INSTEAD

Always run `get_form_metadata` first. This shows you the exact schema—the current official question names and data types—before you attempt to analyze any responses.

The Right Fit

Use this MCP if your core problem is processing structured, written feedback from Google Forms. You need an agent that can treat raw survey submissions like a searchable database, not just a collection of static files. This works best when you want to compare multiple forms, summarize open-ended text, or validate data structures before using them elsewhere. Don't use this if your goal is to manage the form itself—like changing question wording or adding

new options; for that, you need direct access to the Google Forms API. If you just need a list of all available forms, this MCP handles it with its listing capabilities. You do not need this if your data lives in something else, like Salesforce records or Stripe transactions; then you'd look at other industry-specific MCHs.

Sifting Through the Feedback Mess

Every time a product launch ends or an event concludes, people have to deal with forms. The process is painful: you download massive CSV files, open them in Excel, and then spend hours sifting through columns of answers just to find trends. You're constantly cross-referencing dates, matching IDs, and manually filtering out noise.

With this MCP, the whole flow changes. Instead of clicking 'Download' repeatedly, you ask your agent a plain question like, 'What were the most common complaints about the UI?' The system uses `get_form_responses` to pull every relevant piece of data and gives you an immediate summary in chat. It’s instant analysis.

Get Full Form Data with get_form_metadata

Before running a campaign or launching a quiz, the manual steps involve going into the Google Forms editor to check every single question type. You have to manually verify if 'Rating' is correct and if required fields are properly marked.

Now, you run `get_form_metadata`. This gives you the complete technical blueprint of the form—the schema—right in your chat environment. It tells you exactly what data points exist, saving you time and preventing errors before a single user sees the survey.

Google Forms MCP: 2 Tools Available

Use these tools to query the structure of forms or retrieve every single answer submitted across your Google Forms account.

#	TOOL	DESCRIPTION
01	`get_form_metadata`	Retrieves the detailed structure and field types (schema) for any specified Google Form.
02	`get_form_responses`	Pulls all collected answers, row by row, from a specific form instance.

See It in Action

Real prompts you can use once this MCP is connected to your AI agent through Vinkius Cloud.

U Read the form metadata and structure for the Form ID 'abc123xyz'.

I've fetched the structure. The active Form is titled 'Post-Event Feedback 2024'. It contains 4 explicit questions, including 'Rate your experience (1-10)' and 'Freeform Comments'.

U Fetch the responses recorded today in the Sales Survey (Form ID abc). Summarize the general satisfaction.

I've captured 22 recent responses. Across those payloads, the prevalent satisfaction score hovers between 8 and 9. Top positive highlight: 'Fast customer service'. Negative outliers point out a lack of documentation.

U List all active form instances under my account to find the latest specific quiz run.

Search initialized. Under your root index I discovered two forms matching normal schemas: 'Marketing Q1 Trends' (ID 4122) and 'Staff Quiz Baseline' (ID 198a). Which one should I focus on?

Frequently Asked Questions

01 **How do I use Google Forms MCP to list all my forms?**

You can start by asking your agent to list all active form instances. The tool finds every form ID under your account, giving you a directory of all available surveys.

02 **Can the Google Forms MCP summarize open-ended comments?**

Yes. After running `get_form_responses`, your agent can analyze the raw text answers and provide summaries or categorize recurring themes from qualitative feedback.

03 **Do I need to manually download data if I use get_form_responses?**

No, you don't. This MCP streams all the collected responses directly into your chat environment for your agent to process and summarize immediately.

04 **What is the difference between `get_form_metadata` and `get_form_responses`?**

`get_form_metadata` reads the structure (the questions asked), while `get_form_responses` pulls the actual data (the answers given) for a specific form ID.

05 **Does Google Forms MCP handle quizzes and tests?**

Yes. It treats quiz responses just like any other survey feedback, allowing you to retrieve both the raw scores and comments attached to those submissions.

Go Live in 60 Seconds

Get your connection token from **cloud.vinkius.com**, then paste the endpoint URL into any MCP-compatible client.

YOUR MCP ENDPOINT

```
https://edge.vinkius.com/[TOKEN]/mcp
```

CLIENT	WHERE TO CONFIGURE
Claude AI	Profile → Customize → Connectors → "+" → Add custom connector → Paste endpoint
Cursor	Settings → Features → MCP Servers → "+ Add New MCP Server" → Type: SSE → Paste endpoint
VS Code	Ctrl/Cmd+Shift+P → "MCP: Add Server" → add `"google-forms": { "url": "…" }`
Windsurf	MCP Settings → `mcp_settings.json` → Add endpoint URL
ChatGPT	Settings → Tools & plugins → Add MCP server → Paste endpoint
Gemini	Extensions → Add MCP Server → Paste endpoint URL

ASK AN AI ABOUT THIS

Let your preferred AI explain this MCP server

- Ask ChatGPT
- Ask Claude
- Ask Perplexity
- Ask Gemini
- Ask Grok

READY TO CONNECT

Google Forms is live on Vinkius Cloud.

Get your connection token, paste it into your AI agent, and start building. No SDK. No deployment. Just results.

Start at cloud.vinkius.com →

vinkius.com · support@vinkius.com

INDEPENDENT PLATFORM DISCLAIMER

Vinkius is an independent platform and is not affiliated with, endorsed by, sponsored by, verified by, or otherwise authorized by Google Forms. All third-party trademarks, logos, and brand names are the property of their respective owners. Their use in this document is strictly for informational purposes to identify service compatibility and interoperability.

DOCUMENT INFORMATION

Generated	June 2026
MCP Server	Google Forms MCP
Server ID	`019d75a8-a6d1-7252-99c2-e8ba9d3d8b18`
Platform	Vinkius Cloud for AI Agents
Endpoint	`https://edge.vinkius.com/{token}/mcp`

LICENSE & USAGE

This document is generated automatically by the Vinkius PDF Engine. Content reflects the MCP server configuration at the time of generation and may change as updates are deployed. For the most current information, visit vinkius.com/mcp/google-forms.