

MCP SERVER

NO CODE

CLOUD HOSTED

isvat MCP

Validate any EU tax ID instantly, conversationally.

isvat is an MCP for instant, automated validation of European VAT numbers. Connect it to your AI agent to verify tax IDs across all EU countries without manual lookups or complex API scripting. It checks if a business's tax ID is valid in real time, making international compliance and financial auditing simple for global teams.

A+ Quality Score 100/100

vat-validation

tax-compliance

european-tax

financial-auditing

tax-id-verification



The infrastructure that powers AI agents in the real world.



Vinkius connects AI to the world's software through secure, enterprise-grade infrastructure — enabling real-world execution at scale, built on the Model Context Protocol (MCP).

Your AI Connections Run Through Vinkius Cloud

The world's largest
managed MCP catalog

Vinkius is the cloud infrastructure where AI agents connect to the software your business already runs. We handle the hosting, the security, the credentials, the uptime — you get agents that actually do things.

We operate the world's largest managed MCP catalog. Major SaaS platforms, CRMs, databases, and cloud providers — running, monitored, production-ready. This MCP server is hosted and maintained by the Vinkius Cloud for AI Agents.

The agent doesn't manage credentials, doesn't manage uptime, doesn't manage security. Vinkius does.

— Architecture principle

Four Pillars of the Vinkius Runtime

01 — Security by design

Credentials stay encrypted at rest via AES-256. The AI agent never touches raw keys — they're injected into a sandboxed V8 isolate at runtime. Actions are logged, and connections have an emergency kill switch.

03 — Deterministic observability

Eight immutable metrics per endpoint: request volume, p95 latency, error rate, active connections, cost attribution. A live payload feed logs every tool call with mutation detection.

02 — Built on MCP Fusion

This MCP server was built with **MCP Fusion**, the open-source framework (Apache 2.0) that powers the entire Vinkius catalog. Schema-as-firewall strips undeclared fields, compiled PII redaction runs at zero overhead, and cryptographic lockfiles produce git-diffable audit trails.

04 — Autonomous operations

Servers are deployed, monitored, and patched autonomously. New capabilities and security patches ship weekly. Zero-downtime deployments ensure continuous availability across all managed MCP servers.

AES-256

Encryption at rest

Ed25519

PKI vault signatures

24h TTL

Ephemeral session keys

V8 Isolate

Sandboxed execution

One Token. Instant Access.

Every MCP server on Vinkius is accessed through a **Connection Token**. Tokens are generated in the cloud dashboard and produce a unique MCP endpoint URL. Paste this URL into any MCP-compatible client — no SDK required.

A single token can serve **multiple AI clients simultaneously**, or you can issue separate tokens per client for granular access control. Each token tracks its own request count, last activity timestamp, and can be individually enabled or revoked.

MCP ENDPOINT

`https://edge.vinkius.com/{token}/mcp`

Claude



Cursor



VS Code



Windsurf



Grok



Gemini

Security Is the Architecture

Security in Vinkius is not a feature — it's the foundation of the runtime. The gateway enforces multiple independent protection layers between AI agents and third-party APIs.

01 — Ed25519 PKI Vault

Every workspace has an Ed25519 Master Key. Session keys are generated ephemerally (24h TTL) and signed by the Master Key. Credentials never leave the vault boundary.

02 — V8 Isolate Sandboxing

Tool code runs inside isolated-vm V8 isolates with 64 MB memory caps and per-request timeouts. No filesystem access, no network access except through the SSRF-guarded fetch bridge.

03 — SSRF Guard

All outbound HTTP requests are DNS-resolved and validated before execution. Private IP ranges (10.x, 172.16-31.x, 192.168.x, AWS metadata 169.254.x) are blocked at the network layer.

05 — Cryptographic Audit Trail

Every request is signed into a SHA-256 hash chain with Ed25519 signatures. Events form a tamper-proof, SIEM-exportable forensic record.

04 — DLP & PII Redaction

A ResponseGuard pipeline intercepts every tool response. Configurable redaction patterns strip sensitive fields (emails, SSNs, card numbers) before data reaches the AI agent.

06 — Honeypot Trap System

Phantom credentials are injected into isolated environments. If a honeypot is used outside Vinkius infrastructure, the server is quarantined instantly.

Emergency Kill Switch

EU AI Act Art. 14(1)
Compliant

The kill switch is an **emergency halt** mechanism — not a simple toggle. When triggered, it executes three actions atomically:

01 — Server deactivated

The MCP server is immediately taken offline across the entire cluster.

02 — All tokens revoked

Every connection token is invalidated. Total lockout — reconnection blocked until new tokens are issued.

03 — WebSocket connections killed

Active connections terminated via Redis pubsub broadcast. Propagates to every runtime node in the cluster.

Full Visibility. Zero Guesswork.

The Vinkius cloud dashboard includes a full MCP Governance suite — real-time analytics and security controls for production AI operations.

Control Plane

KPI dashboard with request volume, latency, success rate, token consumption, and AI-generated operational briefings.

FinOps

Cost tracking per tool, payload compression savings, budget optimization signals, and consumption trends.

Firewall & DLP

PII redaction activity, sensitive data protection counters, and security event timeline.

Agent Activity

Which AI clients are connecting, how often, and what they're doing — real-time session tracking.

Tool Health

Slowest and most error-prone tools, with actionable root-cause insights and performance baselines.

Incident Log

Error trends, failure rates, status-code breakdowns, and forensic audit trail access.

Get started at cloud.vinkius.com — connect your AI agent in under 60 seconds.

isvat MCP

3 tools available

Cloud-hosted on Vinkius

Need to make sure that client's European VAT number is legit? You don't have to open ten different websites or deal with messy spreadsheets anymore. This MCP lets your AI agent manage the entire tax ID verification workflow instantly. Instead of writing a script, you just ask your agent: 'Is this German VAT number valid?' Your agent handles the lookup and gives you a simple yes/no answer, complete with confirmation details.

Whether you're running due diligence on a new partner or processing invoices for cross-border sales, your AI client acts like a real-time compliance officer. It checks IDs, validates batches of numbers at once, and even lets you check the service status to make sure everything is working. Since Vinkius hosts this MCP, you can connect it from Claude, Cursor, Windsurf, or any compatible agent, keeping your tax data verified right inside your natural conversation flow.

Core Capabilities

01 — Check single VAT validity

Instantly verifies if one European VAT number is legitimate.

02 — Validate multiple batches of IDs

Processes and validates large lists or groups of VAT numbers at once.

03 — Monitor service uptime

Confirms the operational status of the tax ID validation API.

One Click on Vinkius — From Prompt to Execution

Available at vinkius.com/mcp/isvat — connect your AI agent in three steps.

- 01 Subscribe to this MCP in Vinkius.
- 02 Connect your preferred AI agent (like Claude or Cursor). No API key is required for access.
- 03 Tell your agent what you need, like 'Validate these ten European tax IDs,' and it runs the checks instantly.

The bottom line is you tell your agent to check the VAT numbers, and it gets back a clean report showing which ones are valid and which aren't.

Built For

This MCP is for financial analysts and compliance managers who spend too much time manually cross-referencing tax IDs across borders. If you regularly process international invoices or audit partner lists, this saves hours of manual, error-prone checking.

Accountant

Runs periodic audits on vendor accounts to ensure every European business listed has a valid VAT ID.

Financial Analyst

Performs rapid due diligence on corporate tax data before recommending investments or partnerships in foreign markets.

Sales Operations Manager

Cleans up large lead lists by verifying the VAT ID of every prospect to ensure compliance before sales begin.

What Changes When You Connect

- 01 Avoid manual lookups entirely. Instead of copying and pasting IDs into a web form, you simply ask your agent to validate them, and it handles the complex API call behind the scenes.

-
- 02 Maintain strict control over large data sets by using the `validate_multiple_vat` tool. This allows you to process entire contact lists for tax compliance in one go.

 - 03 Get instant confirmation status on single numbers with `validate_eu_vat`. Perfect for vetting a new supplier or client during an active conversation.

 - 04 Spend less time debugging broken workflows. The `check_api_status` tool ensures your agent's verification process is always reliable and operational before you start working.

 - 05 Stop guessing about tax compliance. This MCP provides immediate, verified confirmation that the tax data you rely on for invoicing or auditing is accurate.
-

Real-World Applications

Vetting a new international partner

A financial analyst needs to approve three potential partners from different EU countries. Instead of running three separate manual searches, they prompt their agent: 'Validate these three VAT numbers.' The agent uses the `validate_multiple_vat` tool and returns a single list showing which IDs are legitimate.

Quickly checking a single invoice detail

An accountant receives an invoice for a new supplier. They don't want to search the vendor portal; they just ask their agent, 'Is this VAT ID valid?' The agent uses `validate_eu_vat` and provides immediate confirmation.

Cleaning up a sales lead database

The Sales Ops Manager gets a massive spreadsheet of leads. They connect their agent to this MCP and run the batch validation, using `validate_multiple_vat`, allowing them to instantly filter out any records with invalid tax IDs before handing the list to finance.

Ensuring system readiness before audit day

Before a major financial audit begins, the operations lead wants to confirm that all tax data querying will work. They use the MCP's status check tool (`check_api_status`) first, guaranteeing the entire workflow is operational.

Patterns to Avoid

Trying to handle validation with simple text prompts

X AVOID

Just telling your agent 'Check all VAT numbers' without specifying a tool. The agent won't know if you mean one number, ten numbers, or a whole list.

✓ INSTEAD

Be specific about the volume of work. Use ``validate_eu_vat`` for single checks, or use ``validate_multiple_vat`` when dealing with lists to ensure accurate results.

Assuming data is correct

X AVOID

Using a non-validated tax ID in an invoice because it 'looks right.' This leads to compliance failures and payment delays.

✓ INSTEAD

Always run the data through this MCP. Use ``validate_eu_vat`` or ``validate_multiple_vat`` before any financial commitment.

Forgetting system checks

X AVOID

Writing a multi-step workflow assuming the tax ID service is up, only to have it fail mid-process and halt your entire project.

✓ INSTEAD

Always start by using ``check_api_status``. This confirms the underlying service is operational before you build complex workflows.

The Right Fit

Use this MCP if your job involves confirming tax compliance for European businesses, especially when dealing with lists of IDs or rapid due diligence. You need to know *if* a VAT number is legit and where that data comes from. Don't use it if you just need to format or clean up the text around the ID; you still have to perform the validation step.

If your primary goal is simply storing tax IDs in a database, this MCP won't help—you'll need an internal data ingestion tool instead. But if your workflow requires external verification against live EU databases, this is exactly what you need. The difference between just having a number and knowing it's verified is huge for compliance.

Cross-border invoicing used to be a nightmare of manual checks.

Today, when processing international invoices or compiling vendor lists, the process is tedious. You find a new partner's tax ID and then you have to open external sites, copy the number, paste it in, hit submit, wait for the page to reload, read the confirmation status, and then repeat that painful cycle for every single record.

With this MCP, your agent handles the entire process. You just ask for validation—whether it's a single ID or a batch of fifty. The system does the clicking, waiting, and reading instantly. You get back clean, verified tax data without lifting a finger.

Get instant clarity with isvat MCP.

The steps that disappear are the repetitive searches, the context switching between tabs, and the risk of human error caused by fatigue. You stop manually tracking status codes and start getting direct, verifiable answers.

Your workflow shifts from 'How do I check this ID?' to simply 'What is the compliance status of this business?' It's that simple.

isvat: 3 Tools for Tax Compliance

These three tools allow you to check single or multiple European VAT numbers and confirm the operational status of the validation service.

#	TOOL	DESCRIPTION
01	<code>validate_multiple_vat</code>	Checks a list of many European VAT numbers simultaneously for validity.
02	<code>check_api_status</code>	Confirms if the tax ID verification service is currently working and operational.
03	<code>validate_eu_vat</code>	Checks a single European VAT number to determine its validity status.

See It in Action

Real prompts you can use once this MCP is connected to your AI agent through Vinkius Cloud.

U Validate the European VAT number 'DE123456789' using isvat.



VAT number validated! The ID DE123456789 is identified as valid. Would you like to check another European VAT record?

U Check if French VAT 'FR12345678901' is valid.



I've checked the record. The French VAT number FR12345678901 is identified as valid by isvat. I can assist you with more tax ID auditing if needed.

U Verify multiple VAT numbers: DE123, FR456.



I've processed the batch validation. Both records were identified as valid. I can provide the individual confirmation markers for each if you'd like.

Frequently Asked Questions

01 Does isvat MCP handle all European VAT countries?

Yes, it validates against the entire scope of European Union tax IDs. You don't need to worry about regional variations; just provide the number.

02 Can I validate a huge list of VAT numbers using isvat MCP?

Absolutely. Use `validate_multiple_vat` for batch processing. This tool handles large volumes of IDs efficiently, saving you from manual entry errors.

03 Do I need to sign up for an API key for the isvat MCP?

No keys are required. The service is publicly available and integrated directly into your agent via this MCP, making setup fast and painless.

04 What if my validation fails? Does it tell me why?

The tool provides clear confirmation status. It tells you whether the ID failed or passed, which is enough information to flag the record for manual review.

05 Is this MCP just for invoices, or can I use it for audits?

You can use it for everything involving tax compliance. It's perfect for financial auditing and confirming vendor details long before an invoice is even generated.

Go Live in 60 Seconds

Get your connection token from cloud.vinkius.com, then paste the endpoint URL into any MCP-compatible client.

YOUR MCP ENDPOINT

```
https://edge.vinkius.com/[TOKEN]/mcp
```

CLIENT

WHERE TO CONFIGURE



Claude AI

Profile → Customize → Connectors → "+" → Add custom connector → Paste endpoint



Cursor

Settings → Features → MCP Servers → "+ Add New MCP Server" → Type: SSE → Paste endpoint



VS Code

Ctrl/Cmd+Shift+P → "MCP: Add Server" → add `"isvat": { "url": "..." }`



Windsurf

MCP Settings → `mcp_settings.json` → Add endpoint URL



ChatGPT

Settings → Tools & plugins → Add MCP server → Paste endpoint



Gemini

Extensions → Add MCP Server → Paste endpoint URL

ASK AN AI
ABOUT THIS

Let your preferred AI
explain this MCP server



Ask ChatGPT



Ask Claude



Ask Perplexity



Ask Gemini



Ask Grok



READY TO CONNECT

isvat is live on Vinkius Cloud.

Get your connection token, paste it into your AI agent, and start building. No SDK. No deployment. Just results.

[Start at cloud.vinkius.com](https://cloud.vinkius.com) →

vinkius.com · support@vinkius.com

INDEPENDENT PLATFORM DISCLAIMER

Vinkius is an independent platform and is not affiliated with, endorsed by, sponsored by, verified by, or otherwise authorized by isvat. All third-party trademarks, logos, and brand names are the property of their respective owners. Their use in this document is strictly for informational purposes to identify service compatibility and interoperability.

DOCUMENT INFORMATION

Generated	June 2026
MCP Server	isvat MCP
Server ID	019d8449-cbc2-7233-b0ce-c93ba1e2e817
Platform	Vinkius Cloud for AI Agents
Endpoint	https://edge.vinkius.com/{token}/mcp

LICENSE & USAGE

This document is generated automatically by the Vinkius PDF Engine. Content reflects the MCP server configuration at the time of generation and may change as updates are deployed. For the most current information, visit vinkius.com/mcp/isvat.