

MCP SERVER

NO CODE

CLOUD HOSTED

Jinshuju / 金数据 MCP

Manage structured form data from natural conversation.

Jinshuju / 金数据 connects your AI client directly to a powerful online form builder, letting you manage data collection workflows via natural conversation. Use it to list forms, get detailed field structures, view all submitted entries, and even programmatically create or update records without ever touching the web interface.

A+ Quality Score 98.33/100

online-forms

data-collection

webhook-integration

lead-generation

submission-auditing

form-builder



The infrastructure that powers AI agents in the real world.



Vinkius connects AI to the world's software through secure, enterprise-grade infrastructure — enabling real-world execution at scale, built on the Model Context Protocol (MCP).

Your AI Connections Run Through Vinkius Cloud

The world's largest
managed MCP catalog

Vinkius is the cloud infrastructure where AI agents connect to the software your business already runs. We handle the hosting, the security, the credentials, the uptime — you get agents that actually do things.

We operate the world's largest managed MCP catalog. Major SaaS platforms, CRMs, databases, and cloud providers — running, monitored, production-ready. This MCP server is hosted and maintained by the Vinkius Cloud for AI Agents.

The agent doesn't manage credentials, doesn't manage uptime, doesn't manage security. Vinkius does.

— Architecture principle

Four Pillars of the Vinkius Runtime

01 — Security by design

Credentials stay encrypted at rest via AES-256. The AI agent never touches raw keys — they're injected into a sandboxed V8 isolate at runtime. Actions are logged, and connections have an emergency kill switch.

03 — Deterministic observability

Eight immutable metrics per endpoint: request volume, p95 latency, error rate, active connections, cost attribution. A live payload feed logs every tool call with mutation detection.

02 — Built on MCP Fusion

This MCP server was built with **MCP Fusion**, the open-source framework (Apache 2.0) that powers the entire Vinkius catalog. Schema-as-firewall strips undeclared fields, compiled PII redaction runs at zero overhead, and cryptographic lockfiles produce git-diffable audit trails.

04 — Autonomous operations

Servers are deployed, monitored, and patched autonomously. New capabilities and security patches ship weekly. Zero-downtime deployments ensure continuous availability across all managed MCP servers.

AES-256

Encryption at rest

Ed25519

PKI vault signatures

24h TTL

Ephemeral session keys

V8 Isolate

Sandboxed execution

One Token. Instant Access.

Every MCP server on Vinkius is accessed through a **Connection Token**. Tokens are generated in the cloud dashboard and produce a unique MCP endpoint URL. Paste this URL into any MCP-compatible client — no SDK required.

A single token can serve **multiple AI clients simultaneously**, or you can issue separate tokens per client for granular access control. Each token tracks its own request count, last activity timestamp, and can be individually enabled or revoked.

MCP ENDPOINT

`https://edge.vinkius.com/{token}/mcp`

Claude



Cursor



VS Code



Windsurf



Grok



Gemini

Security Is the Architecture

Security in Vinkius is not a feature — it's the foundation of the runtime. The gateway enforces multiple independent protection layers between AI agents and third-party APIs.

01 — Ed25519 PKI Vault

Every workspace has an Ed25519 Master Key. Session keys are generated ephemerally (24h TTL) and signed by the Master Key. Credentials never leave the vault boundary.

02 — V8 Isolate Sandboxing

Tool code runs inside isolated-vm V8 isolates with 64 MB memory caps and per-request timeouts. No filesystem access, no network access except through the SSRF-guarded fetch bridge.

03 — SSRF Guard

All outbound HTTP requests are DNS-resolved and validated before execution. Private IP ranges (10.x, 172.16-31.x, 192.168.x, AWS metadata 169.254.x) are blocked at the network layer.

05 — Cryptographic Audit Trail

Every request is signed into a SHA-256 hash chain with Ed25519 signatures. Events form a tamper-proof, SIEM-exportable forensic record.

04 — DLP & PII Redaction

A ResponseGuard pipeline intercepts every tool response. Configurable redaction patterns strip sensitive fields (emails, SSNs, card numbers) before data reaches the AI agent.

06 — Honeypot Trap System

Phantom credentials are injected into isolated environments. If a honeypot is used outside Vinkius infrastructure, the server is quarantined instantly.

Emergency Kill Switch

EU AI Act Art. 14(1)
Compliant

The kill switch is an **emergency halt** mechanism — not a simple toggle. When triggered, it executes three actions atomically:

01 — Server deactivated

The MCP server is immediately taken offline across the entire cluster.

02 — All tokens revoked

Every connection token is invalidated. Total lockout — reconnection blocked until new tokens are issued.

03 — WebSocket connections killed

Active connections terminated via Redis pubsub broadcast. Propagates to every runtime node in the cluster.

Full Visibility. Zero Guesswork.

The Vinkius cloud dashboard includes a full MCP Governance suite — real-time analytics and security controls for production AI operations.

Control Plane

KPI dashboard with request volume, latency, success rate, token consumption, and AI-generated operational briefings.

FinOps

Cost tracking per tool, payload compression savings, budget optimization signals, and consumption trends.

Firewall & DLP

PII redaction activity, sensitive data protection counters, and security event timeline.

Agent Activity

Which AI clients are connecting, how often, and what they're doing — real-time session tracking.

Tool Health

Slowest and most error-prone tools, with actionable root-cause insights and performance baselines.

Incident Log

Error trends, failure rates, status-code breakdowns, and forensic audit trail access.

Get started at cloud.vinkius.com — connect your AI agent in under 60 seconds.

Jinshuju / 金数据 MCP

10 tools available

Cloud-hosted on Vinkius

Jinshuju lets your agent talk to complex data collection systems. Instead of logging into a website with multiple tabs, you just ask your AI client what you need, and it gets it. This MCP connects directly to Jinshuju's backend so your agent can list all existing forms, pull the specific fields they use, or retrieve detailed submissions. If you need to audit leads or check how many people submitted a survey today, you just prompt your agent. You don't navigate menus; your agent does the work for you. Whether it's tracking customer surveys or automating registration flows, this capability lets your AI client act as a real-time data coordinator. Because Vinkius hosts and manages these MCPs, you connect once from any compatible client and get immediate access to managing structured form data.

Core Capabilities

01 — Discover Form Structures

Your agent lists all available forms and retrieves specific field definitions for any given form.

03 — Automate Data Entry

You can programmatically create new entries or modify existing ones using a simple prompt.

02 — Audit Submissions

The agent views, counts, or retrieves the full details of past form submissions.

04 — Monitor Data Pipelines

The agent checks and manages configured webhooks to ensure your data flows are healthy.

One Click on Vinkius — From Prompt to Execution

Available at vinkius.com/mcp/jinshuju — connect your AI agent in three steps.

- 01 Subscribe to this MCP on Vinkius, providing your Jinshuju API Key and Secret.
- 02 Connect your preferred AI client (like Cursor or Claude) using the credentials you just provided.
- 03 Tell your agent what data you need; it uses the installed tools to query and return the required form information.

The bottom line is, once connected, your AI client handles all of the API calls so you don't have to think about them.

Built For

This MCP is built for operations staff and data managers who are tired of manually checking dashboards or copy-pasting form data. If your job involves monitoring lead intake, processing survey responses, or ensuring data consistency across multiple forms, this connector saves hours.

Marketing Operations Lead

They use it to audit campaign forms and retrieve specific lead generation metrics on demand.

Customer Research Analyst

They leverage it to pull detailed survey responses and analyze qualitative data streams directly within their AI workspace.

Product Manager

They use it to automate user registration flows and monitor the consistency of product feedback entries.

What Changes When You Connect

- 01 Stop manually checking forms. You can now use the `list_forms` tool to get an instant inventory of every single form you run, so you always know where your data is coming from.

- 02 Audit submissions easily. Instead of jumping through pages to check entries, simply ask your agent to view a list of entries using `list_entries`, or pull the full details of one with `get_entry`.

 - 03 Keep your data current. If you need to change something in an old record, use the `update_entry` tool. It lets your agent modify existing submissions without manual backend access.

 - 04 Understand form structure instantly. The `get_form_fields` tool reads all field definitions for a given form, letting you know exactly what kind of data is accepted before you try to submit anything.

 - 05 Build automated pipelines. You can programmatically send or modify entries using the `create_entry` tool, integrating your AI workflows directly with real-world form data.
-

Real-World Applications

Checking Campaign Performance

The Marketing Ops Manager needs to know how many leads came from their new 'Q3 Survey' and if the webhooks are firing. They ask their agent, which uses `get_entry_count` and `list_webhooks`, getting an immediate count and confirming all pipelines are healthy.

Onboarding New Forms

An operations lead needs to know what fields are available for a brand new form. They prompt their agent, which calls `get_form_fields`, giving them the exact data structure they need for integration testing.

Correcting Bad Data

A researcher finds that a key piece of data in a submission was entered incorrectly. Instead of manually logging into the system, they ask their agent to use `update_entry` and fix the record instantly.

Batch Processing Submissions

A user has multiple records to process and needs to ensure all are captured. They ask their agent to use `list_forms` first, identify the right form ID, and then run `list_entries` for a comprehensive overview.

Patterns to Avoid

Assuming data is available

✗ AVOID

A user tries to build a prompt saying 'Get me details from form X' but forgets the exact name of the form. The agent fails and throws an obscure API error.

✓ INSTEAD

Always start by calling `list_forms` so your agent can show you all available forms first, ensuring you use the correct identifier before attempting to run `get_form` or any other tool.

Overwriting critical data

✗ AVOID

A user needs to change a single field in an old submission but only provides partial information, risking deleting unrelated historical data.

✓ INSTEAD

Before modifying anything, use `get_entry` to pull the full details of the entry. This lets you confirm every piece of existing data and gives your agent context when running `update_entry`.

Ignoring webhook failures

✗ AVOID

Data submissions fail silently because a web hook was misconfigured, but the user never checks the pipeline status.

✓ INSTEAD

Periodically run the tool that lists webhooks (`list_webhooks`). This ensures your data pipelines are working and prevents unexpected gaps in your collected information.

The Right Fit

Use this MCP if your primary need is to interact with highly structured, form-based data. If you're dealing with lead forms, survey responses, or registration entries that follow a predictable schema, this connector is perfect because it gives your agent direct read/write access via tools like `create_entry` and `list_entries`. Don't use this if your goal is to analyze unstructured documents—if you need the AI to summarize an attached PDF or extract data from a legal contract, you should look for a document parsing tool instead. This MCP excels at *transactional* data management; it doesn't read feelings, it reads fields.

The Pain of Form Auditing

Right now, if you need to check on a campaign form—say, 'Q3 Customer Feedback'—you have to open the platform. Then you navigate to the submissions tab. If you want to know how many people responded, you look at the dashboard counter. To see the actual data, you click into the entries list, which often requires clicking through pages of records or manually filtering by date range.

With this MCP, that whole manual process vanishes. You simply ask your agent: 'How many entries did Q3 Customer Feedback get?' The agent calls `get_entry_count`, and you get a clean number instantly. It's immediate data access without the clicks.

Jinshuju / 金数据 MCP Manages Everything

It eliminates the need to switch between your AI client and the native form builder's web interface. You don't have to copy a Form ID from one tab and paste it into another; you just tell your agent what you want, and it handles the entire workflow using tools like `get_form` or `list_forms`.

What's different now is that data management becomes conversational. Instead of performing repetitive clicks across a web dashboard, you talk to your agent and get precise, actionable results.

Jinshuju / 金数据: 10 Tools for Data Management

These tools allow you to control every aspect of data collection—from listing available forms to submitting and updating individual entries.

#	TOOL	DESCRIPTION
01	<code>create_entry</code>	Submits a new response or record to a specified form.
02	<code>delete_entry</code>	Permanently removes a specific submitted entry from the system.
03	<code>get_entry</code>	Retrieves all the details for one particular form submission record.
04	<code>get_entry_count</code>	Returns the total number of entries collected for a given form.
05	<code>get_form</code>	Fetches high-level information and settings about an entire form.
06	<code>get_form_fields</code>	Lists every field defined within a form, including data types and requirements.
07	<code>list_entries</code>	Retrieves a list of multiple submitted entries for a specified form.
08	<code>list_forms</code>	Provides an inventory of every available form managed in the system.
09	<code>list_webhooks</code>	Lists all active webhook configurations attached to a form.
10	<code>update_entry</code>	Modifies specific data points within an existing, submitted entry.

See It in Action

Real prompts you can use once this MCP is connected to your AI agent through Vinkius Cloud.

U List all my forms in Jinshuju.



I've retrieved your Jinshuju forms. You have 12 active forms, including 'Lead Registration V1' and 'Customer Feedback'. Would you like to see the entry count for any of them?

U Show me the last 5 entries for form 'ABC-123'.



I've listed the last 5 entries for form ABC-123. They include submissions from 'Mario' and 'Renato'. Should I retrieve the full details for the most recent one?

U Submit a new entry to form 'XYZ-789' with name 'John Doe' and email 'john@example.com'.



Done! I've programmatically submitted the new entry to form XYZ-789. The entry has been assigned serial number '8821'.

Frequently Asked Questions

01 How do I list all my forms using Jinshuju / 金数据 MCP?

You use the `list_forms` tool. Simply ask your agent to run this tool and it will provide a comprehensive inventory of every form available in your account.

02 Can I update old data with Jinshuju / 金数据 MCP?

Yes, you can modify existing records using the `update_entry` tool. This allows your agent to change specific fields in a submission without deleting or recreating the entry.

03 What if I need to know what data types a form accepts?

Use the `get_form_fields` tool. It reads and reports every defined field, detailing its type (text, number, etc.) so you know exactly how your AI agent can structure input or output.

04 Does Jinshuju / 金数据 MCP help with webhooks?







Yes. You can use the `list_webhooks` tool to view all configured webhook endpoints, helping you audit and monitor your data pipelines for proper functionality.

Go Live in 60 Seconds

Get your connection token from cloud.vinkius.com, then paste the endpoint URL into any MCP-compatible client.

YOUR MCP ENDPOINT

```
https://edge.vinkius.com/[TOKEN]/mcp
```

CLIENT	WHERE TO CONFIGURE
 Claude AI	Profile → Customize → Connectors → "+" → Add custom connector → Paste endpoint
 Cursor	Settings → Features → MCP Servers → "+ Add New MCP Server" → Type: SSE → Paste endpoint
 VS Code	Ctrl/Cmd+Shift+P → "MCP: Add Server" → add <code>"jinshuju": { "url": "..." }</code>
 Windsurf	MCP Settings → <code>mcp_settings.json</code> → Add endpoint URL
 ChatGPT	Settings → Tools & plugins → Add MCP server → Paste endpoint
 Gemini	Extensions → Add MCP Server → Paste endpoint URL

ASK AN AI ABOUT THIS

Let your preferred AI explain this MCP server

-  **Ask ChatGPT** 
-  **Ask Claude** 
-  **Ask Perplexity** 
-  **Ask Gemini** 
-  **Ask Grok** 

READY TO CONNECT

Jinshuju / 金数据 is live on Vinkius Cloud.

Get your connection token, paste it into your AI agent, and
start building. No SDK. No deployment. Just results.

[Start at cloud.vinkius.com](https://cloud.vinkius.com) →

vinkius.com · support@vinkius.com

INDEPENDENT PLATFORM DISCLAIMER

Vinkius is an independent platform and is not affiliated with, endorsed by, sponsored by, verified by, or otherwise authorized by Jinshuju / 金数据. All third-party trademarks, logos, and brand names are the property of their respective owners. Their use in this document is strictly for informational purposes to identify service compatibility and interoperability.

DOCUMENT INFORMATION

Generated	June 2026
MCP Server	Jinshuju / 金数据 MCP
Server ID	019d844b-da3e-700b-a79d-54bbfa57c622
Platform	Vinkius Cloud for AI Agents
Endpoint	https://edge.vinkius.com/{token}/mcp

LICENSE & USAGE

This document is generated automatically by the Vinkius PDF Engine. Content reflects the MCP server configuration at the time of generation and may change as updates are deployed. For the most current information, visit vinkius.com/mcp/jinshuju.