

MCP SERVER

NO CODE

CLOUD HOSTED

Mailshake MCP

Manage campaigns, leads, and prospect status via chat.

Mailshake. Automate your cold outreach campaigns and sales workflows directly from your AI agent. This MCP lets you manage entire prospect funnels—from listing all active campaigns to monitoring every open, reply, or status change—using natural conversation. It handles everything needed to keep your pipeline full without forcing you to jump into a dashboard.

A+ Quality Score 100/100

cold-email

sales-engagement

lead-tracking

outreach-campaigns

prospect-management

sales-automation



The infrastructure that powers AI agents in the real world.



Vinkius connects AI to the world's software through secure, enterprise-grade infrastructure — enabling real-world execution at scale, built on the Model Context Protocol (MCP).

Your AI Connections Run Through Vinkius Cloud

The world's largest
managed MCP catalog

Vinkius is the cloud infrastructure where AI agents connect to the software your business already runs. We handle the hosting, the security, the credentials, the uptime — you get agents that actually do things.

We operate the world's largest managed MCP catalog. Major SaaS platforms, CRMs, databases, and cloud providers — running, monitored, production-ready. This MCP server is hosted and maintained by the Vinkius Cloud for AI Agents.

The agent doesn't manage credentials, doesn't manage uptime, doesn't manage security. Vinkius does.

— Architecture principle

Four Pillars of the Vinkius Runtime

01 — Security by design

Credentials stay encrypted at rest via AES-256. The AI agent never touches raw keys — they're injected into a sandboxed V8 isolate at runtime. Actions are logged, and connections have an emergency kill switch.

03 — Deterministic observability

Eight immutable metrics per endpoint: request volume, p95 latency, error rate, active connections, cost attribution. A live payload feed logs every tool call with mutation detection.

02 — Built on MCP Fusion

This MCP server was built with **MCP Fusion**, the open-source framework (Apache 2.0) that powers the entire Vinkius catalog. Schema-as-firewall strips undeclared fields, compiled PII redaction runs at zero overhead, and cryptographic lockfiles produce git-diffable audit trails.

04 — Autonomous operations

Servers are deployed, monitored, and patched autonomously. New capabilities and security patches ship weekly. Zero-downtime deployments ensure continuous availability across all managed MCP servers.

AES-256

Encryption at rest

Ed25519

PKI vault signatures

24h TTL

Ephemeral session keys

V8 Isolate

Sandboxed execution

One Token. Instant Access.

Every MCP server on Vinkius is accessed through a **Connection Token**. Tokens are generated in the cloud dashboard and produce a unique MCP endpoint URL. Paste this URL into any MCP-compatible client — no SDK required.

A single token can serve **multiple AI clients simultaneously**, or you can issue separate tokens per client for granular access control. Each token tracks its own request count, last activity timestamp, and can be individually enabled or revoked.

MCP ENDPOINT

`https://edge.vinkius.com/{token}/mcp`

Claude



Cursor



VS Code



Windsurf



Grok



Gemini

Security Is the Architecture

Security in Vinkius is not a feature — it's the foundation of the runtime. The gateway enforces multiple independent protection layers between AI agents and third-party APIs.

01 — Ed25519 PKI Vault

Every workspace has an Ed25519 Master Key. Session keys are generated ephemerally (24h TTL) and signed by the Master Key. Credentials never leave the vault boundary.

02 — V8 Isolate Sandboxing

Tool code runs inside isolated-vm V8 isolates with 64 MB memory caps and per-request timeouts. No filesystem access, no network access except through the SSRF-guarded fetch bridge.

03 — SSRF Guard

All outbound HTTP requests are DNS-resolved and validated before execution. Private IP ranges (10.x, 172.16-31.x, 192.168.x, AWS metadata 169.254.x) are blocked at the network layer.

05 — Cryptographic Audit Trail

Every request is signed into a SHA-256 hash chain with Ed25519 signatures. Events form a tamper-proof, SIEM-exportable forensic record.

04 — DLP & PII Redaction

A ResponseGuard pipeline intercepts every tool response. Configurable redaction patterns strip sensitive fields (emails, SSNs, card numbers) before data reaches the AI agent.

06 — Honeypot Trap System

Phantom credentials are injected into isolated environments. If a honeypot is used outside Vinkius infrastructure, the server is quarantined instantly.

Emergency Kill Switch

EU AI Act Art. 14(1)
Compliant

The kill switch is an **emergency halt** mechanism — not a simple toggle. When triggered, it executes three actions atomically:

01 — Server deactivated

The MCP server is immediately taken offline across the entire cluster.

02 — All tokens revoked

Every connection token is invalidated. Total lockout — reconnection blocked until new tokens are issued.

03 — WebSocket connections killed

Active connections terminated via Redis pubsub broadcast. Propagates to every runtime node in the cluster.

Full Visibility. Zero Guesswork.

The Vinkius cloud dashboard includes a full MCP Governance suite — real-time analytics and security controls for production AI operations.

Control Plane

KPI dashboard with request volume, latency, success rate, token consumption, and AI-generated operational briefings.

FinOps

Cost tracking per tool, payload compression savings, budget optimization signals, and consumption trends.

Firewall & DLP

PII redaction activity, sensitive data protection counters, and security event timeline.

Agent Activity

Which AI clients are connecting, how often, and what they're doing — real-time session tracking.

Tool Health

Slowest and most error-prone tools, with actionable root-cause insights and performance baselines.

Incident Log

Error trends, failure rates, status-code breakdowns, and forensic audit trail access.

Get started at cloud.vinkius.com — connect your AI agent in under 60 seconds.

Mailshake MCP

9 tools available

Cloud-hosted on Vinkius

Stop switching between tabs just to check on your outreach efforts. This MCP connects your Mailshake account to any AI agent, giving it the power to manage your entire cold sales lifecycle using plain language prompts. Need to know which leads are engaged? Your agent can list all recipients in a campaign and track their specific engagement stages like 'Opened' or 'Replied'. If you spot a high-value prospect, you can even programmatically add them to an existing campaign right from the chat interface. You don't have to dig through message logs; your agent retrieves full content for any sent or received email message so you can analyze sentiment instantly. Need to adjust your list? You can easily list all outreach campaigns and then use a tool to add new prospects to keep things moving. All this complex campaign management, lead tracking, and prospect nurturing happens without touching the original software. When you connect it via Vinkius, you get centralized control over your sales data through your preferred AI client.

Core Capabilities

01 — List all active outreach campaigns

See a full list of every campaign currently running in Mailshake.

03 — Add prospects to campaigns

Take a list of new contacts and inject them directly into an active campaign sequence.

05 — Manage campaign sending status

Temporarily pause a running outreach sequence to prevent further messages from going out.

02 — Update prospect status and history

Retrieve the full interaction history for any specific lead or modify their current standing.

04 — Monitor message content

Get the full text and details for any specific email that was sent or received.

One Click on Vinkius — From Prompt to Execution

Available at vinkius.com/mcp/mailshake — connect your AI agent in three steps.

- 01 Subscribe to the Mailshake MCP and enter your API key credentials in Vinkius.
- 02 Activate this MCP within your AI client, making it available as a tool for conversation.
- 03 Ask your agent directly: 'Show me all campaigns that are currently running,' or 'Update the status for John Smith.'

The bottom line is you use natural language to control sophisticated sales outreach functions without needing technical knowledge.

Built For

This MCP is essential for Sales Representatives who hate jumping between tabs, Growth Marketers who need to quickly scale their prospect lists, and Sales Operations teams that need a single source of truth for campaign performance.

Sales Development Representative (SDR)

Checks the status of key campaigns or asks for the lead history on a hot prospect without logging into the main dashboard.

Growth Marketing Manager

Uses this MCP to automate adding new research-based prospects into active outreach flows, keeping the pipeline fed automatically.

Sales Operations Analyst

Audits message sequences or lists all recipients in a campaign to ensure compliance and track overall performance metrics.

What Changes When You Connect

- 01 You instantly check campaign statuses or lead updates without logging into the dashboard. Just ask your agent to list all outreach campaigns or get details for a specific one.

-
- 02 Automate pipeline growth by adding new prospects directly from research tools. Use `add_prospects_to_campaign` to inject contacts into existing flows, keeping your outreach active.

 - 03 Track every interaction point without manual searching. Your agent can retrieve the full content of any message and show you the detailed lead history for immediate follow-up planning.

 - 04 Maintain control over sending velocity. If a campaign needs a break, use `pause_outreach_campaign` to halt messaging instantly until the sequence is ready to resume.

 - 05 Gain total visibility into your audience. You can list all recipients in a campaign and monitor their individual engagement status—whether they Opened or Replied.
-

Real-World Applications

The follow-up audit

A sales rep needs to confirm if key stakeholders at Acme Corp saw the last email. Instead of digging into message logs, the agent runs a query that pulls all outreach messages and checks the full content for the specific thread ID, confirming both open status and exact time sent.

Mid-campaign pause

The sales ops team detects a PR issue and needs to halt all communication. They use the agent to run `pause_outreach_campaign` on the main sequence, preventing any further emails from going out until they are cleared.

Scaling list growth

A marketing manager researches 50 new contacts. Instead of manually adding them one by one, they instruct their agent to use `add_prospects_to_campaign`, injecting the entire batch into the 'Q3 SaaS Outreach' campaign instantly.

Reviewing stalled leads

A rep needs to know why a lead hasn't responded in two weeks. They ask the agent to `get_lead_history` for that contact, immediately showing all past interactions and previous message content for context.

Patterns to Avoid

Trying to manage campaigns via spreadsheets

✗ AVOID

A user copies a list of prospects into an Excel sheet, manually checks campaign status in one tab, and then updates the lead stage in another. This process is slow and prone to data drift.

✓ INSTEAD

Use this MCP to talk directly to your sales platform. Simply ask your agent to run `add_prospects_to_campaign` with the spreadsheet data; it handles the connection and updating in one step.

Relying on native API calls

✗ AVOID

A developer writes a complex script using multiple endpoint calls (list campaigns, then list leads, then get message content) just to answer a simple question.

✓ INSTEAD

Use this MCP. Ask your agent to 'What is the latest activity for Campaign X?' and let it run the necessary tools internally without you seeing the code.

Ignoring recipient status

✗ AVOID

A campaign runs, but the user doesn't know which recipients actually engaged. They assume everyone saw the message.

✓ INSTEAD

Use `list_campaign_recipients` to see every contact in a campaign and monitor their specific engagement stage—Sent, Opened, or Replied.

The Right Fit

You need this MCP if your bottleneck is converting research data into actionable sales outreach without constant manual dashboard refreshing. Use it when you need an AI agent to *act* on the CRM data (e.g., 'Pause campaign 123' or 'Add these prospects'). Don't use this if you just need a simple read-only list of all campaigns; while we can list them, our true value is in the actionability and updating features like `add_prospects_to_campaign`. If your primary goal is deep data analytics that requires joining data from external sources not covered here, look at dedicated data warehousing tools instead.

Checking up on campaigns feels like a full-time job today.

Think about the morning routine. You open the dashboard, click into Campaign A to see its status. Then you switch tabs to check the lead list, clicking through names one by one to see who replied last week. If you need to add three new prospects, that's another round trip: copy names, paste them somewhere else, and hit 'save.' It's a cycle of clicks and context switching.

With this MCP, you just talk to your agent. You tell it what needs doing—like listing all campaigns or getting the lead history for one person—and it handles the whole process in response to natural language. The result is immediate operational knowledge without ever opening the original software.

Mailshake MCP gives you full control over campaign outreach.

The tedious manual steps that disappear include manually listing all recipients, verifying their engagement status, and then deciding who needs to be added next. You don't need to read through endless messages just to find the thread ID; your agent retrieves the full message content for you.

What's different now is control. Your sales process moves from a series of disconnected clicks into one continuous, conversational flow that acts on real-time data.

Mailshake MCP: 9 Tools for Sales Automation

These tools allow you to manage campaigns, read lead history, list recipients, and add prospects using natural language commands.

#	TOOL	DESCRIPTION
01	<code>add_prospects_to_campaign</code>	Adds new contacts, provided as a list of details, into an existing outreach campaign.
02	<code>list_outreach_campaigns</code>	Retrieves a comprehensive list of all available outreach campaigns.
03	<code>get_campaign_details</code>	Fetches specific, in-depth details about one chosen campaign.
04	<code>get_lead_history</code>	Pulls the complete interaction record for any single specified lead.
05	<code>get_message_content</code>	Retrieves the full text content and metadata for a specific email message.
06	<code>list_campaign_leads</code>	Lists all qualified leads associated with a particular campaign.
07	<code>list_outreach_messages</code>	Retrieves a list of every message, both sent and received, across campaigns.
08	<code>pause_outreach_campaign</code>	Stops sending messages immediately for a designated campaign ID.
09	<code>list_campaign_recipients</code>	Lists every recipient included in a specific outreach campaign.

See It in Action

Real prompts you can use once this MCP is connected to your AI agent through Vinkius Cloud.

U List all my active outreach campaigns in Mailshake.



I've retrieved your campaigns. You have 3 active campaigns: 'Q3 SaaS Outreach (ID: 123)', 'Webinar Follow-up', and 'Partnership Requests'.

U Show recent leads for the 'Partnership' campaign.



I found 5 recent leads for the Partnership campaign. Notable responses from 'John Smith' (Acme Corp) and 'Jane Doe' (Global Tech) are awaiting your follow-up.

U Pause the campaign with ID '12345'.



Successfully paused campaign 12345. No more messages will be sent until you unpauses the campaign.

Frequently Asked Questions

01 Can I use Mailshake MCP to list all campaigns?

Yes, you can. Simply ask your agent to execute the 'list_outreach_campaigns' tool, and it will return a full catalog of every campaign running in your account.

02 How do I add new prospects using Mailshake MCP?

You use the add_prospects_to_campaign tool. You just need to provide a JSON body with the recipient details, and it handles adding them to your chosen campaign.

03 Does Mailshake MCP track who opened my emails?

Yes. The system monitors engagement stages for all recipients in a campaign, allowing you to `list_campaign_recipients` and see if the status is Sent, Opened, or Replied.

04 What if I need to stop outreach suddenly?

You can use `pause_outreach_campaign`. This tool immediately halts all messaging for a designated campaign ID, giving you time to fix issues without losing momentum when you restart it.

05 Can Mailshake MCP tell me the full message content?







Yes, the `get_message_content` tool lets your agent retrieve the complete text and metadata for any specific email message, which is great for follow-up planning.

Go Live in 60 Seconds

Get your connection token from cloud.vinkius.com, then paste the endpoint URL into any MCP-compatible client.

YOUR MCP ENDPOINT

```
https://edge.vinkius.com/[TOKEN]/mcp
```

CLIENT	WHERE TO CONFIGURE
 Claude AI	Profile → Customize → Connectors → "+" → Add custom connector → Paste endpoint
 Cursor	Settings → Features → MCP Servers → "+ Add New MCP Server" → Type: SSE → Paste endpoint
 VS Code	Ctrl/Cmd+Shift+P → "MCP: Add Server" → add <code>"mailshake": { "url": "..."} </code>
 Windsurf	MCP Settings → <code>mcp_settings.json</code> → Add endpoint URL
 ChatGPT	Settings → Tools & plugins → Add MCP server → Paste endpoint
 Gemini	Extensions → Add MCP Server → Paste endpoint URL

ASK AN AI ABOUT THIS

Let your preferred AI explain this MCP server

-  **Ask ChatGPT** 
-  **Ask Claude** 
-  **Ask Perplexity** 
-  **Ask Gemini** 
-  **Ask Grok** 

READY TO CONNECT

Mailshake is live on Vinkius Cloud.

Get your connection token, paste it into your AI agent, and start building. No SDK. No deployment. Just results.

[Start at cloud.vinkius.com](https://cloud.vinkius.com) →

vinkius.com · support@vinkius.com

INDEPENDENT PLATFORM DISCLAIMER

Vinkius is an independent platform and is not affiliated with, endorsed by, sponsored by, verified by, or otherwise authorized by Mailshake. All third-party trademarks, logos, and brand names are the property of their respective owners. Their use in this document is strictly for informational purposes to identify service compatibility and interoperability.

DOCUMENT INFORMATION

Generated	June 2026
MCP Server	Mailshake MCP
Server ID	019d75cd-3509-70dc-b882-fc79c074ac32
Platform	Vinkius Cloud for AI Agents
Endpoint	https://edge.vinkius.com/{token}/mcp

LICENSE & USAGE

This document is generated automatically by the Vinkius PDF Engine. Content reflects the MCP server configuration at the time of generation and may change as updates are deployed. For the most current information, visit vinkius.com/mcp/mailshake.