MCP SERVER | NO CODE | CLOUD HOSTED

Manatal MCP Connector

Manage your entire hiring pipeline with natural conversation.

Manatal MCP connects your favorite AI client directly to your entire recruitment pipeline. Manage candidate profiles, track job openings, and review applications without leaving your agent chat. It lets you query everything about your talent pool—from listing all potential candidates to getting deep details on a specific application or organization in minutes.

A+ Quality Score 100/100

applicant-tracking | candidate-sourcing | recruitment-pipeline | talent-management | job-posting

MAINTAINED BY VINKIUS CLOUD FOR AI AGENTS · JUNE 2026
vinkius.com/mcp/manatal

SCAN TO VIEW

The connectivity layer between AI and the world's software.

Vinkius sits between AI and every application. All communication passes through Vinkius Cloud via the Model Context Protocol (MCP) — with governance, observability, and security at every layer.

Your AI Connections Run Through Vinkius Cloud

The world's largest managed MCP catalog

Vinkius is the connectivity layer where AI connects to the software your business already runs. We handle the hosting, the security, the credentials, the uptime — you get agents that actually do things.

We operate the world's largest managed MCP catalog. Major SaaS platforms, CRMs, databases, and cloud providers — running, monitored, production-ready. This MCP server is hosted and maintained by the Vinkius Cloud for AI Agents.

> *The agent doesn't manage credentials, doesn't manage uptime, doesn't manage security. Vinkius does.*
>
> — Architecture principle

Four Pillars of the Vinkius Runtime

01 — Security by design

Credentials stay encrypted at rest via AES-256. The AI agent never touches raw keys — they're injected into a sandboxed V8 isolate at runtime. Actions are logged, and connections have an emergency kill switch.

02 — Built on MCP Fusion

This MCP server was built with **MCP Fusion**, the open-source framework (Apache 2.0) that powers the entire Vinkius catalog. Schema-as-firewall strips undeclared fields, compiled PII redaction runs at zero overhead, and cryptographic lockfiles produce git-diffable audit trails.

03 — Deterministic observability

Eight immutable metrics per endpoint: request volume, p95 latency, error rate, active connections, cost attribution. A live payload feed logs every tool call with mutation detection.

04 — Autonomous operations

Servers are deployed, monitored, and patched autonomously. New capabilities and security patches ship weekly. Zero-downtime deployments ensure continuous availability across all managed MCP servers.

AES-256	Ed25519	24h TTL	V8 Isolate
Encryption at rest	PKI vault signatures	Ephemeral session keys	Sandboxed execution

One Token. Instant Access.

Every MCP server on Vinkius is accessed through a **Connection Token**. Tokens are generated in the cloud dashboard and produce a unique MCP endpoint URL. Paste this URL into any MCP-compatible client — no SDK required.

A single token can serve **multiple AI clients simultaneously**, or you can issue separate tokens per client for granular access control. Each token tracks its own request count, last activity timestamp, and can be individually enabled or revoked.

MCP ENDPOINT

```
https://edge.vinkius.com/{token}/mcp
```

Claude · Cursor · VS Code · Windsurf · Grok · Gemini

Security Is the Architecture

Security in Vinkius is not a feature — it's the foundation of the runtime. The gateway enforces multiple independent protection layers between AI agents and third-party APIs.

01 — Ed25519 PKI Vault

Every workspace has an Ed25519 Master Key. Session keys are generated ephemerally (24h TTL) and signed by the Master Key. Credentials never leave the vault boundary.

02 — V8 Isolate Sandboxing

Tool code runs inside isolated-vm V8 isolates with 64 MB memory caps and per-request timeouts. No filesystem access, no network access except through the SSRF-guarded fetch bridge.

03 — SSRF Guard

All outbound HTTP requests are DNS-resolved and validated before execution. Private IP ranges (10.x, 172.16-31.x, 192.168.x, AWS metadata 169.254.x) are blocked at the network layer.

04 — DLP & PII Redaction

A ResponseGuard pipeline intercepts every tool response. Configurable redaction patterns strip sensitive fields (emails, SSNs, card numbers) before data reaches the AI agent.

05 — Cryptographic Audit Trail

Every request is signed into a SHA-256 hash chain with Ed25519 signatures. Events form a tamper-proof, SIEM-exportable forensic record.

06 — Honeytoken Trap System

Phantom credentials are injected into isolated environments. If a honeytoken is used outside Vinkius infrastructure, the server is quarantined instantly.

Emergency Kill Switch

EU AI Act Art. 14(1) Compliant

The kill switch is an **emergency halt** mechanism — not a simple toggle. When triggered, it executes three actions atomically:

01 — Server deactivated

The MCP server is immediately taken offline across the entire cluster.

02 — All tokens revoked

Every connection token is invalidated. Total lockout — reconnection blocked until new tokens are issued.

03 — WebSocket connections killed

Active connections terminated via Redis pubsub broadcast. Propagates to every runtime node in the cluster.

Full Visibility. Zero Guesswork.

The Vinkius cloud dashboard includes a full MCP Governance suite — real-time analytics and security controls for production AI operations.

Control Plane

KPI dashboard with request volume, latency, success rate, token consumption, and AI-generated operational briefings.

Agent Activity

Which AI clients are connecting, how often, and what they're doing — real-time session tracking.

FinOps

Cost tracking per tool, payload compression savings, budget optimization signals, and consumption trends.

Tool Health

Slowest and most error-prone tools, with actionable root-cause insights and performance baselines.

Firewall & DLP

PII redaction activity, sensitive data protection counters, and security event timeline.

Incident Log

Error trends, failure rates, status-code breakdowns, and forensic audit trail access.

> Get started at **cloud.vinkius.com** — connect your AI agent in under 60 seconds.

Manatal MCP

10 tools available
Cloud-hosted on Vinkius

Managing a hiring process means constantly jumping between tabs: the job board, the candidate spreadsheet, the client portal. This MCP changes that by bringing Manatal's full capabilities into natural conversation with your AI agent. You can talk to your system about your workforce—for example, asking it to list every active job opening or fetch a specific candidate's profile based on their name. It handles all the complex data retrieval for you, letting you stay focused on hiring people, not clicking buttons. Since this MCP is hosted on Vinkius, you connect once from your preferred AI client and get immediate access to Manatal's entire set of tools. This means whether you need to look up organizational details or track an applicant's progress across multiple stages, your agent just handles the request.

Core Capabilities

01 — Manage candidate records

List all candidates in your system and fetch detailed profiles for any individual.

02 — Review job openings

Query active jobs, list departments, or view details about specific job roles.

03 — Track applications

List all submitted applications and inspect the full progress or details for any single applicant.

04 — Identify client groups

View lists of organizations or clients associated with your recruitment firm, along with their specific details.

One Click on Vinkius — From Prompt to Execution

Available at **vinkius.com/mcp/manatal** — connect your AI agent in three steps.

01 Subscribe to this MCP and input your Manatal API token credentials.

02 Connect the MCP to any compatible AI client like Claude or Cursor.

03 Ask your agent a natural language question, such as 'What are all the open roles in the marketing department?'

The bottom line is that you talk naturally to your agent, and it executes complex data requests across Manatal.

Built For

The recruiter who's sick of copying candidate details into separate spreadsheets. The HR manager drowning in status updates from different hiring funnels. Anyone who needs to synthesize the state of their entire talent pipeline without logging into a dozen dashboards.

Technical Recruiter

Uses this MCP daily to pull candidate details and check application statuses instantly, letting them answer stakeholder questions on the fly.

HR Operations Manager

Runs reports by asking the agent to list all departments or query organizations to audit data consistency across job listings.

Hiring Manager

Asks for a summary of top candidates, requiring the agent to fetch candidate profiles and review applications against specific criteria.

What Changes When You Connect

01 Stop manually compiling candidate reports. Use `list_candidates` and `get_candidate` to pull detailed profiles directly into your chat window, letting you compare multiple candidates instantly.

02 Audit job listings quickly. Instead of navigating through departments, just ask the agent to use `list_departments` and then `list_jobs` to see every active opening across the company structure.

03 Get application status at a glance. If you need to know where an applicant stands, asking for applications allows you to use `get_application` without ever touching the main dashboard.

04 Understand your client base better. Use `list_organizations` or `get_organization` to verify details and job counts for any partner company on demand.

05 Consolidate data access. By grouping tools like `list_jobs`, `list_candidates`, and `list_applications`, you keep all core recruitment data in one conversation stream.

Real-World Applications

The 'Who is the best fit?' query

A hiring manager needs to know if John Doe, who applied two weeks ago, has been assigned a role. They ask their agent: 'What are all the open roles in the engineering department and can you check Jane Smith's application status for those?'. The agent uses `list_departments` and then executes `get_job` followed by `get_application`, giving an immediate comparison.

Auditing a client's data

An ops manager needs to check how many active jobs TechCorp Inc. has posted this month. They ask: 'How many roles does organization ID 123 have?'. The agent uses `get_organization` and then checks the job count using `list_jobs`, providing a definitive number.

Pipeline health check

A recruiter needs a quick overview of all current applicants. They ask: 'Give me a list of everyone who applied last week.' The agent uses `list_applications` and then can run `get_candidate` on any name found to verify their status.

Onboarding new departments

A department head is setting up a new team. They ask: 'What departments are available, and what's the job structure for Marketing?'. The agent executes `list_departments` followed by targeted calls to `get_job`, providing both the list and specific role details.

Patterns to Avoid

Treating it like a search engine

✗ AVOID

Just asking 'Tell me about candidates' or 'List all jobs'. This is too vague for the tools to run correctly and yields no structured data.

✓ INSTEAD

Be specific. Instead of general queries, ask your agent to use `list_candidates` first, then follow up with a targeted request like 'Show me John Doe's profile details using get_candidate'.

Mixing unrelated systems

✗ AVOID

Asking the agent to pull candidate data from Manatal and cross-reference it with your company payroll system in ADP. This MCP only talks to Manatal.

✓ INSTEAD

Keep the scope limited to Manatal's domain. If you need data outside of recruitment, use a different specialized connector or manually export the results.

Assuming live editing capability

✗ AVOID

Telling the agent: 'Change John Doe's job title from Developer to Manager.' This MCP reads data; it doesn't write or modify records.

✓ INSTEAD

Use this MCP only for reading and retrieving information. If you need to update a record, you must do that manually within Manatal.

The Right Fit

Use this MCP if your primary bottleneck is synthesizing data scattered across different Manatal views—like needing candidate profiles alongside current job openings. It excels at querying the 'state' of your hiring pipeline: Who applied? What roles are open? Where is that candidate right now?

Don't use it, however, if you need to manage complex workflows that involve external systems (e.g., sending an email notification, updating a CRM record). This connector handles data retrieval and analysis within Manatal. If your goal is pure data transformation or running ETL jobs, look for a dedicated integration layer or a specialized workflow automation tool instead.

The Recruitment Dashboard Overload

Today, getting a holistic view of your talent pipeline means logging into the ATS, opening the job board, pulling candidate lists into Sheets, and cross-referencing departments. It's a tedious dance of tabs, filtering dropdown menus, and copying data that gets stale the second you paste it.

With this MCP, those manual steps disappear. You simply talk to your agent: 'Show me all candidates in the Marketing department who applied for roles listed on our career pages.' The system performs multiple checks—using `list_departments`, checking against departments using `list_jobs`, and pulling profiles via `list_candidates`—and delivers a single, actionable list.

Manatal MCP: Full Recruitment Data Control

You no longer need to spend time figuring out which report contains the right data. You can ask your agent to fetch detailed organization info using `get_organization`, and immediately follow up by listing all related candidates, completing a full audit in seconds.

This isn't just querying; it’s having an instant, structured conversation with your entire HR database. Your workflow moves from clicking through dashboards to simply asking questions.

Manatal: 10 Recruitment Data Tools

Use these ten specific tools to gather candidate details, application statuses, job listings, and organizational structures directly through your AI agent.

#	TOOL	DESCRIPTION
01	`list_career_pages`	Lists all the company career pages set up within your account.
02	`get_application`	Retrieves all detailed information for a single job application.
03	`get_candidate`	Fetches the full profile and history of a specific candidate in your pool.
04	`get_job`	Gets detailed information about one particular job opening.
05	`get_organization`	Retrieves details for a named client or organization within your network.
06	`list_applications`	Lists all the applications currently tracked in your recruitment system.
07	`list_candidates`	Retrieves a list of all candidates stored in Manatal.
08	`list_departments`	Retrieves a list of every department tracked in your organization's structure.
09	`list_jobs`	Lists all the active and past job openings available to view.
10	`list_organizations`	Provides a complete list of associated client organizations.

See It in Action

Real prompts you can use once this MCP is connected to your AI agent through Vinkius Cloud.

U List the first page of candidates.

Fetching candidates... I found several candidates including John Doe and Jane Smith. Would you like to see more details for any of them?

U What are the active job openings?

Querying job openings... There are currently 5 active jobs, such as 'Senior Developer' and 'Product Manager'.

U Get details for organization ID 123.

Inspecting organization... Organization 123 is 'TechCorp Inc.', with 10 active job openings.

Frequently Asked Questions

01 **Can the Manatal MCP list all my active job openings?**

Yes. The connector provides a dedicated `list_jobs` tool, allowing your agent to query and provide you with a complete overview of every current opening.

02 **Does the Manatal MCP help me track where an applicant is in the process?**

Yes. You can use the `list_applications` tool, followed by `get_application`, to inspect specific application details and see their current status within the pipeline.

03 **How do I get a candidate's full profile using Manatal MCP?**

You simply ask your agent for the candidate's name. The system executes `get_candidate` to pull all detailed information and history associated with that person.

04 **Is the Manatal MCP limited to only listing data?**

This MCP is designed solely for retrieval, meaning it reads and reports on your data. It does not have tools for modifying or deleting records within Manatal.

05 **Can I get details about a specific client organization using this MCP?**

Absolutely. The `get_organization` tool lets you specify an organization ID and retrieve all associated data, such as job counts and contact info.

06 **Where can I find my Manatal API Token?**

Log in to Manatal, go to Administration > Integration > API, and you will find your API Token there.

07 **Can I list candidates by page?**

Yes, use the `list_candidates` tool and provide the `page` parameter to navigate through your results.

08 **Is my data secure?**

Absolutely. Your token is encrypted at rest and injected securely at runtime.

Go Live in 60 Seconds

Get your connection token from **cloud.vinkius.com**, then paste the endpoint URL into any MCP-compatible client.

YOUR MCP ENDPOINT

```
https://edge.vinkius.com/[TOKEN]/mcp
```

CLIENT	WHERE TO CONFIGURE
Claude AI	Profile → Customize → Connectors → "+" → Add custom connector → Paste endpoint
Cursor	Settings → Features → MCP Servers → "+ Add New MCP Server" → Type: SSE → Paste endpoint
VS Code	Ctrl/Cmd+Shift+P → "MCP: Add Server" → add `"manatal": { "url": "…" }`
Windsurf	MCP Settings → `mcp_settings.json` → Add endpoint URL
ChatGPT	Settings → Tools & plugins → Add MCP server → Paste endpoint
Gemini	Extensions → Add MCP Server → Paste endpoint URL

ASK AN AI ABOUT THIS

Let your preferred AI explain this MCP server

- Ask ChatGPT
- Ask Claude
- Ask Perplexity
- Ask Gemini
- Ask Grok

READY TO CONNECT

Manatal is live on Vinkius Cloud.

Get your connection token, paste it into your AI agent, and start building. No SDK. No deployment. Just results.

Start at cloud.vinkius.com →

vinkius.com · support@vinkius.com

INDEPENDENT PLATFORM DISCLAIMER

Vinkius is an independent platform and is not affiliated with, endorsed by, sponsored by, verified by, or otherwise authorized by Manatal. All third-party trademarks, logos, and brand names are the property of their respective owners. Their use in this document is strictly for informational purposes to identify service compatibility and interoperability.

DOCUMENT INFORMATION

Generated	June 2026
MCP Server	Manatal MCP
Server ID	`019d75ce-6333-70f3-a3dc-1793ef8eeac4`
Platform	Vinkius Cloud for AI Agents
Endpoint	`https://edge.vinkius.com/{token}/mcp`

LICENSE & USAGE

This document is generated automatically by the Vinkius PDF Engine. Content reflects the MCP server configuration at the time of generation and may change as updates are deployed. For the most current information, visit vinkius.com/mcp/manatal.