

MCP SERVER

NO CODE

CLOUD HOSTED

Medium MCP

Publish and manage articles without leaving your AI client.

Medium MCP lets you control your entire publishing workflow from any AI client. Write content, create drafts, and schedule posts across multiple Medium publications without opening the website. You can get your own profile details or manage specific brand pages using natural conversation. It turns the tedious process of logging into a web app and clicking through forms into simple commands for your agent.

A+ Quality Score 100/100

content-publishing

blogging

draft-management

social-media-management



The infrastructure that powers AI agents in the real world.



Vinkius connects AI to the world's software through secure, enterprise-grade infrastructure — enabling real-world execution at scale, built on the Model Context Protocol (MCP).

Your AI Connections Run Through Vinkius Cloud

The world's largest
managed MCP catalog

Vinkius is the cloud infrastructure where AI agents connect to the software your business already runs. We handle the hosting, the security, the credentials, the uptime — you get agents that actually do things.

We operate the world's largest managed MCP catalog. Major SaaS platforms, CRMs, databases, and cloud providers — running, monitored, production-ready. This MCP server is hosted and maintained by the Vinkius Cloud for AI Agents.

The agent doesn't manage credentials, doesn't manage uptime, doesn't manage security. Vinkius does.

— Architecture principle

Four Pillars of the Vinkius Runtime

01 — Security by design

Credentials stay encrypted at rest via AES-256. The AI agent never touches raw keys — they're injected into a sandboxed V8 isolate at runtime. Actions are logged, and connections have an emergency kill switch.

03 — Deterministic observability

Eight immutable metrics per endpoint: request volume, p95 latency, error rate, active connections, cost attribution. A live payload feed logs every tool call with mutation detection.

02 — Built on MCP Fusion

This MCP server was built with **MCP Fusion**, the open-source framework (Apache 2.0) that powers the entire Vinkius catalog. Schema-as-firewall strips undeclared fields, compiled PII redaction runs at zero overhead, and cryptographic lockfiles produce git-diffable audit trails.

04 — Autonomous operations

Servers are deployed, monitored, and patched autonomously. New capabilities and security patches ship weekly. Zero-downtime deployments ensure continuous availability across all managed MCP servers.

AES-256

Encryption at rest

Ed25519

PKI vault signatures

24h TTL

Ephemeral session keys

V8 Isolate

Sandboxed execution

One Token. Instant Access.

Every MCP server on Vinkius is accessed through a **Connection Token**. Tokens are generated in the cloud dashboard and produce a unique MCP endpoint URL. Paste this URL into any MCP-compatible client — no SDK required.

A single token can serve **multiple AI clients simultaneously**, or you can issue separate tokens per client for granular access control. Each token tracks its own request count, last activity timestamp, and can be individually enabled or revoked.

MCP ENDPOINT

`https://edge.vinkius.com/{token}/mcp`

Claude



Cursor



VS Code



Windsurf



Grok



Gemini

Security Is the Architecture

Security in Vinkius is not a feature — it's the foundation of the runtime. The gateway enforces multiple independent protection layers between AI agents and third-party APIs.

01 — Ed25519 PKI Vault

Every workspace has an Ed25519 Master Key. Session keys are generated ephemerally (24h TTL) and signed by the Master Key. Credentials never leave the vault boundary.

02 — V8 Isolate Sandboxing

Tool code runs inside isolated-vm V8 isolates with 64 MB memory caps and per-request timeouts. No filesystem access, no network access except through the SSRF-guarded fetch bridge.

03 — SSRF Guard

All outbound HTTP requests are DNS-resolved and validated before execution. Private IP ranges (10.x, 172.16-31.x, 192.168.x, AWS metadata 169.254.x) are blocked at the network layer.

05 — Cryptographic Audit Trail

Every request is signed into a SHA-256 hash chain with Ed25519 signatures. Events form a tamper-proof, SIEM-exportable forensic record.

04 — DLP & PII Redaction

A ResponseGuard pipeline intercepts every tool response. Configurable redaction patterns strip sensitive fields (emails, SSNs, card numbers) before data reaches the AI agent.

06 — Honeypot Trap System

Phantom credentials are injected into isolated environments. If a honeypot is used outside Vinkius infrastructure, the server is quarantined instantly.

Emergency Kill Switch

EU AI Act Art. 14(1)
Compliant

The kill switch is an **emergency halt** mechanism — not a simple toggle. When triggered, it executes three actions atomically:

01 — Server deactivated

The MCP server is immediately taken offline across the entire cluster.

02 — All tokens revoked

Every connection token is invalidated. Total lockout — reconnection blocked until new tokens are issued.

03 — WebSocket connections killed

Active connections terminated via Redis pubsub broadcast. Propagates to every runtime node in the cluster.

Full Visibility. Zero Guesswork.

The Vinkius cloud dashboard includes a full MCP Governance suite — real-time analytics and security controls for production AI operations.

Control Plane

KPI dashboard with request volume, latency, success rate, token consumption, and AI-generated operational briefings.

FinOps

Cost tracking per tool, payload compression savings, budget optimization signals, and consumption trends.

Firewall & DLP

PII redaction activity, sensitive data protection counters, and security event timeline.

Agent Activity

Which AI clients are connecting, how often, and what they're doing — real-time session tracking.

Tool Health

Slowest and most error-prone tools, with actionable root-cause insights and performance baselines.

Incident Log

Error trends, failure rates, status-code breakdowns, and forensic audit trail access.

Get started at cloud.vinkius.com — connect your AI agent in under 60 seconds.

Medium MCP

10 tools available

Cloud-hosted on Vinkius

You shouldn't have to open the browser every time you want to share an article. This MCP connects your Medium account directly to your AI agent, letting you manage all content tasks using plain language conversation. Need to publish a quick thought or plan out a long-form piece? Just tell your agent what needs writing and where it should go. You can draft articles privately for later review, or push finished pieces live immediately. It also lets you list the publications you belong to, so you can ensure content gets posted under the right brand name. When you connect this MCP through Vinkius, all those publishing tasks become conversational actions within your existing workflow.

Core Capabilities

01 — Create Content Pieces

Publish a finished article immediately to Medium or save it as an unscheduled draft.

03 — Retrieve User Details

Fetch details about yourself and list other authorized contributors for specific publications.

02 — Manage Publications

List all the brand publications you belong to, ensuring your content lands under the correct source name.

One Click on Vinkius — From Prompt to Execution

Available at vinkius.com/mcp/medium — connect your AI agent in three steps.

- 01 Subscribe to this MCP, then enter your unique Medium Integration Token.
- 02 Connect the token to your preferred AI client (Claude, Cursor, etc.).
- 03 Tell your agent what you want to do—like 'create a public post about X' or 'list my publications.' The agent executes the task.

The bottom line is that your AI agent handles all the API calls and publishing logistics for Medium, so you never have to manually navigate the website.

Built For

This MCP targets professional content creators who treat writing as a core job function. It's for the marketing specialist who needs consistent output, or the copywriter who gets frustrated by context switching between their editor and the publishing platform.

Content Manager

Uses this MCP to systematically list all owned publications and then push out scheduled articles across different brand pages.

Copywriter

Relies on the agent to save finished drafts instantly, so they can switch context but know their work is safe and waiting for review.

Technical Writer

Needs to publish technical articles quickly, ensuring that each post correctly attributes the content to a specific company publication.

What Changes When You Connect

- 01 Never manually switch accounts again. You can use tools like `create_public_post` or `create_draft` to push content directly from your chat window, keeping you in one place.

-
- 02 Maintain brand consistency across multiple channels. Use the specialized tool `create_publication_post` to ensure all articles are correctly filed under a specific company publication name.

 - 03 Quickly audit your setup. Get full visibility into who can contribute using `list_contributors` and also check which publications you belong to with `list_my_publications`.

 - 04 Know exactly who you are. The ability to run `get_my_user_id` means your AI workflow can reference specific IDs for advanced automation logic.

 - 05 Flexibility in publishing mode. Whether you want a quick public blast via `create_post` or need the safety net of saving an article as a draft using `create_draft`, it's all handled.
-

Real-World Applications

Need to batch-publish articles for multiple clients.

A marketing team needs to post announcements under three different client publications. They ask their agent to first use `list_my_publications` to confirm the available sources, and then run `create_publication_post` three separate times, ensuring each article lands correctly under its respective brand.

Updating your team on who can contribute content.

The editor needs to confirm which members have posting rights for a specific brand. They run `list_contributors` against that publication's ID to get the current roster, preventing accidental unauthorized posts.

Writing a piece that needs review before going live.

A technical writer finishes an article but knows their manager needs to check it. They ask the agent to use `create_draft` with the final text, saving it safely instead of publishing it immediately.

Checking system access and identity.

A new user is onboarded and needs to confirm their permissions. They ask the agent to use `get_my_user_id` and `list_publications` to verify both their personal ID and all available publishing outlets.

Patterns to Avoid

Copy-pasting content manually

✗ AVOID

Writing an article in Notion, copying the text, opening Medium, pasting it into the editor, formatting headings one by one, and then clicking 'Publish'. This takes 10 minutes of tedious clicks.

✓ INSTEAD

Draft the full post using your AI client. Then, ask the agent to use `create_post` or `create_publication_post`, providing only the text body and target name. The MCP handles the entire upload and publishing process.

Trying to guess which tool to use

✗ AVOID

A user might try to manually check if they are a member of all publications by just opening the Medium site, leading to confusing web navigation.

✓ INSTEAD

Use `list_my_publications`. This single command retrieves every publication you belong to and lists them instantly for your agent.

Forgetting to specify the target brand

✗ AVOID

A user drafts a piece of content but doesn't tell their AI agent *where* it should go, leading to an error or defaulting to the wrong profile.

✓ INSTEAD

Always use `create_publication_post` and provide the specific publication name in your prompt. This directs the MCP to the correct brand context.

The Right Fit

Use this MCP if generating, managing, or publishing content on Medium is a core part of your daily workflow. Specifically, if you need to save drafts, publish under different brand names (publications), or audit user permissions, this tool handles that complex orchestration. Don't use it if you just want to read articles or only need basic text generation; those tasks are better handled by standard writing tools.

However, don't rely on this for content *ideas*. This MCP is purely an execution layer—it publishes what you give it. If your workflow requires complex data analysis (e.g., comparing Medium analytics to Google Analytics), you need a different type of integration that handles external API aggregation.

The publishing process is always a mess of tabs and clicks.

Today, getting content out the door involves navigating away from your AI client. You finish writing in one app, then you have to switch over to Medium's web interface. You copy the text, paste it into the editor, manually select the correct publication name, and finally hit publish. It's a painful cycle of context switching that wastes time and introduces human errors.

With this MCP, that whole process disappears. You just tell your agent, 'Post this article now.' The system handles linking to Medium, formatting it correctly for a public post, and publishing it—all without you ever leaving the chat window.

The Medium MCP lets you control publication status.

Previously, if you wanted to write an article but weren't ready to publish it, you were limited. You either had to leave a messy draft on your local machine or risk publishing something incomplete by using the main platform editor.

Now, you tell the agent to use `create_draft`. Your MCP instantly saves that content as a recoverable draft on Medium, giving you control and safety without the manual effort.

Medium MCP: 10 Tools for Publishing

These tools let you execute every step of the content lifecycle—from checking user details to publishing articles under specific brand names.

#	TOOL	DESCRIPTION
01	<code>create_draft</code>	Saves new content as an unpublished draft for later review and editing.
02	<code>create_post</code>	Creates a standard article post that is immediately visible to users on Medium.
03	<code>create_public_post</code>	Publishes content as a public article using your user profile.
04	<code>create_publication_post</code>	Posts an article directly under the name and branding of one of your managed publications.
05	<code>get_authenticated_user</code>	Retrieves detailed information for the user who connected their account to this MCP.
06	<code>get_my_user_id</code>	Provides your unique, internal Medium User ID number.
07	<code>get_my_profile</code>	Retrieves specific details about your public profile on the platform.
08	<code>list_contributors</code>	Shows who is authorized to contribute content to a specific publication you manage.
09	<code>list_my_publications</code>	Lists all the publications that you are currently a member of.
10	<code>list_publications</code>	Provides a list of various publications associated with your account.

See It in Action

Real prompts you can use once this MCP is connected to your AI agent through Vinkius Cloud.

U Show my Medium profile and user ID.



Retrieving your profile... You are logged in as '@username' (ID: 12345).

U Create a draft titled 'My AI Journey' with content 'This is my first post...'



Draft created successfully! You can view and edit it on Medium. URL: <https://medium.com/p/draft-id>

U List my publications.



Searching... You are a member of 2 publications: 'The Startup' and 'UX Collective'.

Frequently Asked Questions

01 How do I list all the publications available using the Medium MCP?

You use the `list_my_publications` tool. This command tells your agent every publication you are a member of, giving you a clean list to choose from when posting.

02 Can the Medium MCP publish content under a specific brand name?

Yes, that's one of its best features. By using `create_publication_post`, your agent ensures the article is correctly branded and posted directly to a designated publication.

03 Does the Medium MCP help me with content ideas?

No, this MCP handles publishing mechanics only. You must provide the finished text; it doesn't generate new articles or brainstorm topics for you.

04 If I use `create_post` versus `create_public_post`, what is the difference?

While both publish content, using `create_publication_post` gives you granular control to place it under a specific brand. Use `create_post` when you want a general public article associated with your personal profile.

05 What do I need before setting up the Medium MCP?

You'll need an active Medium account and a valid Medium Integration Token, which you must provide during the setup process to authorize the connection.

Go Live in 60 Seconds

Get your connection token from cloud.vinkius.com, then paste the endpoint URL into any MCP-compatible client.

YOUR MCP ENDPOINT

```
https://edge.vinkius.com/[TOKEN]/mcp
```

CLIENT

WHERE TO CONFIGURE



Claude AI

Profile → Customize → Connectors → "+" → Add custom connector → Paste endpoint



Cursor

Settings → Features → MCP Servers → "+ Add New MCP Server" → Type: SSE → Paste endpoint



VS Code

Ctrl/Cmd+Shift+P → "MCP: Add Server" → add `"medium": { "url": "..." }`



Windsurf

MCP Settings → `mcp_settings.json` → Add endpoint URL



ChatGPT

Settings → Tools & plugins → Add MCP server → Paste endpoint



Gemini

Extensions → Add MCP Server → Paste endpoint URL

ASK AN AI
ABOUT THIS

Let your preferred AI
explain this MCP server



Ask ChatGPT



Ask Claude



Ask Perplexity



Ask Gemini



Ask Grok



READY TO CONNECT

Medium is live on Vinkius Cloud.

Get your connection token, paste it into your AI agent, and start building. No SDK. No deployment. Just results.

[Start at cloud.vinkius.com](https://cloud.vinkius.com) →

vinkius.com · support@vinkius.com

INDEPENDENT PLATFORM DISCLAIMER

Vinkius is an independent platform and is not affiliated with, endorsed by, sponsored by, verified by, or otherwise authorized by Medium. All third-party trademarks, logos, and brand names are the property of their respective owners. Their use in this document is strictly for informational purposes to identify service compatibility and interoperability.

DOCUMENT INFORMATION

Generated	June 2026
MCP Server	Medium MCP
Server ID	019d75d1-4507-7298-8dcd-87009fba304e
Platform	Vinkius Cloud for AI Agents
Endpoint	<code>https://edge.vinkius.com/{token}/mcp</code>

LICENSE & USAGE

This document is generated automatically by the Vinkius PDF Engine. Content reflects the MCP server configuration at the time of generation and may change as updates are deployed. For the most current information, visit vinkius.com/mcp/medium.