

MCP SERVER

NO CODE

CLOUD HOSTED

Novel Development Decision Plan MCP.

Turn manuscript data into a clear roadmap for your next draft.

Novel Development Decision Plan MCP helps authors manage the heavy lifting of creative decision-making. It connects your manuscript premises and reader feedback to a structured plan, ensuring your narrative stays on track during long drafting or revision cycles. You can use it within Claude, Cursor, or Windsurf to keep your creative choices documented and your next writing session organized.

A+ Quality Score 100/100

authors

novel-writing

manuscript-planning

storytelling

editing-strategy



The connectivity layer between AI and the world's software.

Vinkius sits between AI and every application. All communication passes through Vinkius Cloud via the Model Context Protocol (MCP) — with governance, observability, and security at every layer.

Your AI Connections Run Through Vinkius Cloud

The world's largest
managed MCP catalog

Vinkius is the connectivity layer where AI connects to the software your business already runs. We handle the hosting, the security, the credentials, the uptime — you get agents that actually do things.

We operate the world's largest managed MCP catalog. Major SaaS platforms, CRMs, databases, and cloud providers — running, monitored, production-ready. This MCP server is hosted and maintained by the Vinkius Cloud for AI Agents.

The agent doesn't manage credentials, doesn't manage uptime, doesn't manage security. Vinkius does.

— Architecture principle

Four Pillars of the Vinkius Runtime

01 — Security by design

Credentials stay encrypted at rest via AES-256. The AI agent never touches raw keys — they're injected into a sandboxed V8 isolate at runtime. Actions are logged, and connections have an emergency kill switch.

03 — Deterministic observability

Eight immutable metrics per endpoint: request volume, p95 latency, error rate, active connections, cost attribution. A live payload feed logs every tool call with mutation detection.

02 — Built on MCP Fusion

This MCP server was built with **MCP Fusion**, the open-source framework (Apache 2.0) that powers the entire Vinkius catalog. Schema-as-firewall strips undeclared fields, compiled PII redaction runs at zero overhead, and cryptographic lockfiles produce git-diffable audit trails.

04 — Autonomous operations

Servers are deployed, monitored, and patched autonomously. New capabilities and security patches ship weekly. Zero-downtime deployments ensure continuous availability across all managed MCP servers.

AES-256

Encryption at rest

Ed25519

PKI vault signatures

24h TTL

Ephemeral session keys

V8 Isolate

Sandboxed execution

One Token. Instant Access.

Every MCP server on Vinkius is accessed through a **Connection Token**. Tokens are generated in the cloud dashboard and produce a unique MCP endpoint URL. Paste this URL into any MCP-compatible client — no SDK required.

A single token can serve **multiple AI clients simultaneously**, or you can issue separate tokens per client for granular access control. Each token tracks its own request count, last activity timestamp, and can be individually enabled or revoked.

MCP ENDPOINT`https://edge.vinkius.com/{token}/mcp`

Claude



Cursor



VS Code



Windsurf



Grok



Gemini

Security Is the Architecture

Security in Vinkius is not a feature — it's the foundation of the runtime. The gateway enforces multiple independent protection layers between AI agents and third-party APIs.

01 — Ed25519 PKI Vault

Every workspace has an Ed25519 Master Key. Session keys are generated ephemerally (24h TTL) and signed by the Master Key. Credentials never leave the vault boundary.

02 — V8 Isolate Sandboxing

Tool code runs inside isolated-vm V8 isolates with 64 MB memory caps and per-request timeouts. No filesystem access, no network access except through the SSRF-guarded fetch bridge.

03 — SSRF Guard

All outbound HTTP requests are DNS-resolved and validated before execution. Private IP ranges (10.x, 172.16-31.x, 192.168.x, AWS metadata 169.254.x) are blocked at the network layer.

05 — Cryptographic Audit Trail

Every request is signed into a SHA-256 hash chain with Ed25519 signatures. Events form a tamper-proof, SIEM-exportable forensic record.

04 — DLP & PII Redaction

A ResponseGuard pipeline intercepts every tool response. Configurable redaction patterns strip sensitive fields (emails, SSNs, card numbers) before data reaches the AI agent.

06 — Honeypot Trap System

Phantom credentials are injected into isolated environments. If a honeypot is used outside Vinkius infrastructure, the server is quarantined instantly.

Emergency Kill Switch

EU AI Act Art. 14(1)
Compliant

The kill switch is an **emergency halt** mechanism — not a simple toggle. When triggered, it executes three actions atomically:

01 — Server deactivated

The MCP server is immediately taken offline across the entire cluster.

02 — All tokens revoked

Every connection token is invalidated. Total lockout — reconnection blocked until new tokens are issued.

03 — WebSocket connections killed

Active connections terminated via Redis pubsub broadcast. Propagates to every runtime node in the cluster.

Full Visibility. Zero Guesswork.

The Vinkius cloud dashboard includes a full MCP Governance suite — real-time analytics and security controls for production AI operations.

Control Plane

KPI dashboard with request volume, latency, success rate, token consumption, and AI-generated operational briefings.

FinOps

Cost tracking per tool, payload compression savings, budget optimization signals, and consumption trends.

Firewall & DLP

PII redaction activity, sensitive data protection counters, and security event timeline.

Agent Activity

Which AI clients are connecting, how often, and what they're doing — real-time session tracking.

Tool Health

Slowest and most error-prone tools, with actionable root-cause insights and performance baselines.

Incident Log

Error trends, failure rates, status-code breakdowns, and forensic audit trail access.

Get started at cloud.vinkius.com — connect your AI agent in under 60 seconds.

Novel Development Decision Plan MCP

5 tools available

Cloud-hosted on Vinkius

Writing a novel involves thousands of tiny decisions that can easily derail your original vision. This MCP acts as a strategic partner for your AI client, helping you maintain narrative integrity as you move from outline to final draft. Instead of losing track of why you changed a character's motivation or how a plot twist affects the pacing, you can document every major shift. You can use it to weigh beta reader feedback against your core story goals, ensuring you don't chase every suggestion that pulls you away from your vision. It turns messy creative impulses into organized, actionable checklists. Whether you are tackling a massive series or a standalone thriller, this tool keeps your high-level strategy and granular chapter changes in one place.

Core Capabilities

01 — Strategic Roadmap Generation

Your agent uses this to set the high-level direction for upcoming writing phases.

02 — Granular Revision Planning

Your agent creates specific instructions for individual chapter updates.

03 — Feedback Filtering

Your agent compares reader comments against your story's core priorities.

04 — Decision Documentation

Your agent logs creative changes to prevent narrative regression.

05 — Session Preparation

Your agent compiles all pending tasks into a concrete checklist.

One Click on Vinkius — From Prompt to Execution

Available at vinkius.com/en/ai-agent-connect/novel-development-decision-plan — connect your AI agent in three steps.

- 01 Connect the MCP to Claude, Cursor, Windsurf, or VS Code via Vinkius.
- 02 Provide your manuscript premises or current draft context to your AI client.
- 03 Ask your agent to generate roadmaps, briefs, or log specific decisions.
- 04 Use the generated checklists to drive your actual writing sessions.

Connect the MCP to your preferred AI client and start managing your story logic.

Built For

This MCP is built for authors who need to manage complex narratives and long-term creative projects.

Novelists

Authors who want to maintain consistency across long manuscripts.

Fiction Editors

Professionals who need to track structural changes and feedback implementation.

Story Architects

Planners who focus on high-level world-building and narrative logic.

What Changes When You Connect

- 01 Maintains narrative consistency by logging every major creative choice.
- 02 Reduces decision fatigue by turning feedback into actionable tasks.

-
- 03** Prevents regression by keeping a permanent record of story changes.
-
- 04** Organizes writing sessions with automated checklists.
-

Real-World Applications

Managing Beta Reader Feedback

Evaluate which reader suggestions align with your vision and which ones contradict your core premise.

Structural Revisions

Create detailed briefs for changing specific chapters after a major plot shift.

Series Continuity

Log decisions about magic systems or character histories to ensure they stay consistent across multiple books.

Drafting Preparation

Generate a checklist of tasks to complete during your next writing block.

Patterns to Avoid

Ignoring long-term story logic

❌ AVOID

You change a character's backstory mid-draft without noting why, then realize three chapters later that the new version breaks the plot.

✓ INSTEAD

Use ``log_decision_record`` to document every major shift so you can track the evolution of your story logic.

Chasing every reader suggestion

❌ AVOID

A beta reader suggests a change that contradicts your core theme, and you immediately rewrite a whole chapter to satisfy them.

✓ INSTEAD

Run feedback through ``plan_feedback_response`` to see if a suggestion actually aligns with your established story priorities.

Starting writing sessions without a plan

❌ AVOID

You sit down to write but spend forty minutes deciding which chapter needs the most work or which plot point to fix first.

✓ INSTEAD

Use ``summarize_next_draft_commitments`` to turn your roadmaps and briefs into a concrete checklist before you start.

The Right Fit

Connect this MCP if you are managing a complex novel or a multi-book series where narrative consistency is a risk. Do not connect it if you are writing short, standalone pieces with minimal character or plot movement. The deciding factor is whether your story requires a documented history of creative decisions to prevent regression.



Novel Development Decision Plan Tools

These tools manage the high-level strategy and granular changes required to keep a complex narrative on track.

#	TOOL	DESCRIPTION
01	summarize_next_draft_commitments	This tool pulls together your roadmaps and change briefs into a single checklist for your next writing session.
02	create_chapter_change_brief	This tool generates specific, actionable instructions for revising individual chapters based on your current development goals.
03	generate_development_roadmap	This tool synthesizes your manuscript data into a high-level strategic direction for your next writing phase.
04	log_decision_record	This tool creates a permanent record of your creative choices so you don't accidentally undo important decisions later.
05	plan_feedback_response	This tool evaluates external critiques against your established story priorities to help you decide which feedback to actually use.

See It in Action

Real prompts you can use once this MCP is connected to your AI agent through Vinkius Cloud.

U I need a strategic direction for my thriller novel about a detective in a futuristic city, focusing on improving pacing.



To improve pacing in your futuristic noir thriller, the strategic focus should shift toward increasing the frequency of high-stakes investigative breakthroughs in the first half of the manuscript.

U My beta readers said the protagonist's motivation is unclear in Chapter 5. How should I handle this?



You should use `create_chapter_change_brief` for Chapter 5 to explicitly link the protagonist's immediate actions to their core internal conflict established in the premise.

U I've decided to make the magic system harder to use. How do I record this?



You can use `log_decision_record` to document that the magic system's limitations were increased to heighten the tension and align with the established creative constraints.

Frequently Asked Questions

01 What AI clients can I use with this MCP?

You can use this MCP with Claude Desktop, Cursor, Windsurf, VS Code, or any other MCP-compatible client.

02 How does this help with character consistency?

The `log_decision_record` tool lets you document character changes so your AI client can help you avoid contradicting earlier decisions.

03 Can I use this for short stories as well as novels?

Yes. While designed for the complexity of novels, the strategic tools work for any narrative project requiring structured planning.

04 Do I need to host the MCP myself?

No. Vinkius hosts and manages the MCP for you, so it is ready to use immediately after connection.

05 How does it handle conflicting feedback?

The `plan_feedback_response` tool evaluates incoming critiques against your specific story priorities to help you decide what to adopt.

06 How does this help with my revision process?

The server uses `create_chapter_change_brief` to turn high-level strategic directions into specific, actionable instructions for individual chapters, ensuring your revisions stay aligned with your original vision.

07 Can I use this to manage feedback from beta readers?

Yes. The `plan_feedback_response` tool allows you to evaluate incoming feedback against your established revision priorities to decide which suggestions to adopt or reject.

08 How do I ensure I don't contradict my own story rules?

You can use `log_decision_record` to document the rationale behind major creative choices, linking them directly back to your manuscript's premise and constraints.

Go Live in 60 Seconds

Get your connection token from cloud.vinkius.com, then paste the endpoint URL into any MCP-compatible client.

YOUR MCP ENDPOINT

`https://edge.vinkius.com/[TOKEN]/mcp`

CLIENT	WHERE TO CONFIGURE
 Claude AI	Profile → Customize → Connectors → "+" → Add custom connector → Paste endpoint
 Cursor	Settings → Features → MCP Servers → "+ Add New MCP Server" → Type: SSE → Paste endpoint
 VS Code	Ctrl/Cmd+Shift+P → "MCP: Add Server" → add <code>"novel-development-decision-plan": { "url": "..." }</code>
 Windsurf	MCP Settings → <code>mcp_settings.json</code> → Add endpoint URL
 ChatGPT	Settings → Tools & plugins → Add MCP server → Paste endpoint
 Gemini	Extensions → Add MCP Server → Paste endpoint URL

ASK AN AI ABOUT THIS

Let your preferred AI explain this MCP server

-  **Ask ChatGPT** 
-  **Ask Claude** 
-  **Ask Perplexity** 
-  **Ask Gemini** 
-  **Ask Grok** 

READY TO CONNECT

Novel Development Decision Plan is live on Vinkius Cloud.

Get your connection token, paste it into your AI agent, and
start building. No SDK. No deployment. Just results.

Start at cloud.vinkius.com →

vinkius.com · support@vinkius.com

INDEPENDENT PLATFORM DISCLAIMER

Vinkius is an independent platform and is not affiliated with, endorsed by, sponsored by, verified by, or otherwise authorized by Novel Development Decision Plan. All third-party trademarks, logos, and brand names are the property of their respective owners. Their use in this document is strictly for informational purposes to identify service compatibility and interoperability.

DOCUMENT INFORMATION

Generated	September 2026
MCP Server	Novel Development Decision Plan MCP
Server ID	01a0d6eb-b405-709a-a93b-5e954ebee7ea
Platform	Vinkius Cloud for AI Agents
Endpoint	<code>https://edge.vinkius.com/{token}/mcp</code>

LICENSE & USAGE

This document is generated automatically by the Vinkius PDF Engine. Content reflects the MCP server configuration at the time of generation and may change as updates are deployed. For the most current information, visit vinkius.com/en/ai-agent-connect/novel-development-decision-plan.