

M C P S E R V E R

N O C O D E

C L O U D H O S T E D

Paris Events & City Works MCP

Get live city data directly in your AI client.

Paris Events & City Works MCP provides direct access to the official Paris open-data platform. Your agent can pull real-time information on the "Que faire à Paris" event program, the city's 80 open-air markets, scheduled road closures, and registered building works. Filter everything by arrondissement, category, or specific day to plan trips or routes around city disruptions.

A+ Quality Score 96.67/100

paris

france

events

que-faire-a-paris

open-air-markets

road-closures



The connectivity layer between AI and the world's software.



Vinkius sits between AI and every application. All communication passes through Vinkius Cloud via the Model Context Protocol (MCP) — with governance, observability, and security at every layer.

Your AI Connections Run Through Vinkius Cloud

The world's largest
managed MCP catalog

Vinkius is the connectivity layer where AI connects to the software your business already runs. We handle the hosting, the security, the credentials, the uptime — you get agents that actually do things.

We operate the world's largest managed MCP catalog. Major SaaS platforms, CRMs, databases, and cloud providers — running, monitored, production-ready. This MCP server is hosted and maintained by the Vinkius Cloud for AI Agents.

The agent doesn't manage credentials, doesn't manage uptime, doesn't manage security. Vinkius does.

— Architecture principle

Four Pillars of the Vinkius Runtime

01 — Security by design

Credentials stay encrypted at rest via AES-256. The AI agent never touches raw keys — they're injected into a sandboxed V8 isolate at runtime. Actions are logged, and connections have an emergency kill switch.

03 — Deterministic observability

Eight immutable metrics per endpoint: request volume, p95 latency, error rate, active connections, cost attribution. A live payload feed logs every tool call with mutation detection.

02 — Built on MCP Fusion

This MCP server was built with **MCP Fusion**, the open-source framework (Apache 2.0) that powers the entire Vinkius catalog. Schema-as-firewall strips undeclared fields, compiled PII redaction runs at zero overhead, and cryptographic lockfiles produce git-diffable audit trails.

04 — Autonomous operations

Servers are deployed, monitored, and patched autonomously. New capabilities and security patches ship weekly. Zero-downtime deployments ensure continuous availability across all managed MCP servers.

AES-256

Encryption at rest

Ed25519

PKI vault signatures

24h TTL

Ephemeral session keys

V8 Isolate

Sandboxed execution

One Token. Instant Access.

Every MCP server on Vinkius is accessed through a **Connection Token**. Tokens are generated in the cloud dashboard and produce a unique MCP endpoint URL. Paste this URL into any MCP-compatible client — no SDK required.

A single token can serve **multiple AI clients simultaneously**, or you can issue separate tokens per client for granular access control. Each token tracks its own request count, last activity timestamp, and can be individually enabled or revoked.

MCP ENDPOINT`https://edge.vinkius.com/{token}/mcp`

Claude



Cursor



VS Code



Windsurf



Grok



Gemini

Security Is the Architecture

Security in Vinkius is not a feature — it's the foundation of the runtime. The gateway enforces multiple independent protection layers between AI agents and third-party APIs.

01 — Ed25519 PKI Vault

Every workspace has an Ed25519 Master Key. Session keys are generated ephemerally (24h TTL) and signed by the Master Key. Credentials never leave the vault boundary.

02 — V8 Isolate Sandboxing

Tool code runs inside isolated-vm V8 isolates with 64 MB memory caps and per-request timeouts. No filesystem access, no network access except through the SSRF-guarded fetch bridge.

03 — SSRF Guard

All outbound HTTP requests are DNS-resolved and validated before execution. Private IP ranges (10.x, 172.16-31.x, 192.168.x, AWS metadata 169.254.x) are blocked at the network layer.

05 — Cryptographic Audit Trail

Every request is signed into a SHA-256 hash chain with Ed25519 signatures. Events form a tamper-proof, SIEM-exportable forensic record.

04 — DLP & PII Redaction

A ResponseGuard pipeline intercepts every tool response. Configurable redaction patterns strip sensitive fields (emails, SSNs, card numbers) before data reaches the AI agent.

06 — Honeypot Trap System

Phantom credentials are injected into isolated environments. If a honeypot is used outside Vinkius infrastructure, the server is quarantined instantly.

Emergency Kill Switch

EU AI Act Art. 14(1)
Compliant

The kill switch is an **emergency halt** mechanism — not a simple toggle. When triggered, it executes three actions atomically:

01 — Server deactivated

The MCP server is immediately taken offline across the entire cluster.

02 — All tokens revoked

Every connection token is invalidated. Total lockout — reconnection blocked until new tokens are issued.

03 — WebSocket connections killed

Active connections terminated via Redis pubsub broadcast. Propagates to every runtime node in the cluster.

Full Visibility. Zero Guesswork.

The Vinkius cloud dashboard includes a full MCP Governance suite — real-time analytics and security controls for production AI operations.

Control Plane

KPI dashboard with request volume, latency, success rate, token consumption, and AI-generated operational briefings.

FinOps

Cost tracking per tool, payload compression savings, budget optimization signals, and consumption trends.

Firewall & DLP

PII redaction activity, sensitive data protection counters, and security event timeline.

Agent Activity

Which AI clients are connecting, how often, and what they're doing — real-time session tracking.

Tool Health

Slowest and most error-prone tools, with actionable root-cause insights and performance baselines.

Incident Log

Error trends, failure rates, status-code breakdowns, and forensic audit trail access.

Get started at cloud.vinkius.com — connect your AI agent in under 60 seconds.

Paris Events & City Works MCP

7 tools available

Cloud-hosted on Vinkius

You can pull live data from the official Paris open-data platform without leaving your AI client. This MCP gives your agent the ability to act as a local guide or logistics planner by accessing the "Que faire à Paris" program, street market schedules, and city infrastructure updates. If you need to know what's happening in a specific arrondissement, you can filter event lists, market locations, or construction sites by postal code or district. It's particularly useful for navigating around road closures or finding specific types of street markets, like those selling flowers or organic produce. Because the data uses exact stored values, your agent can query specific categories like libraries, museums, or specific market days to get precise answers. Whether you're checking for free events or avoiding a closed street, this MCP connects your agent to the city's official real-time registry.

Core Capabilities

01 — Event Discovery

Your agent searches the official Paris event program for specific themes or price points.

02 — Market Locating

The agent finds street markets based on the day of the week or the specific goods being sold.

03 — Traffic Planning

Your agent checks for scheduled road closures to help you avoid blocked streets.

04 — Construction Monitoring

The agent identifies registered building works and their impact on sidewalks or bike lanes.

05 — Data Filtering

Your agent uses exact stored values to filter results by arrondissement or category.

One Click on Vinkius — From Prompt to Execution

Available at vinkius.com/en/ai-agent-connect/paris-events-city-works — connect your AI agent in three steps.

- 01 Connect your MCP-compatible client to Vinkius.
- 02 Your agent identifies the necessary tool for your request.
- 03 The agent sends a request using exact filter values like arrondissement or day.
- 04 The MCP fetches the real-time data from the Paris open-data platform.
- 05 Your agent presents the specific event, market, or closure info to you.

Connect your client to Vinkius and start querying Paris city data immediately.

Built For

This MCP is built for anyone needing real-time, official city data for Paris.

Trip Planners

They ask the agent to find free events or local markets to build daily itineraries.

Logistics Coordinators

They use the tool to check road closures and construction sites to plan efficient routes.

Local Residents

They check for nearby street markets or upcoming building works in their arrondissement.

What Changes When You Connect

- 01 Accesses official Paris open-data directly without manual searching.
- 02 Uses exact filter values to ensure your agent gets precise results.

-
- 03 Provides real-time updates on road closures and construction.
 - 04 Allows for granular filtering by arrondissement and category.
-

Real-World Applications

Daily Itinerary Building

Ask your agent to find free cultural events happening in a specific district this weekend.

Grocery Planning

Find out which street markets are open on a Wednesday to buy fresh produce.

Route Optimization

Check for road closures or building works to avoid delays during a commute.

Neighborhood Research

Identify what kind of building works are currently registered in a specific postal code.

Patterns to Avoid

Blindly paging through data

❌ AVOID

You ask your agent to list every single event in the city program without checking the total count first.

✓ INSTEAD

Use `count\_events` to see the scale of the dataset first. This prevents your agent from wasting time or tokens on unnecessary pagination.

Guessing filter categories

❌ AVOID

You tell your agent to find 'outdoor concerts' using a custom filter that doesn't exist in the official registry.

✓ INSTEAD

Run `event\_program\_summary` first. It gives you the exact category and venue names used by the city so your filters actually work.

Ignoring construction zones

❌ AVOID

You plan a delivery route through a specific street without checking if it is currently blocked.

✓ INSTEAD

Check `'list_road_closures'` to see active disruptions and scheduled closures before you finalize any logistics.

The Right Fit

Connect this MCP if you need real-time, official data for Paris logistics, event planning, or neighborhood monitoring. Do not connect it if you are looking for historical archives or data from cities outside of Paris. The decision rests on whether you need to query the live municipal registry directly through your AI client.



Paris Events & City Works 7 Tools

This MCP provides direct access to official Paris municipal data. It covers everything from street markets and cultural events to road closures and construction permits.

#	TOOL	DESCRIPTION
01	count_events	Returns a fast total count of entries in the "Que faire à Paris" program. Use this to see how many results exist before you start paging through specific lists.
02	count_works	Provides a quick total of all registered building works. This helps your agent determine how much data it needs to fetch when searching for construction sites.
03	event_program_summary	Summarizes the composition of the event program by category and venue. Use this to find the exact category names needed for precise filtering.
04	list_events	Lists entries from the official Paris event program. It includes details like venue, price, accessibility, and URLs, with filters for price type, group, and accessibility.
05	list_open_air_markets	Retrieves data on the ~80 street markets in Paris. You can filter by arrondissement, weekday, or the type of products sold, such as food or flowers.
06	list_road_closures	Lists scheduled road closures across the city. It provides the closure type, location, time periods, and the current status of the work.
07	list_works	Lists registered building works in Paris. You can filter by arrondissement, work category, or the specific type of footprint affected, like sidewalks or bike lanes.

See It in Action

Real prompts you can use once this MCP is connected to your AI agent through Vinkius Cloud.

U What is on in Paris this week that is free?



The "Que faire à Paris" program has several free entries. I can use `list_events` with the `gratuit` filter to show you the current schedule.

U Where can I buy fresh produce in the 10th arrondissement on a Tuesday?



I'll check the markets in the 10th arrondissement. Using `list_open_air_markets` for Tuesday and food products, I found a market on [Street Name] that operates during [Hours].

U Which building works are registered in the 8th arrondissement?



I am checking the registry for the 8th arrondissement. `list_works` shows several active sites, including [Work Description] near [Location].

Frequently Asked Questions

01 How current is the Paris event data?

The data comes directly from the official Paris open-data platform, providing real-time access to the current program.

02 Can I filter events by price?

Yes, you can filter the "Que faire à Paris" program by price type, including `gratuit` (free) and `payant` (paid) options.

03 Does this MCP include information on street markets?

Yes, it includes data on approximately 80 open-air markets, including what they sell and their operating days.

04 Can I check for road closures near me?

Yes, the `list_road_closures` tool provides details on scheduled closures, including the type of closure and the affected direction.

05 How do I find works happening in a specific district?

You can use `list_works` and filter by the 5-digit postal code for the specific *arrondissement*.

06 Do I need an API key?

No. `opendata.paris.fr` serves all city datasets anonymously over its Opendatasoft REST API. This MCP defines no credentials and needs nothing configured.

07 What is the "Que faire à Paris" program?

The City of Paris's official program of events, exhibitions and activities. `list_events` returns its entries (name, venue, start/end, category, access info) and `event_program_summary` breaks the program down by category, venue and week so you can find the exact filter values.

08 How do I find which markets are open on a given weekday?

`list_open_air_markets` takes `day` as one of `lundi`, `mardi`, `mercredi`, `jeudi`, `vendredi`, `samedi`, `dimanche`, plus `produit` (e.g. "Alimentaire"), `ardt` (*arrondissement* "1".."20") and `secteur` ("A"/"B"). The whole market dataset (~80 rows) returns in one call.

09 How do I route around a closed street or a declared work?

`list_road_closures` returns the scheduled closure periods per street with the closure type and progress state; `list_works` (or `count_works`) lists the registered building works, both filterable by *arrondissement* (`cp_arrondissement` "1".."20").

Go Live in 60 Seconds

Get your connection token from cloud.vinkius.com, then paste the endpoint URL into any MCP-compatible client.

YOUR MCP ENDPOINT

`https://edge.vinkius.com/[TOKEN]/mcp`

CLIENT	WHERE TO CONFIGURE
 Claude AI	Profile → Customize → Connectors → "+" → Add custom connector → Paste endpoint
 Cursor	Settings → Features → MCP Servers → "+" Add New MCP Server" → Type: SSE → Paste endpoint
 VS Code	Ctrl/Cmd+Shift+P → "MCP: Add Server" → add <code>"paris-events-city-works": { "url": "..." }</code>
 Windsurf	MCP Settings → <code>mcp_settings.json</code> → Add endpoint URL
 ChatGPT	Settings → Tools & plugins → Add MCP server → Paste endpoint
 Gemini	Extensions → Add MCP Server → Paste endpoint URL

ASK AN AI ABOUT THIS

Let your preferred AI explain this MCP server

-  Ask ChatGPT 
-  Ask Claude 
-  Ask Perplexity 
-  Ask Gemini 
-  Ask Grok 

READY TO CONNECT

Paris Events & City Works is live on Vinkius Cloud.

Get your connection token, paste it into your AI agent, and
start building. No SDK. No deployment. Just results.

Start at cloud.vinkius.com →

vinkius.com · support@vinkius.com

INDEPENDENT PLATFORM DISCLAIMER

Vinkius is an independent platform and is not affiliated with, endorsed by, sponsored by, verified by, or otherwise authorized by Paris Events & City Works. All third-party trademarks, logos, and brand names are the property of their respective owners. Their use in this document is strictly for informational purposes to identify service compatibility and interoperability.

DOCUMENT INFORMATION

Generated	September 2026
MCP Server	Paris Events & City Works MCP
Server ID	01a0dfd0-56a8-7234-86d1-d196add0b816
Platform	Vinkius Cloud for AI Agents
Endpoint	https://edge.vinkius.com/{token}/mcp

LICENSE & USAGE

This document is generated automatically by the Vinkius PDF Engine. Content reflects the MCP server configuration at the time of generation and may change as updates are deployed. For the most current information, visit vinkius.com/en/ai-agent-connect/paris-events-city-works.