

MCP SERVER

NO CODE

CLOUD HOSTED

Payhip MCP

Manage licenses, coupons, and customer data in chat.

Payhip MCP lets you control all aspects of your digital sales, licenses, and customer data directly through conversation. Manage coupons, verify software keys, and track usage counts without switching apps. If you sell ebooks, courses, or memberships, this integration puts your entire storefront's operational controls right into your AI client.

A+ Quality Score 100/100

digital-downloads

license-keys

coupons

membership-management

creator-economy



The connectivity layer between AI and the world's software.



Vinkius sits between AI and every application. All communication passes through Vinkius Cloud via the Model Context Protocol (MCP) — with governance, observability, and security at every layer.

Your AI Connections Run Through Vinkius Cloud

The world's largest
managed MCP catalog

Vinkius is the connectivity layer where AI connects to the software your business already runs. We handle the hosting, the security, the credentials, the uptime — you get agents that actually do things.

We operate the world's largest managed MCP catalog. Major SaaS platforms, CRMs, databases, and cloud providers — running, monitored, production-ready. This MCP server is hosted and maintained by the Vinkius Cloud for AI Agents.

The agent doesn't manage credentials, doesn't manage uptime, doesn't manage security. Vinkius does.

— Architecture principle

Four Pillars of the Vinkius Runtime

01 — Security by design

Credentials stay encrypted at rest via AES-256. The AI agent never touches raw keys — they're injected into a sandboxed V8 isolate at runtime. Actions are logged, and connections have an emergency kill switch.

03 — Deterministic observability

Eight immutable metrics per endpoint: request volume, p95 latency, error rate, active connections, cost attribution. A live payload feed logs every tool call with mutation detection.

02 — Built on MCP Fusion

This MCP server was built with **MCP Fusion**, the open-source framework (Apache 2.0) that powers the entire Vinkius catalog. Schema-as-firewall strips undeclared fields, compiled PII redaction runs at zero overhead, and cryptographic lockfiles produce git-diffable audit trails.

04 — Autonomous operations

Servers are deployed, monitored, and patched autonomously. New capabilities and security patches ship weekly. Zero-downtime deployments ensure continuous availability across all managed MCP servers.

AES-256

Encryption at rest

Ed25519

PKI vault signatures

24h TTL

Ephemeral session keys

V8 Isolate

Sandboxed execution

One Token. Instant Access.

Every MCP server on Vinkius is accessed through a **Connection Token**. Tokens are generated in the cloud dashboard and produce a unique MCP endpoint URL. Paste this URL into any MCP-compatible client — no SDK required.

A single token can serve **multiple AI clients simultaneously**, or you can issue separate tokens per client for granular access control. Each token tracks its own request count, last activity timestamp, and can be individually enabled or revoked.

MCP ENDPOINT

`https://edge.vinkius.com/{token}/mcp`

Claude



Cursor



VS Code



Windsurf



Grok



Gemini

Security Is the Architecture

Security in Vinkius is not a feature — it's the foundation of the runtime. The gateway enforces multiple independent protection layers between AI agents and third-party APIs.

01 — Ed25519 PKI Vault

Every workspace has an Ed25519 Master Key. Session keys are generated ephemerally (24h TTL) and signed by the Master Key. Credentials never leave the vault boundary.

02 — V8 Isolate Sandboxing

Tool code runs inside isolated-vm V8 isolates with 64 MB memory caps and per-request timeouts. No filesystem access, no network access except through the SSRF-guarded fetch bridge.

03 — SSRF Guard

All outbound HTTP requests are DNS-resolved and validated before execution. Private IP ranges (10.x, 172.16-31.x, 192.168.x, AWS metadata 169.254.x) are blocked at the network layer.

05 — Cryptographic Audit Trail

Every request is signed into a SHA-256 hash chain with Ed25519 signatures. Events form a tamper-proof, SIEM-exportable forensic record.

04 — DLP & PII Redaction

A ResponseGuard pipeline intercepts every tool response. Configurable redaction patterns strip sensitive fields (emails, SSNs, card numbers) before data reaches the AI agent.

06 — Honeypot Trap System

Phantom credentials are injected into isolated environments. If a honeypot is used outside Vinkius infrastructure, the server is quarantined instantly.

Emergency Kill Switch

EU AI Act Art. 14(1)
Compliant

The kill switch is an **emergency halt** mechanism — not a simple toggle. When triggered, it executes three actions atomically:

01 — Server deactivated

The MCP server is immediately taken offline across the entire cluster.

02 — All tokens revoked

Every connection token is invalidated. Total lockout — reconnection blocked until new tokens are issued.

03 — WebSocket connections killed

Active connections terminated via Redis pubsub broadcast. Propagates to every runtime node in the cluster.

Full Visibility. Zero Guesswork.

The Vinkius cloud dashboard includes a full MCP Governance suite — real-time analytics and security controls for production AI operations.

Control Plane

KPI dashboard with request volume, latency, success rate, token consumption, and AI-generated operational briefings.

FinOps

Cost tracking per tool, payload compression savings, budget optimization signals, and consumption trends.

Firewall & DLP

PII redaction activity, sensitive data protection counters, and security event timeline.

Agent Activity

Which AI clients are connecting, how often, and what they're doing — real-time session tracking.

Tool Health

Slowest and most error-prone tools, with actionable root-cause insights and performance baselines.

Incident Log

Error trends, failure rates, status-code breakdowns, and forensic audit trail access.

Get started at cloud.vinkius.com — connect your AI agent in under 60 seconds.

Payhip MCP

11 tools available

Cloud-hosted on Vinkius

Running a digital product business means juggling sales dashboards, coupon spreadsheets, and license key databases—all in different tabs. This MCP connects your Payhip account to any compatible AI agent, letting you manage all those details from plain conversation. You can ask your agent to check if a customer's purchased software key is active or even disable it instantly after a refund. Need to run a new promotion? Instead of logging into the site, simply ask the agent to list existing coupons and then create a brand-new discount code with specific parameters. This level of control means you don't have to manually check usage counts or track customer details anymore. When you connect through Vinkius, your AI client acts like a dedicated digital operations manager for your entire store. It takes the complexity out of running the back end so you can focus on building products.

Core Capabilities

01 — Verify and control software licenses

You can check if a specific license key is valid, retrieve customer details linked to it, or enable/disable keys programmatically.

02 — Manage promotional codes

List all active coupons for review, get details on a specific code, or create entirely new discount coupons with defined rules.

03 — Track sales and customer records

Retrieve lists of all products sold, list every customer in your store, and check the full metadata for any product you sell.

One Click on Vinkius — From Prompt to Execution

Available at vinkius.com/mcp/payhip — connect your AI agent in three steps.

- 01 Subscribe to this MCP on Vinkius and input your Payhip API Key from your developer settings.
- 02 Your AI client uses that key to connect directly to all of your store's operational data.
- 03 You issue a command, like 'Verify license ABC-123', and the agent returns real-time status updates and usage counts in the chat.

The bottom line is that you get total control over your digital storefront's operations without ever leaving your conversation window.

Built For

Digital Founders, SaaS Product Managers, and Support Engineers. If your day involves manually cross-referencing license keys with coupon codes or tracking usage across multiple dashboards, this is for you.

Founder/CEO

You use this to monitor organizational health by quickly checking if a crucial product license key has been disabled or if sales tracking needs an update.

Product Manager

You manage the lifecycle of your products, using the MCP to list all digital products and verify their associated details when developing new features.

Customer Support Engineer

You use it constantly to look up customer details or check if a license key is still active so you can help customers immediately without escalating tickets.

What Changes When You Connect

- 01 Stop checking license keys in a separate dashboard. Use the `verify_license` tool to get real-time status updates on key validity and usage directly from your agent.

-
- 02** Running promotions just got easier. You can use `list_coupons` to see everything active, then instantly use `create_coupon` to roll out a new discount without leaving your workflow.
-
- 03** When a customer needs support, you don't waste time switching apps. Use `get_customer_details` or `get_product_details` to pull all necessary account and product info immediately.
-
- 04** You maintain tight control over your sales terms. By using `update_license_usage`, you ensure that license counts are accurate every time, enforcing your software's usage limits automatically.
-
- 05** Never lose track of inventory or users again. The agent can run the `list_products` and `list_customers` tools to give you a current overview of everything sold.
-

Real-World Applications

A customer needs immediate license support.

The support engineer asks their agent to verify key 'XYZ-123'. The agent uses the `verify_license` tool and immediately reports that the key is active, for which product, and what its remaining usage count is. This saves 5 minutes of manual lookups.

Need to audit customer records.

The finance team needs to know who bought a specific product. They ask the agent to list all customers using `list_customers` and then filter that data by date or role, ensuring no sales are missed.

A marketing campaign needs a quick code rollout.

The founder asks the agent to list all current coupons using `list_coupons`, sees that existing codes are too broad, and then uses the `create_coupon` tool to generate a highly specific 'SUMMER20' code for the next 7 days.

Handling account changes after refund.

The support engineer processes a refund and instructs the agent to use the `disable_license` tool on the key. This action immediately prevents the customer from using the product again, maintaining compliance.

Patterns to Avoid

Using spreadsheets for tracking.

X AVOID

Manually updating a spreadsheet when a license is used, which inevitably leads to human error and lost data.

✓ INSTEAD

Use the agent's `update_license_usage` tool. This action directly updates Payhip's records, guaranteeing accuracy every time you check the usage count.

Relying on API documentation alone.

X AVOID

Reading complex developer docs to figure out if a coupon code needs to be enabled or disabled manually in a separate platform.

✓ INSTEAD

Use `enable_license` or `disable_license`. The agent handles the specific logic of the Payhip system, letting you manage entitlements simply via conversation.

Assuming all product data is stored locally.

X AVOID

When a user asks about 'Premium Plugin Suite', they might only have partial sales data unless they connect to the source of truth.

✓ INSTEAD

Use `get_product_details` to pull accurate, real-time information for any digital item sold on your Payhip store.

The Right Fit

Use this MCP if your business relies heavily on managing limited access goods, like software licenses, or complex promotions. Specifically, if you need the ability to check usage counts via `verify_license` and control coupons programmatically with `create_coupon`, this is perfect. Don't use it if you only need basic email list management or simple transaction logging; those services are better handled by dedicated CRM tools. If your primary goal is just to send mass emails, ignore the license-focused tools like `disable_license` and look for a pure messaging integration instead.

The headache of managing digital entitlements in multiple tabs.

Right now, when someone contacts you about their product key, you have to jump through hoops. You open the license dashboard, find the customer's name, copy a partial ID, switch over to your coupon tracker to see if they qualify for a discount, and then maybe check a separate sales report just to confirm the product details. It's a tedious cycle of clicking, copying, and switching windows.

With this MCP, you ask your agent everything in one chat. You tell it: 'Check customer Jane Doe's license key status and see what promotions she qualifies for.' The agent handles all that back-and-forth—checking the `verify_license` tool, pulling `get_customer_details`, and cross-referencing coupon eligibility—and gives you one definitive answer.

Payhip MCP: Total control over your sales lifecycle.

You no longer have to manually check every license usage count or worry about a promotion expiring without anyone noticing. The agent lets you list all products and track customer purchases in one command, giving you immediate oversight of the entire store's health.

It's not just reading data; it's acting on it. You can use `disable_license` to instantly revoke access or `create_coupon` for a new campaign—all through natural language commands. Your digital operations are now run by conversation.

Payhip: Coupon & License Management (11 Tools)

Use these eleven tools to manage every aspect of your digital storefront. You can list products, create coupons, verify keys, and retrieve customer data using simple conversational commands.

#	TOOL	DESCRIPTION
01	<code>create_coupon</code>	Generates a new coupon code by requiring the desired code, discount type, and amount.
02	<code>disable_license</code>	Deactivates a specific license key immediately, often used after a customer refund or account cancellation.
03	<code>enable_license</code>	Reactivates a previously disabled software license key for the user's continued use.
04	<code>get_coupon</code>	Pulls specific information about one coupon code, like its discount amount or expiration date.
05	<code>get_customer_details</code>	Retrieves full account details for a customer using their unique identifier.
06	<code>get_product_details</code>	Fetches detailed information about any specific digital product sold through Payhip.
07	<code>list_coupons</code>	Generates a list of all available coupon codes currently set up in the store.
08	<code>list_customers</code>	Provides an exhaustive roster of every customer who has purchased something from the store.
09	<code>list_products</code>	Outputs a catalog listing all digital products available for sale on the storefront.
10	<code>update_license_usage</code>	Adjusts the current count of how many times a license key has been activated or used.
11	<code>verify_license</code>	Checks if a software license key is valid, active, and provides its associated usage metadata.

See It in Action

Real prompts you can use once this MCP is connected to your AI agent through Vinkius Cloud.

U Verify license key 'ABCD-1234' for product link 'https://payhip.com/b/xyz'.



I've verified the license. It is currently 'Active' for customer 'John Doe' (ID: 991). Would you like me to increase the usage count for this key?

U Show me all active coupons and their usage statistics for my Payhip store.



You have 6 active coupons. "SUMMER30" (30% off) has been used 47 times generating \$2,340 in discounted sales. "LAUNCH50" (50% off) was used 23 times. "WELCOME15" is your most popular at 89 redemptions. 2 coupons expire within 7 days. Total discount value given this month: \$1,847.

U Verify the license key LK-8847-ABCD for my premium plugin product and check its usage count.



License LK-8847-ABCD is valid and active. Product: Premium Plugin Suite. Purchased by: tech@meridian.io on March 15, 2025. Current usage: 3 of 5 allowed activations. Last activation: May 2nd from IP 192.168.1.45. The license is set to renew annually on March 15, 2026.

Frequently Asked Questions

01 How do I check if a license key is active using Payhip MCP?

You use the `verify_license` tool. Simply ask your agent to verify the specific key, and it returns real-time status—whether it's valid, active, or needs updating.

02 Can I create new coupons with Payhip MCP?

Yes, you can use ``create_coupon``. This tool requires three pieces of information: the code, the discount type (percent/fixed), and the amount. The agent handles generating it in your store.

03 What if I need to find out who bought a specific product?

You can list all products using ``list_products`` for an overview, or use the more targeted tools like ``get_product_details`` to pull information about sales history and customer records.

04 Does Payhip MCP help with usage tracking?

Absolutely. Use the ``update_license_usage`` tool when a key is activated or deactivated. This ensures that your license count stays accurate in Payhip's system.

05 Is this only for software products?







No, it works for all digital goods. You can list the store's general inventory using ``list_products``, whether those are courses, ebooks, or membership access keys.

Go Live in 60 Seconds

Get your connection token from cloud.vinkius.com, then paste the endpoint URL into any MCP-compatible client.











YOUR MCP ENDPOINT

```
https://edge.vinkius.com/[TOKEN]/mcp
```

CLIENT	WHERE TO CONFIGURE
 Claude AI	Profile → Customize → Connectors → "+" → Add custom connector → Paste endpoint
 Cursor	Settings → Features → MCP Servers → "+ Add New MCP Server" → Type: SSE → Paste endpoint
 VS Code	Ctrl/Cmd+Shift+P → "MCP: Add Server" → add <code>"payhip": { "url": "..." }</code>
 Windsurf	MCP Settings → <code>mcp_settings.json</code> → Add endpoint URL
 ChatGPT	Settings → Tools & plugins → Add MCP server → Paste endpoint
 Gemini	Extensions → Add MCP Server → Paste endpoint URL

ASK AN AI ABOUT THIS

Let your preferred AI explain this MCP server

-  **Ask ChatGPT** 
-  **Ask Claude** 
-  **Ask Perplexity** 
-  **Ask Gemini** 
-  **Ask Grok** 

READY TO CONNECT

Payhip is live on Vinkius Cloud.

Get your connection token, paste it into your AI agent, and start building. No SDK. No deployment. Just results.

[Start at cloud.vinkius.com](https://cloud.vinkius.com) →

vinkius.com · support@vinkius.com

INDEPENDENT PLATFORM DISCLAIMER

Vinkius is an independent platform and is not affiliated with, endorsed by, sponsored by, verified by, or otherwise authorized by Payhip. All third-party trademarks, logos, and brand names are the property of their respective owners. Their use in this document is strictly for informational purposes to identify service compatibility and interoperability.

DOCUMENT INFORMATION

Generated	June 2026
MCP Server	Payhip MCP
Server ID	019dd138-0a54-70c8-83a5-3cc3b7038b7b
Platform	Vinkius Cloud for AI Agents
Endpoint	https://edge.vinkius.com/{token}/mcp

LICENSE & USAGE

This document is generated automatically by the Vinkius PDF Engine. Content reflects the MCP server configuration at the time of generation and may change as updates are deployed. For the most current information, visit vinkius.com/mcp/payhip.