

MCP SERVER

NO CODE

CLOUD HOSTED

Plane Alternative MCP

Manage projects and roadmaps without leaving your chat.

Plane Alternative is an MCP for managing open-source projects, roadmaps, and product features directly from your AI client. Quickly list, create, and update entire project lifecycles—from setting up a new initiative to archiving finished work—without leaving your chat or code editor.

F Quality Score 3.6/100

issue-tracking

sprint-planning

roadmap

open-source

workflow-automation

task-management



The connectivity layer between AI and the world's software.



Vinkius sits between AI and every application. All communication passes through Vinkius Cloud via the Model Context Protocol (MCP) — with governance, observability, and security at every layer.

Your AI Connections Run Through Vinkius Cloud

The world's largest
managed MCP catalog

Vinkius is the connectivity layer where AI connects to the software your business already runs. We handle the hosting, the security, the credentials, the uptime — you get agents that actually do things.

We operate the world's largest managed MCP catalog. Major SaaS platforms, CRMs, databases, and cloud providers — running, monitored, production-ready. This MCP server is hosted and maintained by the Vinkius Cloud for AI Agents.

The agent doesn't manage credentials, doesn't manage uptime, doesn't manage security. Vinkius does.

— Architecture principle

Four Pillars of the Vinkius Runtime

01 — Security by design

Credentials stay encrypted at rest via AES-256. The AI agent never touches raw keys — they're injected into a sandboxed V8 isolate at runtime. Actions are logged, and connections have an emergency kill switch.

03 — Deterministic observability

Eight immutable metrics per endpoint: request volume, p95 latency, error rate, active connections, cost attribution. A live payload feed logs every tool call with mutation detection.

02 — Built on MCP Fusion

This MCP server was built with **MCP Fusion**, the open-source framework (Apache 2.0) that powers the entire Vinkius catalog. Schema-as-firewall strips undeclared fields, compiled PII redaction runs at zero overhead, and cryptographic lockfiles produce git-diffable audit trails.

04 — Autonomous operations

Servers are deployed, monitored, and patched autonomously. New capabilities and security patches ship weekly. Zero-downtime deployments ensure continuous availability across all managed MCP servers.

AES-256

Encryption at rest

Ed25519

PKI vault signatures

24h TTL

Ephemeral session keys

V8 Isolate

Sandboxed execution

One Token. Instant Access.

Every MCP server on Vinkius is accessed through a **Connection Token**. Tokens are generated in the cloud dashboard and produce a unique MCP endpoint URL. Paste this URL into any MCP-compatible client — no SDK required.

A single token can serve **multiple AI clients simultaneously**, or you can issue separate tokens per client for granular access control. Each token tracks its own request count, last activity timestamp, and can be individually enabled or revoked.

MCP ENDPOINT

`https://edge.vinkius.com/{token}/mcp`

Claude



Cursor



VS Code



Windsurf



Grok



Gemini

Security Is the Architecture

Security in Vinkius is not a feature — it's the foundation of the runtime. The gateway enforces multiple independent protection layers between AI agents and third-party APIs.

01 — Ed25519 PKI Vault

Every workspace has an Ed25519 Master Key. Session keys are generated ephemerally (24h TTL) and signed by the Master Key. Credentials never leave the vault boundary.

02 — V8 Isolate Sandboxing

Tool code runs inside isolated-vm V8 isolates with 64 MB memory caps and per-request timeouts. No filesystem access, no network access except through the SSRF-guarded fetch bridge.

03 — SSRF Guard

All outbound HTTP requests are DNS-resolved and validated before execution. Private IP ranges (10.x, 172.16-31.x, 192.168.x, AWS metadata 169.254.x) are blocked at the network layer.

05 — Cryptographic Audit Trail

Every request is signed into a SHA-256 hash chain with Ed25519 signatures. Events form a tamper-proof, SIEM-exportable forensic record.

04 — DLP & PII Redaction

A ResponseGuard pipeline intercepts every tool response. Configurable redaction patterns strip sensitive fields (emails, SSNs, card numbers) before data reaches the AI agent.

06 — Honeypot Trap System

Phantom credentials are injected into isolated environments. If a honeypot is used outside Vinkius infrastructure, the server is quarantined instantly.

Emergency Kill Switch

EU AI Act Art. 14(1)
Compliant

The kill switch is an **emergency halt** mechanism — not a simple toggle. When triggered, it executes three actions atomically:

01 — Server deactivated

The MCP server is immediately taken offline across the entire cluster.

02 — All tokens revoked

Every connection token is invalidated. Total lockout — reconnection blocked until new tokens are issued.

03 — WebSocket connections killed

Active connections terminated via Redis pubsub broadcast. Propagates to every runtime node in the cluster.

Full Visibility. Zero Guesswork.

The Vinkius cloud dashboard includes a full MCP Governance suite — real-time analytics and security controls for production AI operations.

Control Plane

KPI dashboard with request volume, latency, success rate, token consumption, and AI-generated operational briefings.

FinOps

Cost tracking per tool, payload compression savings, budget optimization signals, and consumption trends.

Firewall & DLP

PII redaction activity, sensitive data protection counters, and security event timeline.

Agent Activity

Which AI clients are connecting, how often, and what they're doing — real-time session tracking.

Tool Health

Slowest and most error-prone tools, with actionable root-cause insights and performance baselines.

Incident Log

Error trends, failure rates, status-code breakdowns, and forensic audit trail access.

Get started at [cloud.vinkius.com](https://vinkius.com) — connect your AI agent in under 60 seconds.

Plane MCP

12 tools available
Cloud-hosted on Vinkius

Your agent controls the full scope of your Plane workspace with this MCP. You can get an immediate overview of all existing projects, then spin up new initiatives using custom identifiers. Need to adjust what features are available? Simply tell your AI client to enable or disable modules like Epics or Cycles for a specific project, instantly adjusting team workflows. Beyond setup, you'll use this MCP to update project descriptions and assign leads on the fly. This keeps all project metadata current without ever opening the Plane interface. Because this MCP is hosted on Vinkius, your agent maintains access to dozens of other tools alongside your core project management needs, giving you one connection point for everything.

Core Capabilities

01 — List and Retrieve Projects

Your agent fetches a list of all projects in the workspace or retrieves specific details about an existing project.

03 — Manage Feature Toggles

This MCP allows you to dynamically enable or disable project features, like Epics or Cycles, for specific teams.

05 — Organize Workspace Status

Keep clutter out of your workspace by archiving, unarchiving, or deleting old projects.

02 — Create New Project Structures

You can initiate new work by creating projects with custom identifiers and labels.

04 — Update Project Details

You can modify core project information, including names, descriptions, and assigned leads, directly through your conversation.

One Click on Vinkius — From Prompt to Execution

Available at vinkius.com/mcp/plane-alternative — connect your AI agent in three steps.

- 01 Subscribe to this MCP and enter your Plane API Key.
- 02 Connect the MCP to your preferred AI client (like Cursor or Claude).
- 03 Use natural language prompts with your agent to list projects, update features, or archive old initiatives.

The bottom line is that you manage your entire project lifecycle using plain conversation instead of clicking through dashboards.

Built For

This MCP is built for the Product Manager who needs to spin up a feature set in minutes, or the Engineering Lead tired of manually auditing dozens of project settings across multiple tabs.

Product Manager

Quickly create new projects and configure necessary features like Epics or Cycles for upcoming sprints without leaving their chat window.

Engineering Lead

Audit project settings, update metadata on existing work, and archive completed initiatives directly from the terminal interface.

DevOps Team Member

Automate project creation and maintain workspace integrity as part of larger organizational or deployment workflows.

What Changes When You Connect

- 01 Start new work instantly. Instead of navigating to a form, simply ask your agent to create a project with a custom identifier or label in one prompt using the `create_project` tool.

-
- 02** Maintain clean data organization. Use the `archive_project` and `unarchive_project` tools to keep inactive projects out of sight, so you only focus on live work.
-
- 03** Customize your workflow dynamically. You can tell your agent to use `update_project_features` to enable or disable key modules like Epics for a specific project's needs.
-
- 04** Stay informed without digging deep. Use the `list_projects` tool to quickly see all active initiatives, and then use `get_project` to pull up full details on any one of them.
-
- 05** Keep records accurate always. Update names, descriptions, or lead assignments for existing work using the `update_project` tool; it's instant metadata maintenance.
-

Real-World Applications

The PM needs to scope a new feature set.

A Product Manager asks their agent: 'I need to start work on the payment gateway. Create a project called 'Gateway' with ID PAY and make sure Epics are enabled.' The agent executes `create_project` and then `update_project_features`, setting up the entire scope in two steps.

The DevOps team needs to update a master plan.

A DevOps user prompts: 'Update project MKT. Change the description and assign Sarah as the lead.' The agent uses `update_project` immediately, ensuring all stakeholders see the correct ownership without opening any web browser.

The Engineering Lead is wrapping up an old module.

An Engineering Lead asks their agent to audit the 'Alpha UI' project. The agent uses `get_project` to confirm the details, then runs `archive_project`, safely taking it out of the active view while retaining its history.

The team needs to track multiple parallel efforts.

A user asks their agent to list projects and labels: 'List all active projects, and what tags do they have?' The agent runs `list_projects` followed by `list_project_labels`, giving the user a clear map of everything happening.

Patterns to Avoid

Trying to update project features manually.

X AVOID

The user has to navigate into the Plane interface, find the specific project, then click through multiple sub-menus to toggle Epics and Cycles on or off. This takes minutes of clicking.

✓ INSTEAD

Just tell your agent: 'Enable Epics and Cycles for the 'Gateway' project.' The MCP handles the complex feature toggling using `update_project_features` in a single, conversation-based command.

Forgetting to update core data.

X AVOID

A PM moves projects around but forgets that the project name or assigned lead needs changing. The project record shows outdated ownership details.

✓ INSTEAD

Use the `update_project` tool in your agent prompt. You can change the project's name and assign a new lead simultaneously, keeping all records accurate.

Needing to see what projects are available.

X AVOID

The user types vague queries about 'big projects' and gets an error or irrelevant results because they can't get a full list of what exists.

✓ INSTEAD

Start with the `list_projects` tool. It gives you a complete manifest of every project in the workspace, letting you scope your next action accurately.

The Right Fit

Use this MCP if your primary pain point is managing the *lifecycle* and *metadata* of projects—creating them, toggling features for sprints, archiving old ones, or updating ownership details. It's designed specifically to keep project definitions clean and current in a chat interface.

Don't use it if you are trying to track day-to-day tasks or manage actual issues (like assigning tickets or commenting). For those granular actions, you need a dedicated issue tracking tool. If your goal is pure code generation or running complex data models, you should look at specialized agent SDKs instead.

Keeping Project Workspaces Organized Is a Constant Battle.

Right now, managing a product roadmap means clicking between dozens of tabs. You have to check if the project is active, if Epics are enabled for the current sprint, and then manually update who the lead is when someone leaves. It's constant context switching just to keep track.

With this MCP, you tell your agent what needs doing. Instead of navigating menus or copy-pasting IDs, you simply ask it to audit project settings or create a new initiative. You get full control over project definitions without ever leaving the chat.

Control Your Project Roadmap with Plane Alternative MCP

Specific manual steps that vanish include checking feature status across multiple screens and manually updating details in separate fields. No more clicking through the project settings panel just to enable a module.

Now, managing your product roadmap feels like sending an email—a direct, actionable command. Your agent handles the complex API calls behind the scenes.

Plane Alternative: 12 Project Management Tools

Use these tools to manage every part of your project lifecycle, including creating new work, adjusting feature flags, and keeping metadata accurate.

#	TOOL	DESCRIPTION
01	<code>archive_project</code>	Marks a project as inactive, moving it out of the main view.
02	<code>create_project_label</code>	Adds a specific tag or label to help categorize projects.
03	<code>create_project</code>	Initializes and sets up an entirely new project in the workspace.
04	<code>delete_project</code>	Permanently removes a project from the system.
05	<code>get_project_features</code>	Retrieves a list of enabled or disabled modules (like Epics) for a given project.
06	<code>get_project_label</code>	Checks the details and scope of a specific project label.
07	<code>get_project</code>	Fetches all current information for one selected project.
08	<code>list_project_labels</code>	Shows every available label to see what types of categorization exist.
09	<code>list_projects</code>	Retrieves a comprehensive list of all active projects in the workspace.
10	<code>unarchive_project</code>	Restores an archived project, making it visible and usable again.
11	<code>update_project_features</code>	Toggles specific features on or off for a project to match the current team process.
12	<code>update_project</code>	Modifies existing data for a project, such as its name or lead assignment.

See It in Action

Real prompts you can use once this MCP is connected to your AI agent through Vinkius Cloud.

U List all projects in the 'vinkius-dev' workspace.



I've found 3 projects in 'vinkius-dev': 'Mobile App' (MOB), 'Backend API' (API), and 'Marketing Site' (MKT). Which one would you like to explore?

U Create a new project named 'Customer Portal' with identifier 'PORT' in workspace 'vinkius-dev'.



Project 'Customer Portal' has been successfully created with the identifier PORT in your workspace.

U Enable Epics and Cycles for project 'PORT' in workspace 'vinkius-dev'.



I have updated the features for project 'PORT'. Epics and Cycles are now enabled.

Frequently Asked Questions

01 How do I create a new project using Plane Alternative MCP?

You initiate it by asking your agent to use the `create_project` tool, specifying the desired name and identifier. You can then follow up with commands like `update_project_features` to set up initial modules.

02 Can Plane Alternative MCP list all my projects?

Yes, you simply ask your agent to run `list_projects`, which provides a comprehensive manifest of every project currently in the workspace.

03 Does this MCP help me update project details?

The ``update_project`` tool lets you change core metadata like the name, description, or assigned lead for any existing project directly from your prompt.

04 How do I archive an old project with Plane Alternative MCP?

Use the ``archive_project`` tool. This moves the project out of active view without deleting its historical data, keeping your workspace clean for current work.

05 What is the difference between listing and getting a project label?







The ``list_project_labels`` tool shows you all available tags. The ``get_project_label`` tool pulls specific details about one of those defined labels.

Go Live in 60 Seconds

Get your connection token from cloud.vinkius.com, then paste the endpoint URL into any MCP-compatible client.

YOUR MCP ENDPOINT

```
https://edge.vinkius.com/[TOKEN]/mcp
```

CLIENT	WHERE TO CONFIGURE
 Claude AI	Profile → Customize → Connectors → "+" → Add custom connector → Paste endpoint
 Cursor	Settings → Features → MCP Servers → "+ Add New MCP Server" → Type: SSE → Paste endpoint
 VS Code	Ctrl/Cmd+Shift+P → "MCP: Add Server" → add <code>"plane-alternative": { "url": "..."} </code>
 Windsurf	MCP Settings → <code>mcp_settings.json</code> → Add endpoint URL
 ChatGPT	Settings → Tools & plugins → Add MCP server → Paste endpoint
 Gemini	Extensions → Add MCP Server → Paste endpoint URL

ASK AN AI ABOUT THIS

Let your preferred AI explain this MCP server

-  **Ask ChatGPT** 
-  **Ask Claude** 
-  **Ask Perplexity** 
-  **Ask Gemini** 
-  **Ask Grok** 

READY TO CONNECT

Plane is live on Vinkius Cloud.

Get your connection token, paste it into your AI agent, and start building. No SDK. No deployment. Just results.

[Start at cloud.vinkius.com](https://cloud.vinkius.com) →

vinkius.com · support@vinkius.com

INDEPENDENT PLATFORM DISCLAIMER

Vinkius is an independent platform and is not affiliated with, endorsed by, sponsored by, verified by, or otherwise authorized by Plane. All third-party trademarks, logos, and brand names are the property of their respective owners. Their use in this document is strictly for informational purposes to identify service compatibility and interoperability.

DOCUMENT INFORMATION

Generated	June 2026
MCP Server	Plane MCP
Server ID	019e38d7-c717-732c-8d65-cf0dbd1541de
Platform	Vinkius Cloud for AI Agents
Endpoint	<code>https://edge.vinkius.com/{token}/mcp</code>

LICENSE & USAGE

This document is generated automatically by the Vinkius PDF Engine. Content reflects the MCP server configuration at the time of generation and may change as updates are deployed. For the most current information, visit vinkius.com/mcp/plane-alternative.