

MCP SERVER

NO CODE

CLOUD HOSTED

# PostHog MCP

## Analyze user behavior conversationally

PostHog MCP connects your AI client directly to your product analytics data. List saved insights, track specific users, check feature flag status, and audit recent events using natural conversation. Get full control of your user behavior metrics without leaving your agent.

**A+** Quality Score 100/100

product-analytics

feature-flags

user-behavior

event-tracking

funnel-analysis

retention-metrics



# The connectivity layer between AI and the world's software.



Vinkius sits between AI and every application. All communication passes through Vinkius Cloud via the Model Context Protocol (MCP) — with governance, observability, and security at every layer.

# Your AI Connections Run Through Vinkius Cloud

The world's largest  
managed MCP catalog

Vinkius is the connectivity layer where AI connects to the software your business already runs. We handle the hosting, the security, the credentials, the uptime — you get agents that actually do things.

We operate the world's largest managed MCP catalog. Major SaaS platforms, CRMs, databases, and cloud providers — running, monitored, production-ready. This MCP server is hosted and maintained by the Vinkius Cloud for AI Agents.

*The agent doesn't manage credentials, doesn't manage uptime, doesn't manage security. Vinkius does.*

— Architecture principle

---

## Four Pillars of the Vinkius Runtime

### 01 — Security by design

Credentials stay encrypted at rest via AES-256. The AI agent never touches raw keys — they're injected into a sandboxed V8 isolate at runtime. Actions are logged, and connections have an emergency kill switch.

### 03 — Deterministic observability

Eight immutable metrics per endpoint: request volume, p95 latency, error rate, active connections, cost attribution. A live payload feed logs every tool call with mutation detection.

### 02 — Built on MCP Fusion

This MCP server was built with **MCP Fusion**, the open-source framework (Apache 2.0) that powers the entire Vinkius catalog. Schema-as-firewall strips undeclared fields, compiled PII redaction runs at zero overhead, and cryptographic lockfiles produce git-diffable audit trails.

### 04 — Autonomous operations

Servers are deployed, monitored, and patched autonomously. New capabilities and security patches ship weekly. Zero-downtime deployments ensure continuous availability across all managed MCP servers.

**AES-256**

Encryption at rest

**Ed25519**

PKI vault signatures

**24h TTL**

Ephemeral session keys

**V8 Isolate**

Sandboxed execution

---

## One Token. Instant Access.

Every MCP server on Vinkius is accessed through a **Connection Token**. Tokens are generated in the cloud dashboard and produce a unique MCP endpoint URL. Paste this URL into any MCP-compatible client — no SDK required.

A single token can serve **multiple AI clients simultaneously**, or you can issue separate tokens per client for granular access control. Each token tracks its own request count, last activity timestamp, and can be individually enabled or revoked.

MCP ENDPOINT

`https://edge.vinkius.com/{token}/mcp`

Claude



Cursor



VS Code



Windsurf



Grok



Gemini

---

## Security Is the Architecture

Security in Vinkius is not a feature — it's the foundation of the runtime. The gateway enforces multiple independent protection layers between AI agents and third-party APIs.

### 01 — Ed25519 PKI Vault

Every workspace has an Ed25519 Master Key. Session keys are generated ephemerally (24h TTL) and signed by the Master Key. Credentials never leave the vault boundary.

### 02 — V8 Isolate Sandboxing

Tool code runs inside isolated-vm V8 isolates with 64 MB memory caps and per-request timeouts. No filesystem access, no network access except through the SSRF-guarded fetch bridge.

### 03 — SSRF Guard

All outbound HTTP requests are DNS-resolved and validated before execution. Private IP ranges (10.x, 172.16-31.x, 192.168.x, AWS metadata 169.254.x) are blocked at the network layer.

### 05 — Cryptographic Audit Trail

Every request is signed into a SHA-256 hash chain with Ed25519 signatures. Events form a tamper-proof, SIEM-exportable forensic record.

### 04 — DLP & PII Redaction

A ResponseGuard pipeline intercepts every tool response. Configurable redaction patterns strip sensitive fields (emails, SSNs, card numbers) before data reaches the AI agent.

### 06 — Honeypot Trap System

Phantom credentials are injected into isolated environments. If a honeypot is used outside Vinkius infrastructure, the server is quarantined instantly.

## Emergency Kill Switch

EU AI Act Art. 14(1)  
Compliant

The kill switch is an **emergency halt** mechanism — not a simple toggle. When triggered, it executes three actions atomically:

#### 01 — Server deactivated

The MCP server is immediately taken offline across the entire cluster.

#### 02 — All tokens revoked

Every connection token is invalidated. Total lockout — reconnection blocked until new tokens are issued.

#### 03 — WebSocket connections killed

Active connections terminated via Redis pubsub broadcast. Propagates to every runtime node in the cluster.

## Full Visibility. Zero Guesswork.

The Vinkius cloud dashboard includes a full MCP Governance suite — real-time analytics and security controls for production AI operations.

**Control Plane**

KPI dashboard with request volume, latency, success rate, token consumption, and AI-generated operational briefings.

**FinOps**

Cost tracking per tool, payload compression savings, budget optimization signals, and consumption trends.

**Firewall & DLP**

PII redaction activity, sensitive data protection counters, and security event timeline.

**Agent Activity**

Which AI clients are connecting, how often, and what they're doing — real-time session tracking.

**Tool Health**

Slowest and most error-prone tools, with actionable root-cause insights and performance baselines.

**Incident Log**

Error trends, failure rates, status-code breakdowns, and forensic audit trail access.

Get started at [cloud.vinkius.com](https://cloud.vinkius.com) — connect your AI agent in under 60 seconds.

# PostHog MCP

10 tools available

Cloud-hosted on Vinkius

This MCP lets you take over your product analytics from right inside your development workflow. Forget switching tabs or writing SQL queries just to answer a simple question about user adoption. You can talk to your AI client and get real-time data on how people use your app.

Need to know if the new checkout flow is working? Ask it. Want to check which feature flags are currently active? Just ask. This connector handles everything, giving you instant access to trends, funnels, and user property details. When you connect this MCP via Vinkius, your AI agent treats your product data like a native API endpoint—it's just part of the conversation. You can audit recent activity logs or pull detailed metadata on any saved insight instantly.

---

## Core Capabilities

### 01 — Analyze user flow and trends

Retrieve deep details for specific insights, like conversion funnels or retention charts.

### 02 — Review individual user activity

Get a complete profile on any identified person, seeing all their properties and behavior data.

### 03 — Manage feature flag status

List every defined feature flag and confirm whether it's currently active or disabled.

### 04 — Track product improvements

Check the status of all experiments, both running and completed, to measure impact.

### 05 — Audit recent user actions

List the most recent events captured by your project, verifying data ingestion or specific user steps.

# One Click on Vinkius — From Prompt to Execution

Available at [vinkius.com/mcp/posthog](https://vinkius.com/mcp/posthog) — connect your AI agent in three steps.

- 01 Subscribe to this MCP and input your PostHog Personal API Key and Project ID.
- 02 If needed, provide the PostHog Host URL for regional instances (like EU).
- 03 Your AI client can now analyze product data conversationally—just ask it a question.

The bottom line is you talk to your agent, and it pulls specific analytics directly from your PostHog project.

---

## Built For

Product Managers who need quick status checks on feature flags. Growth Engineers debugging user flows right in their IDE. Data Analysts who want to audit event logs without leaving their terminal.

### Product Manager

Checks if the 'beta-search' flag is active or reviews the results of a recent sign-up funnel insight.

### Growth Engineer

Monitors an active experiment and verifies user properties for specific person IDs during development sprints.

### Data Analyst

Audits the most recent event logs to confirm data pipeline integrity or pulls metadata on a specific insight type.

---

## What Changes When You Connect

- 01 Stop writing repetitive queries. You can ask your agent to list insights and get detailed metadata (like funnels or trends) instantly.
- 02 No more manual lookups for users. Simply request details on a specific person, and the MCP provides their full profile, including key properties.

- 
- 03 Manage product rollouts without context switching. Check the status of all feature flags directly by asking to list them, confirming if 'new-onboarding' is live or disabled.

---

  - 04 Verify data integrity immediately. Use the tool to list recent project events and confirm that user actions are logging correctly.

---

  - 05 Understand your testing efforts better. The MCP lets you list experiments so you can track product improvements and results without leaving your workflow.
- 

---

## Real-World Applications

### Debugging a broken signup funnel

A growth engineer needs to know why signups dropped last night. They ask their agent to list insights, focusing on funnels. The agent retrieves the 'Signup Funnel' insight and reports that retention charts show a drop-off at step 3.

### Checking feature rollout status for a release

A product manager needs confirmation before launch. They ask their agent to list feature flags and confirm that 'beta-search' is active only for the QA team, not general users.

### Auditing data ingestion after an outage

A data analyst suspects event logging failed. They ask their agent to list recent project events. The MCP quickly returns the last 50 actions, allowing them to verify that user activity resumed correctly.

### Investigating a high-value user's behavior

A PM wants to understand why one specific enterprise client (a person ID) is using the product differently. They ask their agent to get details for that person, retrieving all associated properties and historical data points.

---

## Patterns to Avoid

---

### Over-reliance on dashboard summaries

#### X AVOID

The analyst assumes the main PostHog dashboard shows everything. They spend 15 minutes clicking through multiple tabs to find a single user property.

#### ✓ INSTEAD

Instead, ask your agent to get details for a specific person ID. This MCP pulls the raw, granular data directly into your conversation.

---

### Guessing feature flag status

#### X AVOID

The team debates if 'new-dashboard' is live or not, forcing a manual check with multiple stakeholders.

#### ✓ INSTEAD

Use the MCP to list all feature flags. The agent gives you a definitive list and their current configuration status instantly.

---

## The Right Fit

You should use this MCP if your core job requires translating complex product analytics into simple, actionable answers without context switching. If you constantly jump between PostHog's UI, your terminal, and a Slack chat, this is for you. Use it when you need to list insights, check user properties, or monitor feature flags programmatically.

Don't use this if you just need raw data dumps for external BI tools (use a direct API connection). Also, don't expect it to write new code; it only reads and summarizes the metrics that already exist. It's an analytical layer, not a development tool.

---

---

## The pain of context switching on product data

Today, checking basic user behavior is a manual mess. You open PostHog, navigate to the 'Insights' tab for funnels, then switch over to the 'People' section to check properties, and finally jump back to the main dashboard just to see if an experiment

With this MCP, you ask your agent a single question—like, 'What were the top three drop-off points in the signup funnel?' The data comes back immediately in plain language. You get the answer without ever leaving your chat window.

ran successfully. It takes five tabs and at least ten minutes.

---

---

## Get clear answers on feature flags with PostHog MCP

Before this, confirming a flag's status meant checking multiple sections or asking a developer to manually verify it in the UI. It was slow and prone to human error.

Now you simply ask your agent to list feature flags. The response is definitive: it tells you exactly what's on, what's off, and who sees it. There's no ambiguity.

---

# PostHog: 10 Tools for Deep Analytics

These tools give your agent the specific abilities needed to list events, track users, manage features, and retrieve every kind of product metric in PostHog.

#	TOOL	DESCRIPTION
01	<code>get_event</code>	Pulls detailed information for one specific user action (event).
02	<code>get_insight</code>	Retrieves the full details of a single saved analysis insight.
03	<code>get_person</code>	Gets all known properties and data for one specific identified user.
04	<code>list_actions</code>	Lists every defined custom action that users can take in the product.
05	<code>list_dashboards</code>	Shows a list of all existing dashboards within your PostHog project.
06	<code>list_events</code>	Retrieves a list of the most recent user events captured by the system.
07	<code>list_experiments</code>	Shows all active and previously run product experiments.
08	<code>list_feature_flags</code>	Lists every feature flag configured for your project.
09	<code>list_insights</code>	Retrieves a list of all saved analytic insights available in the project.
10	<code>list_persons</code>	Lists all identified users or persons tracked by PostHog.

---

## See It in Action

Real prompts you can use once this MCP is connected to your AI agent through Vinkius Cloud.

### **U** List all saved insights in our PostHog project.



I've retrieved 12 saved insights. Some of the most recent ones are 'Daily Active Users', 'Signup Funnel', and 'Feature Adoption Trend'.

### **U** Check the status of all feature flags.



You have 8 feature flags. 5 are currently active (e.g., 'new-onboarding-flow', 'beta-search') and 3 are disabled.

### **U** List the last 5 persons identified in our project.



I've fetched the latest identified users. Here are the 5 most recent persons, including their distinct IDs and key properties like email and signup date.

---

## Frequently Asked Questions

### 01 Where do I find my Project ID?

You can find your Project ID in PostHog under **Project Settings**. It is a numeric ID usually found at the top of the settings page.

### 02 Does this support PostHog EU instances?

Yes! Use the optional `POSTHOG\_HOST` credential and set it to `https://eu.posthog.com`. By default, it uses the US host (`https://app.posthog.com`).

### 03 Can I see individual user properties?

Absolutely. Use the `get\_person` tool with a Person ID to retrieve all properties, tags, and identification metadata for a specific user.

---

# Go Live in 60 Seconds

Get your connection token from [cloud.vinkius.com](https://cloud.vinkius.com), then paste the endpoint URL into any MCP-compatible client.

YOUR MCP ENDPOINT

```
https://edge.vinkius.com/[TOKEN]/mcp
```

CLIENT

WHERE TO CONFIGURE



Claude AI

Profile → Customize → Connectors → "+" → Add custom connector → Paste endpoint



Cursor

Settings → Features → MCP Servers → "+ Add New MCP Server" → Type: SSE → Paste endpoint



VS Code

Ctrl/Cmd+Shift+P → "MCP: Add Server" → add `"posthog": { "url": "..." }`



Windsurf

MCP Settings → `mcp_settings.json` → Add endpoint URL



ChatGPT

Settings → Tools & plugins → Add MCP server → Paste endpoint



Gemini

Extensions → Add MCP Server → Paste endpoint URL

ASK AN AI  
ABOUT THIS

Let your preferred AI  
explain this MCP server



Ask ChatGPT



Ask Claude



Ask Perplexity



Ask Gemini



Ask Grok



READY TO CONNECT

# PostHog is live on Vinkius Cloud.

Get your connection token, paste it into your AI agent, and start building. No SDK. No deployment. Just results.

[Start at cloud.vinkius.com](https://cloud.vinkius.com) →

[vinkius.com](https://vinkius.com) · [support@vinkius.com](mailto:support@vinkius.com)

### INDEPENDENT PLATFORM DISCLAIMER

Vinkius is an independent platform and is not affiliated with, endorsed by, sponsored by, verified by, or otherwise authorized by PostHog. All third-party trademarks, logos, and brand names are the property of their respective owners. Their use in this document is strictly for informational purposes to identify service compatibility and interoperability.

### DOCUMENT INFORMATION

Generated	June 2026
MCP Server	PostHog MCP
Server ID	019d75f8-62e2-7219-a3e9-9995ab04e764
Platform	Vinkius Cloud for AI Agents
Endpoint	<a href="https://edge.vinkius.com/{token}/mcp">https://edge.vinkius.com/{token}/mcp</a>

### LICENSE & USAGE

This document is generated automatically by the Vinkius PDF Engine. Content reflects the MCP server configuration at the time of generation and may change as updates are deployed. For the most current information, visit [vinkius.com/mcp/posthog](https://vinkius.com/mcp/posthog).