MCP SERVER | NO CODE | CLOUD HOSTED

Quantive MCP

Turn OKR strategy into conversational data.

Quantive (Gtmhub) MCP connects your organizational goal data to any AI agent. You can manage objectives, track key results, and review team progress directly from your chat or IDE without leaving your workflow. It turns high-level strategy into actionable metrics.

A+ Quality Score 100/100

okr-management | strategic-alignment | goal-tracking | performance-management | business-execution | key-results

MAINTAINED BY VINKIUS CLOUD FOR AI AGENTS · JUNE 2026
vinkius.com/mcp/quantive-gtmhub

SCAN TO VIEW

The connectivity layer between AI and the world's software.

Vinkius sits between AI and every application. All communication passes through Vinkius Cloud via the Model Context Protocol (MCP) — with governance, observability, and security at every layer.

Your AI Connections Run Through Vinkius Cloud

The world's largest managed MCP catalog

Vinkius is the connectivity layer where AI connects to the software your business already runs. We handle the hosting, the security, the credentials, the uptime — you get agents that actually do things.

We operate the world's largest managed MCP catalog. Major SaaS platforms, CRMs, databases, and cloud providers — running, monitored, production-ready. This MCP server is hosted and maintained by the Vinkius Cloud for AI Agents.

> *The agent doesn't manage credentials, doesn't manage uptime, doesn't manage security. Vinkius does.*
>
> — Architecture principle

Four Pillars of the Vinkius Runtime

01 — Security by design

Credentials stay encrypted at rest via AES-256. The AI agent never touches raw keys — they're injected into a sandboxed V8 isolate at runtime. Actions are logged, and connections have an emergency kill switch.

02 — Built on MCP Fusion

This MCP server was built with **MCP Fusion**, the open-source framework (Apache 2.0) that powers the entire Vinkius catalog. Schema-as-firewall strips undeclared fields, compiled PII redaction runs at zero overhead, and cryptographic lockfiles produce git-diffable audit trails.

03 — Deterministic observability

Eight immutable metrics per endpoint: request volume, p95 latency, error rate, active connections, cost attribution. A live payload feed logs every tool call with mutation detection.

04 — Autonomous operations

Servers are deployed, monitored, and patched autonomously. New capabilities and security patches ship weekly. Zero-downtime deployments ensure continuous availability across all managed MCP servers.

AES-256	Ed25519	24h TTL	V8 Isolate
Encryption at rest	PKI vault signatures	Ephemeral session keys	Sandboxed execution

One Token. Instant Access.

Every MCP server on Vinkius is accessed through a **Connection Token**. Tokens are generated in the cloud dashboard and produce a unique MCP endpoint URL. Paste this URL into any MCP-compatible client — no SDK required.

A single token can serve **multiple AI clients simultaneously**, or you can issue separate tokens per client for granular access control. Each token tracks its own request count, last activity timestamp, and can be individually enabled or revoked.

MCP ENDPOINT

```
https://edge.vinkius.com/{token}/mcp
```

Claude · Cursor · VS Code · Windsurf · Grok · Gemini

Security Is the Architecture

Security in Vinkius is not a feature — it's the foundation of the runtime. The gateway enforces multiple independent protection layers between AI agents and third-party APIs.

01 — Ed25519 PKI Vault

Every workspace has an Ed25519 Master Key. Session keys are generated ephemerally (24h TTL) and signed by the Master Key. Credentials never leave the vault boundary.

02 — V8 Isolate Sandboxing

Tool code runs inside isolated-vm V8 isolates with 64 MB memory caps and per-request timeouts. No filesystem access, no network access except through the SSRF-guarded fetch bridge.

03 — SSRF Guard

All outbound HTTP requests are DNS-resolved and validated before execution. Private IP ranges (10.x, 172.16-31.x, 192.168.x, AWS metadata 169.254.x) are blocked at the network layer.

04 — DLP & PII Redaction

A ResponseGuard pipeline intercepts every tool response. Configurable redaction patterns strip sensitive fields (emails, SSNs, card numbers) before data reaches the AI agent.

05 — Cryptographic Audit Trail

Every request is signed into a SHA-256 hash chain with Ed25519 signatures. Events form a tamper-proof, SIEM-exportable forensic record.

06 — Honeytoken Trap System

Phantom credentials are injected into isolated environments. If a honeytoken is used outside Vinkius infrastructure, the server is quarantined instantly.

Emergency Kill Switch

EU AI Act Art. 14(1) Compliant

The kill switch is an **emergency halt** mechanism — not a simple toggle. When triggered, it executes three actions atomically:

01 — Server deactivated

The MCP server is immediately taken offline across the entire cluster.

02 — All tokens revoked

Every connection token is invalidated. Total lockout — reconnection blocked until new tokens are issued.

03 — WebSocket connections killed

Active connections terminated via Redis pubsub broadcast. Propagates to every runtime node in the cluster.

Full Visibility. Zero Guesswork.

The Vinkius cloud dashboard includes a full MCP Governance suite — real-time analytics and security controls for production AI operations.

Control Plane

KPI dashboard with request volume, latency, success rate, token consumption, and AI-generated operational briefings.

Agent Activity

Which AI clients are connecting, how often, and what they're doing — real-time session tracking.

FinOps

Cost tracking per tool, payload compression savings, budget optimization signals, and consumption trends.

Tool Health

Slowest and most error-prone tools, with actionable root-cause insights and performance baselines.

Firewall & DLP

PII redaction activity, sensitive data protection counters, and security event timeline.

Incident Log

Error trends, failure rates, status-code breakdowns, and forensic audit trail access.

> Get started at **cloud.vinkius.com** — connect your AI agent in under 60 seconds.

Quantive (Gtmhub) MCP

10 tools available
Cloud-hosted on Vinkius

This connector lets you turn strategic planning into real-time conversation. Instead of digging through dashboards to see how far along a goal is, you simply ask your agent what the status is. You can retrieve all objectives across different timeframes, list every key result metric, and even update progress values—all while keeping track of which team owns that objective. The system also gives you visibility into team structures and user accounts so you know who to talk to next. By connecting this MCP through Vinkius, your agent acts like a proactive strategy officer, giving you immediate context on goal alignment and overall company health.

Core Capabilities

01 — Retrieve goals and objectives

List all strategic OKR objectives across the organization.

02 — Check specific performance metrics

Get detailed information on any single key result metric, including its current value.

03 — Update goal progress

Adjust a key result's measured value to reflect the latest team achievements.

04 — View planning cycles

Browse available timeframes, like quarters or annual periods, used for grouping OKRs.

05 — Map teams and users

Get lists of all organizational teams and individual user profiles within Quantive.

One Click on Vinkius — From Prompt to Execution

Available at **vinkius.com/mcp/quantive-gtmhub** — connect your AI agent in three steps.

01 Subscribe to this MCP and enter your Quantive API Token, selecting your appropriate data center (US or EU).

02 Your agent connects using the token, authenticating access to all organizational OKR data.

03 You prompt your AI client with a question—like 'What is the current progress on Q2's market share goal?'—and the tool executes the necessary calls.

The bottom line is you get immediate, structured answers about company goals and metrics without having to log into Quantive itself.

Built For

Product Leaders, Operations Managers, and Strategy Officers need this. If you spend your day collecting status updates from Slack threads or digging through multiple dashboards just to answer 'How are we doing?', this is for you.

Operations Manager

You use the agent to pull progress updates for several teams at once, summarizing which objectives need attention before your leadership meeting.

Product Leader

You check key results linked to specific product goals directly in your IDE, verifying if a feature launch is tracking toward the intended metric.

Strategy Officer

You list and inspect strategic objectives across multiple departments to ensure the whole company is aligned on its current priorities.

What Changes When You Connect

01 Stop searching multiple dashboards. You can list objectives and key results instantly, allowing your agent to summarize status updates for you in one query.

02 Need to prove progress? Use the update_key_result tool to report new attainment values directly through conversation, keeping a clean record of goal changes.

03 Understand alignment fast. By listing all objectives and using list_teams, you can quickly pinpoint which departments are driving specific goals across the company.

04 Never lose context again. You can list tasks linked to OKRs, bridging the gap between high-level strategy (list_objectives) and daily execution work.

05 Get immediate visibility into people. The ability to list users and teams helps you identify stakeholders when chasing down performance data for a specific key result.

Real-World Applications

Preparing for the Quarterly Review

The Ops Manager needs to report on Q2's goals. They ask their agent to list all objectives and then check progress on 'Customer Retention'. The agent responds with details from get_objective and list_key_results, giving the manager a ready-made slide deck summary.

Mid-Sprint Goal Check

A Product Leader needs to know if the new feature is on track. They prompt their agent with 'Check KR for mobile app launch'. The agent uses get_key_result, reports the current metric value, and tells them how far off they are from target.

Cross-Departmental Goal Mapping

The Strategy Officer needs to see who owns what. They ask their agent to list all teams assigned to OKRs. The agent uses list_teams and provides a clean breakdown of which groups are focused on which strategic areas.

Documenting Progress

The team just hit a major milestone, but the metric hasn't updated yet. Instead of logging into Quantive, the user prompts their agent to update_key_result, instantly recording the new high score and updating the company record.

Patterns to Avoid

Asking for a 'summary'

✗ AVOID

Prompting your agent with: 'Give me a comprehensive overview of all goals.' This is vague and forces the agent to guess which objectives you mean.

✓ INSTEAD

Be specific. Instead, ask: 'List all key results in Q2 related to market share' or use list_objectives combined with get_objective for precise answers.

Guessing team names

✗ AVOID

Telling the agent: 'What are the goals for marketing?' if you aren't sure of the exact team name. The agent might fail or give irrelevant data.

✓ INSTEAD

First, run list_teams to get the exact spelling and ID of the department. Then, ask: 'List objectives for Growth Marketing'.

Not knowing who owns what

✗ AVOID

Getting a status update but not knowing which team or person is responsible for the next steps.

✓ INSTEAD

Run list_users and then use list_teams to identify both the owners (people) and the departments (groups) driving the objectives.

The Right Fit

Use this MCP if your core pain point is translating high-level, siloed strategic documents into real-time, conversational data points. You need a single source of truth for OKRs that you can query from anywhere—your IDE, Slack, or terminal.

Don't use it if you simply need to *create* the initial goals or manage user permissions outside of reading/updating metrics; those are domain-specific admin tools. If your only goal is to view static documents attached to a project, this MCP won't help. This tool shines when you combine data retrieval (list_objectives) with action (update_key_result).

The Pain of Manual Goal Tracking

Today, tracking company objectives feels like a detective job. You have to open the OKR dashboard, then copy-paste data into a spreadsheet for your manager, and then send follow-up emails asking different department heads for their individual status updates. It's clicks in this tab, copies over there, and constant manual cross-referencing.

With this MCP, all that vanishes. You just ask your agent: 'What is the Q3 target for user retention?' The system pulls the objective details, checks the current value, and gives you a single, clean answer. It’s instant context, not tedious data aggregation.

Quantive (Gtmhub) MCP: Direct Metric Control

You no longer need to navigate through the Quantive UI just to update a single metric. If your team hits a milestone, you can tell the agent that progress has been made on 'key result ID 593021' and it updates immediately.

The difference is control. You manage critical metrics from the command line or chat interface. It means strategy tracking moves at the speed of conversation, not the speed of manual data entry.

Quantive (Gtmhub) MCP: 10 Tools for OKR Management

These tools give your agent deep access to every part of your strategy platform. You can list everything from objectives and teams to individual key result metrics.

#	TOOL	DESCRIPTION
01	`get_key_result`	Retrieves specific details for a single key result metric in Quantive.
02	`get_my_profile`	Fetches the basic information about the current authenticated user within the account.
03	`get_objective`	Gets detailed information for a particular OKR objective you specify.
04	`list_key_results`	Lists all available key result metrics (the actual numbers) in your Quantive account.
05	`list_objectives`	Retrieves a comprehensive list of every OKR objective across the organization.
06	`list_sessions`	Lists all defined planning sessions, helping you understand which timeframes are grouping the goals.
07	`list_tasks`	Finds and lists specific tasks that are linked to a larger OKR objective.
08	`list_teams`	Provides an inventory of all organizational teams defined in Quantive.
09	`list_users`	Retrieves a list of user profiles currently set up in the Quantive account.
10	`update_key_result`	Allows you to manually update and report a new current value for any key result metric.

See It in Action

Real prompts you can use once this MCP is connected to your AI agent through Vinkius Cloud.

U What are our main objectives for the current session?

I've retrieved your objectives. Currently, you have 3 active goals: 'Increase Market Share by 15%', 'Launch Version 2.0 of our Mobile App', and 'Improve Customer Retention to 90%'. Which one would you like to check progress on?

U Update key result ID 593021 to 75.

Updating progress... Key Result 593021 has been successfully updated to 75. This brings the current attainment for this KR to 82.5%.

U List all teams assigned to our strategic objectives.

I've fetched the team list. Your organizational OKRs are currently being driven by: 'Engineering Alpha', 'Product Design', 'Growth Marketing', and 'Customer Success'. Would you like to see the specific OKRs for any of these teams?

Frequently Asked Questions

01 **How do I find all objectives using the Quantive (Gtmhub) MCP?**

You use list_objectives. This tool pulls every active and historical OKR objective defined in your organization, giving you a full view of what everyone is working toward.

02 **Can I update the progress on a key result with Quantive (Gtmhub) MCP?**

Yes, you use update_key_result. This tool lets you report new data points for any specific metric ID, ensuring your goals always reflect the latest achievements.

03 **What if I need to know which team owns a goal?**

First, run list_objectives to find the goal. Then, you can use list_teams and check related tasks using list_tasks to identify the responsible department or user.

04 **Does Quantive (Gtmhub) MCP support multiple timeframes?**

Yes, list_sessions lets you browse all planning sessions. This means your agent can pull data for Q1, Q2, annual goals, and whatever timeframe is relevant to your question.

05 **How do I find out who works here?**

You use list_users or list_teams. The MCP provides comprehensive lists of user profiles and all defined organizational teams in the Quantive account.

Go Live in 60 Seconds

Get your connection token from **cloud.vinkius.com**, then paste the endpoint URL into any MCP-compatible client.

YOUR MCP ENDPOINT

```
https://edge.vinkius.com/[TOKEN]/mcp
```

CLIENT	WHERE TO CONFIGURE
Claude AI	Profile → Customize → Connectors → "+" → Add custom connector → Paste endpoint
Cursor	Settings → Features → MCP Servers → "+ Add New MCP Server" → Type: SSE → Paste endpoint
VS Code	Ctrl/Cmd+Shift+P → "MCP: Add Server" → add `"quantive-gtmhub": { "url": "…" }`
Windsurf	MCP Settings → `mcp_settings.json` → Add endpoint URL
ChatGPT	Settings → Tools & plugins → Add MCP server → Paste endpoint
Gemini	Extensions → Add MCP Server → Paste endpoint URL

ASK AN AI ABOUT THIS

Let your preferred AI explain this MCP server

- Ask ChatGPT
- Ask Claude
- Ask Perplexity
- Ask Gemini
- Ask Grok

READY TO CONNECT

Quantive (Gtmhub) is live on Vinkius Cloud.

Get your connection token, paste it into your AI agent, and start building. No SDK. No deployment. Just results.

Start at cloud.vinkius.com →

vinkius.com · support@vinkius.com

INDEPENDENT PLATFORM DISCLAIMER

Vinkius is an independent platform and is not affiliated with, endorsed by, sponsored by, verified by, or otherwise authorized by Quantive (Gtmhub). All third-party trademarks, logos, and brand names are the property of their respective owners. Their use in this document is strictly for informational purposes to identify service compatibility and interoperability.

DOCUMENT INFORMATION

Generated	June 2026
MCP Server	Quantive (Gtmhub) MCP
Server ID	`019d75ac-2ad3-71ed-9825-e4f00f744012`
Platform	Vinkius Cloud for AI Agents
Endpoint	`https://edge.vinkius.com/{token}/mcp`

LICENSE & USAGE

This document is generated automatically by the Vinkius PDF Engine. Content reflects the MCP server configuration at the time of generation and may change as updates are deployed. For the most current information, visit vinkius.com/mcp/quantive-gtmhub.

© 2026 Vinkius · vinkius.com · support@vinkius.com