

MCP SERVER

NO CODE

CLOUD HOSTED

Snov.io MCP

Find emails, build lists, monitor campaigns—all through chat.

Snov.io MCP connects your AI agent to a full suite of sales intelligence tools. Quickly find high-fidelity emails across entire domains, verify contact details, and manage complex outbound campaigns right from your chat interface.

A+ Quality Score 100/100

email-finding

email-verification

cold-outreach

prospecting

sales-pipeline



The connectivity layer between AI and the world's software.



Vinkius sits between AI and every application. All communication passes through Vinkius Cloud via the Model Context Protocol (MCP) — with governance, observability, and security at every layer.

Your AI Connections Run Through Vinkius Cloud

The world's largest
managed MCP catalog

Vinkius is the connectivity layer where AI connects to the software your business already runs. We handle the hosting, the security, the credentials, the uptime — you get agents that actually do things.

We operate the world's largest managed MCP catalog. Major SaaS platforms, CRMs, databases, and cloud providers — running, monitored, production-ready. This MCP server is hosted and maintained by the Vinkius Cloud for AI Agents.

The agent doesn't manage credentials, doesn't manage uptime, doesn't manage security. Vinkius does.

— Architecture principle

Four Pillars of the Vinkius Runtime

01 — Security by design

Credentials stay encrypted at rest via AES-256. The AI agent never touches raw keys — they're injected into a sandboxed V8 isolate at runtime. Actions are logged, and connections have an emergency kill switch.

03 — Deterministic observability

Eight immutable metrics per endpoint: request volume, p95 latency, error rate, active connections, cost attribution. A live payload feed logs every tool call with mutation detection.

02 — Built on MCP Fusion

This MCP server was built with **MCP Fusion**, the open-source framework (Apache 2.0) that powers the entire Vinkius catalog. Schema-as-firewall strips undeclared fields, compiled PII redaction runs at zero overhead, and cryptographic lockfiles produce git-diffable audit trails.

04 — Autonomous operations

Servers are deployed, monitored, and patched autonomously. New capabilities and security patches ship weekly. Zero-downtime deployments ensure continuous availability across all managed MCP servers.

AES-256

Encryption at rest

Ed25519

PKI vault signatures

24h TTL

Ephemeral session keys

V8 Isolate

Sandboxed execution

One Token. Instant Access.

Every MCP server on Vinkius is accessed through a **Connection Token**. Tokens are generated in the cloud dashboard and produce a unique MCP endpoint URL. Paste this URL into any MCP-compatible client — no SDK required.

A single token can serve **multiple AI clients simultaneously**, or you can issue separate tokens per client for granular access control. Each token tracks its own request count, last activity timestamp, and can be individually enabled or revoked.

MCP ENDPOINT

`https://edge.vinkius.com/{token}/mcp`

Claude



Cursor



VS Code



Windsurf



Grok



Gemini

Security Is the Architecture

Security in Vinkius is not a feature — it's the foundation of the runtime. The gateway enforces multiple independent protection layers between AI agents and third-party APIs.

01 — Ed25519 PKI Vault

Every workspace has an Ed25519 Master Key. Session keys are generated ephemerally (24h TTL) and signed by the Master Key. Credentials never leave the vault boundary.

02 — V8 Isolate Sandboxing

Tool code runs inside isolated-vm V8 isolates with 64 MB memory caps and per-request timeouts. No filesystem access, no network access except through the SSRF-guarded fetch bridge.

03 — SSRF Guard

All outbound HTTP requests are DNS-resolved and validated before execution. Private IP ranges (10.x, 172.16-31.x, 192.168.x, AWS metadata 169.254.x) are blocked at the network layer.

05 — Cryptographic Audit Trail

Every request is signed into a SHA-256 hash chain with Ed25519 signatures. Events form a tamper-proof, SIEM-exportable forensic record.

04 — DLP & PII Redaction

A ResponseGuard pipeline intercepts every tool response. Configurable redaction patterns strip sensitive fields (emails, SSNs, card numbers) before data reaches the AI agent.

06 — Honeypot Trap System

Phantom credentials are injected into isolated environments. If a honeypot is used outside Vinkius infrastructure, the server is quarantined instantly.

Emergency Kill Switch

EU AI Act Art. 14(1)
Compliant

The kill switch is an **emergency halt** mechanism — not a simple toggle. When triggered, it executes three actions atomically:

01 — Server deactivated

The MCP server is immediately taken offline across the entire cluster.

02 — All tokens revoked

Every connection token is invalidated. Total lockout — reconnection blocked until new tokens are issued.

03 — WebSocket connections killed

Active connections terminated via Redis pubsub broadcast. Propagates to every runtime node in the cluster.

Full Visibility. Zero Guesswork.

The Vinkius cloud dashboard includes a full MCP Governance suite — real-time analytics and security controls for production AI operations.

Control Plane

KPI dashboard with request volume, latency, success rate, token consumption, and AI-generated operational briefings.

FinOps

Cost tracking per tool, payload compression savings, budget optimization signals, and consumption trends.

Firewall & DLP

PII redaction activity, sensitive data protection counters, and security event timeline.

Agent Activity

Which AI clients are connecting, how often, and what they're doing — real-time session tracking.

Tool Health

Slowest and most error-prone tools, with actionable root-cause insights and performance baselines.

Incident Log

Error trends, failure rates, status-code breakdowns, and forensic audit trail access.

Get started at cloud.vinkius.com — connect your AI agent in under 60 seconds.

Snov.io MCP

10 tools available

Cloud-hosted on Vinkius

This connector gives you total control over your outreach pipeline using natural conversation. Instead of jumping between multiple research sites or wrestling with CSV exports, you tell your agent what you need—like finding key decision-maker emails for a specific industry domain—and it handles the search. You can manage entire prospect lists by retrieving profiles and adding new leads directly from your chat window. Need to know how well your last campaign performed? Your agent pulls real-time analytics on outreach campaigns, keeping you in sync with performance metrics as they happen. Because this MCP lives on Vinkius, you get access to all these capabilities through one connection point, letting your AI act like a dedicated growth coordinator and outreach architect that never sleeps.

Core Capabilities

01 — Discover emails by domain

Finds multiple high-fidelity email addresses associated with any given company domain.

02 — Manage prospect lists

Allows you to view saved client lists, get detailed profile information for prospects, and add new contacts instantly.

03 — Monitor outreach campaigns

Accesses real-time performance metrics and analytics from your active marketing and sales campaigns.

04 — Enrich contact data

Retrieves technical profile details for specific prospects using their unique ID or email address.

05 — Track system events

Lists configured webhooks and monitors API connectivity to ensure your outreach system is fully functional.

One Click on Vinkius — From Prompt to Execution

Available at vinkius.com/mcp/snovio-alternative — connect your AI agent in three steps.

- 01 First, subscribe to this MCP and grab your API User ID and Secret Key from your Snov.io account settings.
- 02 Then, connect those keys to your AI client; your agent now has full access to the toolset.
- 03 Finally, ask your agent questions like, 'Find me all emails for examplecompany.com' to start running real-world outreach intelligence.

The bottom line is you use natural language prompts in your AI client to trigger complex data operations that used to require manual logins and multiple steps.

Built For

This MCP is for the Sales Manager who's tired of building prospect lists manually. It's for the Growth Engineer who needs automated domain searches, and the Marketing Operations Specialist who can't afford to miss a campaign metric or webhook alert.

Sales Development Representative (SDR)

Uses the agent to find emails for domains and retrieve prospect details quickly so they can build targeted cold outreach lists on the fly.

Growth Engineer

Monitors webhooks and verifies account API status directly through AI queries, ensuring that automated lead orchestration never drops a beat.

Marketing Operations Manager

Reviews campaign analytics and lists outreach campaigns to ensure performance tracking is accurate across all channels before reporting results.

What Changes When You Connect

-
- 01** Stop wasting time on manual research. Use `find_snovio_domain_emails` to instantly pull dozens of high-fidelity contacts just by providing a domain name.

 - 02** Keep your outreach data clean and actionable. You can use `get_snovio_prospect_by_email` or `get_snovio_prospect_by_id` to verify and enrich any contact record you find.

 - 03** Never guess campaign performance again. Use `get_snovio_campaign_analytics` to pull deep metrics on your outreach campaigns without leaving your primary workflow.

 - 04** Automate list building by using `add_snovio_prospect_to_list`, which lets your agent take a verified lead and instantly slot them into a target prospect portfolio.

 - 05** Maintain system health effortlessly. You can `check_snovio_status` to ensure your API credentials are active, or use `list_snovio_webhooks` to track incoming event streams.
-

Real-World Applications

Need a quick batch of contacts for a new industry.

A Sales SDR needs 50 emails from the tech space. Instead of guessing, they ask their agent to run `find_snovio_domain_emails` on five different target domains. The agent reports back a verified list ready for immediate use.

Onboarding a new lead into the CRM system.

A Growth Engineer gets a referral email. They ask their agent to run `get_snovio_prospect_by_email`, verify the full profile data, and then use `add_snovio_prospect_to_list` to put the contact in the 'High Value Leads' bucket.

Diagnosing poor campaign performance.

A Marketing Manager notices conversion rates are low. They ask their agent to run `get_snovio_campaign_analytics` on the 'Q3 Retargeting' campaign, getting instant data points they can use to adjust strategy.

Checking if automated tracking is working.

An Ops specialist needs to confirm that webhooks are firing correctly. They prompt their agent with `list_snovio_webhooks`, which confirms three active streams and verifies the API connection status using `check_snovio_status`.

Patterns to Avoid

Treating it like a simple database query**✗ AVOID**

Trying to retrieve all prospect data just by providing a company name. This fails because the system needs specific identifiers, not general names.

✓ INSTEAD

To get detailed info, you must provide an email or use `find_snovio_prospect_by_name` if both are known. Always specify your input type to guarantee accurate retrieval.

Ignoring campaign performance data**✗ AVOID**

Assuming a campaign is working just because it was launched. You'll miss crucial metrics like open rates or conversion statistics.

✓ INSTEAD

Always run `get_snovio_campaign_analytics` to pull the actual, technical performance stats before making any changes to your outreach strategy.

Starting from scratch every time**✗ AVOID**

Manually researching and compiling a new list of emails for every single client engagement.

✓ INSTEAD

Instead, use `find_snovio_domain_emails` on the target domain. Then, immediately use `add_snovio_prospect_to_list` to save those findings into your permanent prospect portfolio.

The Right Fit

Use this MCP if your primary bottleneck is finding, verifying, or tracking contact data for outbound sales and marketing. You need a system that can ingest raw domain names and turn them into verified, actionable prospect records, while also providing the performance metrics to guide your campaigns. This works best when you are managing high-volume lead generation across multiple domains.

Don't use this if you simply need to read data from a single spreadsheet or integrate with an internal accounting ledger that doesn't involve email/prospecting data. For basic, one-off lookups without campaign monitoring, a simple lookup tool might suffice. But if the process involves domain intelligence and structured outreach management, this MCP is necessary.

The Prospecting Black Hole

Today, building an effective sales list feels like digging through a black hole. You find one company's website, manually grab the domain name, then you have to use external tools to guess at emails for key roles—it's slow, tedious, and often leaves you with incomplete data.

With this MCP connected via Vinkius, that process collapses into a single command. Instead of guessing, tell your agent to find all high-fidelity email addresses for the domain. You get an immediate list of confirmed contacts ready to be used in your campaign.

Snov.io MCP: Full Prospect Visibility

The biggest manual headache is tracking which leads you found, who they are, and if the emails actually work. You spend hours cross-referencing multiple tabs just to confirm a single prospect's full profile.

Now, your agent handles it all. After finding an email via `find_snovio_domain_emails`, you can immediately use `get_snovio_prospect_by_email` to pull the complete technical profile data in one go. Your entire outreach process is now conversational.

Snov.io MCP with 10 Tools

Use these tools in natural conversation to find verified business emails, track campaigns, and build out your entire sales pipeline.

#	TOOL	DESCRIPTION
01	<code>add_snovio_prospect_to_list</code>	Adds a specific prospect profile to one of your pre-existing saved lists.
02	<code>find_snovio_domain_emails</code>	Finds all high-fidelity email addresses associated with any given domain name.
03	<code>find_snovio_prospect_by_name</code>	Searches for a prospect's email by knowing both their name and company domain.
04	<code>get_snovio_campaign_analytics</code>	Retrieves detailed performance data, such as open rates and conversions, for specific outreach campaigns.
05	<code>get_snovio_prospect_by_email</code>	Fetches complete profile metadata for a prospect when you provide their email address.
06	<code>get_snovio_prospect_by_id</code>	Retrieves full details and information about a specific prospect using their unique ID number.
07	<code>list_snovio_campaigns</code>	Lists all the marketing outreach campaigns you currently have set up in Snov.io.
08	<code>list_snovio_prospect_lists</code>	Shows a directory of all the prospect lists that are saved under your account.
09	<code>list_snovio_webhooks</code>	Lists and checks the status of configured webhooks for tracking system events.
10	<code>check_snovio_status</code>	Verifies the operational connectivity and credentials status of your main API connection.

See It in Action

Real prompts you can use once this MCP is connected to your AI agent through Vinkius Cloud.

U Find all high-fidelity emails for the domain 'vinkius.com'.



I've retrieved the domain data. You currently have 12 active high-fidelity profiles for vinkius.com, including 'admin@vinkius.com' and 'tech@vinkius.com'. Would you like the detailed identity metadata for any of them?

U Show the last 5 campaigns and their analytics.



Growth orchestrated! I've identified 5 active high-fidelity campaigns, including 'Q2 Outreach'. I've retrieved the technical open rates and conversion metadata for your review. Shall I summarize the campaign performance?

U Check the team webhooks for lead events.



Notification stream orchestrated! You currently have 3 high-fidelity webhook profiles active for account events. Your API connection is healthy. Shall I retrieve the detailed event orchestration metadata for these webhooks?

Frequently Asked Questions

01 How does the Snov.io MCP handle email verification?

The MCP verifies emails by finding high-fidelity addresses for a domain, ensuring they are likely to be active and owned by that company. You use `find_snovio_domain_emails` for this.

02 Can I track multiple campaigns with Snov.io MCP?

Yes, you can list all your outreach campaigns using `list_snovio_campaigns` and then get the specific performance data with `get_snovio_campaign_analytics`.

03 What if I need to add a new lead found by my agent?

You can use `add_snovio_prospect_to_list`. This tool takes the verified prospect data and places it directly into one of your saved client lists.

04 Does Snov.io MCP help me check my API connection?







Absolutely. You can run `check_snovio_status` to verify that your account's API credentials are active and ready for use before starting a major campaign.

Go Live in 60 Seconds

Get your connection token from cloud.vinkius.com, then paste the endpoint URL into any MCP-compatible client.

YOUR MCP ENDPOINT

```
https://edge.vinkius.com/[TOKEN]/mcp
```

CLIENT	WHERE TO CONFIGURE
 Claude AI	Profile → Customize → Connectors → "+" → Add custom connector → Paste endpoint
 Cursor	Settings → Features → MCP Servers → "+ Add New MCP Server" → Type: SSE → Paste endpoint
 VS Code	Ctrl/Cmd+Shift+P → "MCP: Add Server" → add <code>"snovio-alternative": { "url": "..."} </code>
 Windsurf	MCP Settings → <code>mcp_settings.json</code> → Add endpoint URL
 ChatGPT	Settings → Tools & plugins → Add MCP server → Paste endpoint
 Gemini	Extensions → Add MCP Server → Paste endpoint URL

ASK AN AI ABOUT THIS

Let your preferred AI explain this MCP server

-  **Ask ChatGPT** 
-  **Ask Claude** 
-  **Ask Perplexity** 
-  **Ask Gemini** 
-  **Ask Grok** 

READY TO CONNECT

Snov.io is live on Vinkius Cloud.

Get your connection token, paste it into your AI agent, and start building. No SDK. No deployment. Just results.

[Start at cloud.vinkius.com](https://cloud.vinkius.com) →

vinkius.com · support@vinkius.com

INDEPENDENT PLATFORM DISCLAIMER

Vinkius is an independent platform and is not affiliated with, endorsed by, sponsored by, verified by, or otherwise authorized by Snov.io. All third-party trademarks, logos, and brand names are the property of their respective owners. Their use in this document is strictly for informational purposes to identify service compatibility and interoperability.

DOCUMENT INFORMATION

Generated	June 2026
MCP Server	Snov.io MCP
Server ID	019dd164-2df5-72cc-91d7-7eb869599145
Platform	Vinkius Cloud for AI Agents
Endpoint	https://edge.vinkius.com/{token}/mcp

LICENSE & USAGE

This document is generated automatically by the Vinkius PDF Engine. Content reflects the MCP server configuration at the time of generation and may change as updates are deployed. For the most current information, visit vinkius.com/mcp/snovio-alternative.