

MCP SERVER

NO CODE

CLOUD HOSTED

WordPress Subscriber Creator MCP

Automate membership signups with zero risk.

WordPress Subscriber Creator registers new user accounts directly into your WordPress database, strictly assigning the 'Subscriber' role every time. This MCP is designed for secure membership onboarding and automated lead capture, allowing your AI client to turn chat conversations into active, contained users without ever risking admin access.

A+ Quality Score 100/100

user-registration

membership

onboarding

lead-capture

database-management



The connectivity layer between AI and the world's software.



Vinkius sits between AI and every application. All communication passes through Vinkius Cloud via the Model Context Protocol (MCP) — with governance, observability, and security at every layer.

Your AI Connections Run Through Vinkius Cloud

The world's largest
managed MCP catalog

Vinkius is the connectivity layer where AI connects to the software your business already runs. We handle the hosting, the security, the credentials, the uptime — you get agents that actually do things.

We operate the world's largest managed MCP catalog. Major SaaS platforms, CRMs, databases, and cloud providers — running, monitored, production-ready. This MCP server is hosted and maintained by the Vinkius Cloud for AI Agents.

The agent doesn't manage credentials, doesn't manage uptime, doesn't manage security. Vinkius does.

— Architecture principle

Four Pillars of the Vinkius Runtime

01 — Security by design

Credentials stay encrypted at rest via AES-256. The AI agent never touches raw keys — they're injected into a sandboxed V8 isolate at runtime. Actions are logged, and connections have an emergency kill switch.

03 — Deterministic observability

Eight immutable metrics per endpoint: request volume, p95 latency, error rate, active connections, cost attribution. A live payload feed logs every tool call with mutation detection.

02 — Built on MCP Fusion

This MCP server was built with **MCP Fusion**, the open-source framework (Apache 2.0) that powers the entire Vinkius catalog. Schema-as-firewall strips undeclared fields, compiled PII redaction runs at zero overhead, and cryptographic lockfiles produce git-diffable audit trails.

04 — Autonomous operations

Servers are deployed, monitored, and patched autonomously. New capabilities and security patches ship weekly. Zero-downtime deployments ensure continuous availability across all managed MCP servers.

AES-256

Encryption at rest

Ed25519

PKI vault signatures

24h TTL

Ephemeral session keys

V8 Isolate

Sandboxed execution

One Token. Instant Access.

Every MCP server on Vinkius is accessed through a **Connection Token**. Tokens are generated in the cloud dashboard and produce a unique MCP endpoint URL. Paste this URL into any MCP-compatible client — no SDK required.

A single token can serve **multiple AI clients simultaneously**, or you can issue separate tokens per client for granular access control. Each token tracks its own request count, last activity timestamp, and can be individually enabled or revoked.

MCP ENDPOINT

`https://edge.vinkius.com/{token}/mcp`

Claude



Cursor



VS Code



Windsurf



Grok



Gemini

Security Is the Architecture

Security in Vinkius is not a feature — it's the foundation of the runtime. The gateway enforces multiple independent protection layers between AI agents and third-party APIs.

01 — Ed25519 PKI Vault

Every workspace has an Ed25519 Master Key. Session keys are generated ephemerally (24h TTL) and signed by the Master Key. Credentials never leave the vault boundary.

02 — V8 Isolate Sandboxing

Tool code runs inside isolated-vm V8 isolates with 64 MB memory caps and per-request timeouts. No filesystem access, no network access except through the SSRF-guarded fetch bridge.

03 — SSRF Guard

All outbound HTTP requests are DNS-resolved and validated before execution. Private IP ranges (10.x, 172.16-31.x, 192.168.x, AWS metadata 169.254.x) are blocked at the network layer.

05 — Cryptographic Audit Trail

Every request is signed into a SHA-256 hash chain with Ed25519 signatures. Events form a tamper-proof, SIEM-exportable forensic record.

04 — DLP & PII Redaction

A ResponseGuard pipeline intercepts every tool response. Configurable redaction patterns strip sensitive fields (emails, SSNs, card numbers) before data reaches the AI agent.

06 — Honeypot Trap System

Phantom credentials are injected into isolated environments. If a honeypot is used outside Vinkius infrastructure, the server is quarantined instantly.

Emergency Kill Switch

EU AI Act Art. 14(1)
Compliant

The kill switch is an **emergency halt** mechanism — not a simple toggle. When triggered, it executes three actions atomically:

01 — Server deactivated

The MCP server is immediately taken offline across the entire cluster.

02 — All tokens revoked

Every connection token is invalidated. Total lockout — reconnection blocked until new tokens are issued.

03 — WebSocket connections killed

Active connections terminated via Redis pubsub broadcast. Propagates to every runtime node in the cluster.

Full Visibility. Zero Guesswork.

The Vinkius cloud dashboard includes a full MCP Governance suite — real-time analytics and security controls for production AI operations.

Control Plane

KPI dashboard with request volume, latency, success rate, token consumption, and AI-generated operational briefings.

FinOps

Cost tracking per tool, payload compression savings, budget optimization signals, and consumption trends.

Firewall & DLP

PII redaction activity, sensitive data protection counters, and security event timeline.

Agent Activity

Which AI clients are connecting, how often, and what they're doing — real-time session tracking.

Tool Health

Slowest and most error-prone tools, with actionable root-cause insights and performance baselines.

Incident Log

Error trends, failure rates, status-code breakdowns, and forensic audit trail access.

Get started at cloud.vinkius.com — connect your AI agent in under 60 seconds.

WordPress Subscriber Creator MCP

1 tools available

Cloud-hosted on Vinkius

Building a robust membership system shouldn't involve giving an agent keys to the kingdom. That's why this MCP focuses solely on one job: creating new subscriber accounts in WordPress. It acts as a zero-trust bridge between your AI client and your site's user database.

When a customer asks your chat bot, 'How do I sign up for the VIP list?', your agent doesn't need to copy emails into a spreadsheet or manually create accounts behind the scenes. Instead, it uses this MCP to instantly capture their information and register them directly in WordPress as a subscriber. This immediate registration capability means you eliminate manual data transfer entirely.

This precise control over user roles makes it compatible with major membership plugins like MemberPress or WooCommerce because the accounts are created natively within the core database. By connecting through Vinkius, your agent gains this specific ability to onboard members without the danger of accidentally escalating privileges or damaging other parts of your site.

Core Capabilities

01 — Automated User Registration

The MCP creates a new user record in WordPress using provided email and username details.

02 — Membership Lead Capture

Your AI client can capture lead data from a conversation and immediately convert it into an active user profile.

03 — Enforced Role Limitation

Every account created is automatically assigned the 'Subscriber' role, preventing unauthorized access levels.

One Click on Vinkius — From Prompt to Execution

Available at vinkius.com/mcp/wordpress-subscriber-creator — connect your AI agent in three steps.

- 01** You provide your AI agent with the user's necessary details, like their email address and desired username.
- 02** The MCP uses those credentials to call the native WordPress REST API endpoint for user creation.
- 03** WordPress accepts the data and returns confirmation that a new user account has been created with the defined subscriber role.

The bottom line is, your AI client takes conversational data and turns it into a fully functional, secure membership record in your database.

Built For

This MCP is for SaaS founders, marketing operations managers, and community team leads. If you spend too much time copying lead names from chat logs into WordPress forms or spreadsheets, this tool saves those clicks. It gives your automation layer a controlled way to turn conversations into confirmed memberships.

SaaS Founder

Uses this MCP to ensure that every paying beta tester who signs up via the website chat is immediately and correctly added to WordPress as an active subscriber.

Marketing Operations Manager

Integrates lead capture forms into AI workflows, allowing agents to register newsletter subscribers instantly without needing human intervention or manual database updates.

Community Manager

Manages user onboarding for gated content, ensuring that when a new member expresses interest in the community chat, they are registered with the correct base access level.

What Changes When You Connect

- 01** Stop worrying about privilege escalation. This MCP guarantees that every new account created has the 'Subscriber' role, keeping your site secure from accidental or malicious administrative access.
- 02** Eliminate manual data entry. When a lead signs up via chat, this tool instantly registers them in WordPress using the native REST API, turning conversation into membership record without human clicks.
- 03** Works with existing plugins. Because it uses the core WordPress user database, any plugin that recognizes subscribers—like MemberPress or WooCommerce—will treat the new account as legitimate and ready to use.
- 04** Secure lead capture workflow. Your AI agent can execute a full sign-up process when a user says they want VIP access, capturing both their name and email in one step.
- 05** Focus on conversion, not data hygiene. Instead of managing spreadsheets of captured leads, your team gets immediate, actionable accounts ready for content gating.

Real-World Applications

Handling VIP Newsletter Signups

A user chats with the support bot and says, 'I want access to the VIP list.' The agent intercepts this request and calls `create_wordpress_subscriber`, registering the user immediately. This bypasses forms entirely and guarantees the lead is in your system.

Onboarding Beta Testers

A new beta tester fills out a contact form, but you want them registered instantly for gated content. Your agent captures their details and uses `create_wordpress_subscriber` to grant them immediate base access without requiring manual setup.

Managing Contest Entries

A user enters a contest by providing an email address in a chat conversation. Instead of tracking this manually, the agent calls ``create_wordpress_subscriber`` to create their account record right away, ensuring they are counted as a registered participant.

Closing Sales Leads

A sales chat ends with an agreement; the client provides credentials. The agent uses this MCP to finalize the sale by creating the required subscriber account, giving them immediate access to the paid content area.

Patterns to Avoid

Over-Permissive Integrations

X AVOID

Connecting an AI client that has general database read/write permissions. This setup could allow the agent to delete pages or change user roles entirely.

✓ INSTEAD

Use this MCP because it provides absolute containment; it only allows creation of new users with the 'Subscriber' role, drastically limiting risk.

Manual Lead Transfer

X AVOID

A person having to copy a name from one chat window and paste it into a different WordPress sign-up form.

✓ INSTEAD

Let your agent handle the transfer automatically. It uses ``create_wordpress_subscriber`` to send the data directly, skipping all manual steps.

Ignoring Role Specificity

X AVOID

Using a generic tool that lets you create users with 'Admin' rights when you only need basic membership access.

✓ INSTEAD

This MCP is built for safety. It strictly hardcodes the role to ``subscriber``, meaning your agent can never accidentally grant elevated permissions.

The Right Fit

Use this MCP if your primary goal is controlled, safe user onboarding where conversation-captured leads must become active members with basic access. If you need the AI client to read existing user data or modify content (like writing a new blog post), this tool won't work—you'll need a different type of CMS integration. However, if your only requirement is to send simple messages or retrieve public API information without touching the user database,

an external messaging MCP will be better suited. Remember, this tool only creates users; it doesn't manage content or edit profiles.

The Pain of Manual Membership Signups

Today, when a user expresses interest in your paid content via chat, the process breaks down.

Someone has to manually copy their name and email from the conversation log. Then they have to switch tabs, navigate to the WordPress dashboard, and fill out a form—a task that is tedious, error-prone, and often delayed.

With this MCP, the handoff becomes instant. The AI agent intercepts the chat data and sends it directly to your site's database via `create_wordpress_subscriber`. The user account exists seconds later, ready for content gating, without a single human click required.

WordPress Subscriber Creator: Securely Manage Membership Signups

The key change is that the agent handles the entire workflow. It captures the lead and registers them using `create_wordpress_subscriber`, ensuring they receive only the basic subscriber role, which keeps your site safe while granting access.

It's not just about creating an account; it's about establishing a secure, automated pipeline where conversation equals conversion. You get instant membership status without compromising your security model.

WordPress Subscriber Creator MCP: 1 Tool

This tool allows your AI client to create new, secure user accounts within your WordPress database for membership or lead capture purposes.

#	TOOL	DESCRIPTION
01	<code>create_wordpress_subscriber</code>	Creates a new user account in WordPress using provided details and strictly assigns it the subscriber role.

See It in Action

Real prompts you can use once this MCP is connected to your AI agent through Vinkius Cloud.

U Register a new subscriber account for john.doe@example.com with the username johndoe.



I've successfully created the subscriber account for johndoe (john.doe@example.com). Their user ID is #125.

Frequently Asked Questions

01 Does WordPress Subscriber Creator give the AI admin access?

No, absolutely not. This MCP is hardcoded to only assign the 'Subscriber' role, physically preventing any unauthorized privilege escalation or administrative changes.

02 Can I use this with WooCommerce?

Yes. Since it utilizes the native WordPress user database, plugins like WooCommerce that treat subscribers as customers will recognize and process the new accounts instantly.

03 What kind of data does create_wordpress_subscriber need?

It requires core user details, specifically a unique username and the user's primary email address to successfully register the account in WordPress.

04 Is this MCP only for signups, or can it update users?

This specific MCP is limited to creating new accounts. It cannot be used by your agent to modify existing user profiles or change roles after creation.

05 How does WordPress Subscriber Creator improve lead capture?







It moves lead capture from a manual, spreadsheet-based process into an automated workflow, instantly creating the usable account record when the conversation dictates it.

Go Live in 60 Seconds

Get your connection token from cloud.vinkius.com, then paste the endpoint URL into any MCP-compatible client.











YOUR MCP ENDPOINT

```
https://edge.vinkius.com/[TOKEN]/mcp
```

CLIENT	WHERE TO CONFIGURE
 Claude AI	Profile → Customize → Connectors → "+" → Add custom connector → Paste endpoint
 Cursor	Settings → Features → MCP Servers → "+ Add New MCP Server" → Type: SSE → Paste endpoint
 VS Code	Ctrl/Cmd+Shift+P → "MCP: Add Server" → add <code>"wordpress-subscriber-creator": { "url": "..." }</code>
 Windsurf	MCP Settings → <code>mcp_settings.json</code> → Add endpoint URL
 ChatGPT	Settings → Tools & plugins → Add MCP server → Paste endpoint
 Gemini	Extensions → Add MCP Server → Paste endpoint URL

ASK AN AI ABOUT THIS

Let your preferred AI explain this MCP server

-  **Ask ChatGPT** 
-  **Ask Claude** 
-  **Ask Perplexity** 
-  **Ask Gemini** 
-  **Ask Grok** 

READY TO CONNECT

WordPress Subscriber Creator is live on Vinkius Cloud.

Get your connection token, paste it into your AI agent, and
start building. No SDK. No deployment. Just results.

[Start at cloud.vinkius.com](https://cloud.vinkius.com) →

vinkius.com · support@vinkius.com

INDEPENDENT PLATFORM DISCLAIMER

Vinkius is an independent platform and is not affiliated with, endorsed by, sponsored by, verified by, or otherwise authorized by WordPress Subscriber Creator. All third-party trademarks, logos, and brand names are the property of their respective owners. Their use in this document is strictly for informational purposes to identify service compatibility and interoperability.

DOCUMENT INFORMATION

Generated	June 2026
MCP Server	WordPress Subscriber Creator MCP
Server ID	019e390e-1c9c-729a-8233-9fc046aeb501
Platform	Vinkius Cloud for AI Agents
Endpoint	https://edge.vinkius.com/{token}/mcp

LICENSE & USAGE

This document is generated automatically by the Vinkius PDF Engine. Content reflects the MCP server configuration at the time of generation and may change as updates are deployed. For the most current information, visit vinkius.com/mcp/wordpress-subscriber-creator.